

Vegetation, Flora, Fauna and Environmental Considerations Report

Government Dams
Purpose Permit

No. 2 Dam – Salmon Gums East Road, Salmon Gums

Report compiled by:



Acknowledgement of country

The Shire of Esperance acknowledges the Kepa Kurl Wudjari people of the Nyungar nation and Ngadju people who are the traditional custodians of this land and their continuing connection to land, waters and community. We pay our respects to Elders past, present and emerging, and we extend that respect to other Aboriginal Australians today.

Copyright

The information contained in this report is the property of The Shire of Esperance. The use or copying of the whole or any part of this report without the written permission of The Shire of Esperance is not permitted.

Disclaimer

The Shire of Esperance has utilised information and data supplied sourced from government databases, literature, departments and agencies in the preparation of this report. The Shire of Esperance has compiled this report on the basis that any supplied or sourced information and data was accurate at the time of publication. The Shire of Esperance accepts no liability or responsibility whatsoever for the use of, or reliance upon, the whole or any part of this report by any third party.

Citation

Waters, J and Walkerden K (2025) Vegetation, Flora, Fauna and Environmental Considerations Report, Government Dams Purpose Permit, No. 2 Dam – Salmon Gums East Road, Salmon Gums, Shire of Esperance

Revision No.	Date	File Name
1 DRAFT	22/5/2025	\\domain\dfs\PARKS & RESERVES\Environment Services\Clearing permits\Applications\To finish\Government Dams - Bruce\No. 2 Tank Salmon Gums East - Sassella\No 2 Tank Project Vegetation, Flora, Fauna and Environmental Considerations Report
Final	17/7/2025	\\domain\dfs\PARKS & RESERVES\Environment Services\Clearing permits\Applications\To finish\Government Dams - Bruce\No. 2 Tank Salmon Gums East - Sassella - 24-SALM-01\ No 2 Tank - Project Vegetation, Flora, Fauna and Environmental Considerations Report

Contents

E	xecutiv	∕e Su	mmary	6
1	Int	roduc	ction	6
	1.1	Loc	cation and Scope of Project	7
	1.2	En	vironmental Legislation and Guidelines	7
2	OE	BJEC	TIVES	8
3	ME	ETHC	DDS	8
	3.1	De	sktop Assessment	8
	3.2	Fie	ld Survey	9
	3.3	Su	rvey Timing	10
	3.4	Ve	getation Descriptions	10
	3.5	Su	rvey Limitations	11
4	DE	SKT	OP ASSESSMENT RESULTS	12
	4.1	Cli	mate	12
	4.2	Ca	tchment	12
	4.3	Ge	ology, Soils and Topography	12
	4.4	Re	gional Vegetation	12
	4.5	Su	rrounding Land Use	13
	4.6	Po	tential Threatened and Priority Flora	14
	4.7	Po	tential Threatened and Priority Ecological Communities	14
	4.8	Po	tential Threatened and Priority Fauna	14
	4.9	Ph.	ytophthora Dieback	14
5	FIE	ELD S	SURVEY RESULTS AND DISCUSSION	14
	5.1	Ve	getation Communities	14
	5.2	Ve	getation Condition	15
	5.2	2.1	Weeds	15
	5.2	2.2	Phytophthora Dieback	15
	5.3	Thi	reatened Ecological Communities	15
	5.4	Flo	ra	16
	5.5	Thi	reatened and Priority Flora	16
	5.5	5.1	Conostephium uncinatum, Priority 2	17
	5.5	5.2	Acacia glaucissima, Priority 3	18
	5.5	5.3	Cyathostemon sp. Salmon Gums, Priority 3	18
	5.5	5.4	Melaleuca fissurata, Priority 4	19
	5.6	Fai	una	19
6	RE	VIEV	N OF 10 CLEARING PRINCIPLES FOR NATIVE VEGETATION	20

7	RECOMMENDATIONS	21
8	LIST OF PERSONNEL	21
9	REFERENCES	22

LIST OF TABLES

- **Table 1:** Potential limitations affecting the conclusions made in this report.
- **Table 2.** Vegetation associations mapped by Beard (1973) within the No. 2 Dam area, and statistics on pre-European remaining areas.
- **Table 3.** Vegetation communities identified within proposed No. 2 Dam project area.
- **Table 4**: Summary of Priority flora species recorded in No. 2 Dam project area.

LIST OF FIGURES

- Figure 1. Location of No. 2 Dam.
- Figure 2. Map of remnant vegetation within a 5km buffer produced by DEISIP.
- Figure 3. Vegetation type A identified in No. 2 Dam project area, described as: "Sparse regrowth

Eucalyptus woodland over very sparse mixed melaleuca and acacia shrubland".

Figure 4. Location of Priority 2 species Conostephium uncinatum within the No. 2 Dam project.

APPENDICES

- 1. Incidental Species List
- 2. Threatened and Priority Flora Report Forms
- 3. Threatened and Priority Flora Species with the Potential to occur within the No. 2 Dam Survey Area
- 4. Threatened and Priority Fauna Species with the Potential to occur within the No. 2 Dam Survey Area
- 5. EPBC Act Protected Matters Report
- 6. BC Act Threatened and Priority Flora and Fauna definitions
- 7. EPBC Act Definition of Threatened Flora and Fauna Species
- 8. BC Act Threatened Ecological Community definitions
- 9. BC Act Definition of Priority Ecological Communities
- 10. EPBC Act Definition of Threatened Ecological Communities
- 11. BAM Act Categories and Control measures of Declared Pest (Plant) Organisms in Western Australia
- 12. Definitions of Vegetation Condition Scale

LIST OF ABBREVIATIONS

BAM Act: Biosecurity and Agriculture Management Act 2007 (WA)

BC Act: Biodiversity Conservation Act 2016 (WA)

BOM: Bureau of Meteorology

DBCA: Department of Biodiversity, Conservation and Attractions

EP Act: Environmental Protection Act 1986 (WA)

EPA: Environmental Protection Authority

EPBC Act: Environment Protection and Biodiversity Conservation Act 1999 (Commonwealth)

IBRA: Interim Biogeographical Regionalisation for Australia

IUCN: International Union of Conservation Nature

LGA: Local Government Area

NVIS: National Vegetation Information System

PEC: Priority Ecological Community **PF:** Priority Flora (Under BC Act)

SOE: Shire of Esperance

SLK: Straight Line Kilometres (Main Roads WA)

TEC: Threatened Ecological Community **TF:** Threatened Flora (Under BC Act)

TPFL: Threatened and Priority Flora Database (DBCA)
TPRF: Threatened and Priority Flora Report Form
WAH: Western Australian Herbarium (PERTH)
WAOL: Western Australian Organism List
WONS: Weeds of National Significance

Executive Summary

The Shire of Esperance (SOE) Environmental Team was commissioned by the Shire of Esperance Asset Management department to undertake a review of the vegetation, flora, fauna and environmental values on a number of Government Dams in the north of the Esperance Shire over 2024. The eleven sites will be applied for under the Shire of Esperance's Government Dams Purpose Permit.

The proposed development involves the clearing of 4.616ha of native vegetation for the purpose of dam catchment upgrade.

This report details the results from the Environmental Impact Assessment completed by Shire of Esperance Environmental Services team over spring 2024.

The site contained a single vegetation community described as "Sparse regrowth Eucalyptus woodland over very sparse mixed melaleuca and acacia shrubland".

Vegetation Condition varied between Good condition around the dam and within the catchment itself and Excellent condition along the access track into the catchment.

One Priority Ecological Community occurred within the 20km buffer of the project site; however no vegetation in the survey area met the requisite criteria for this community or any other Priority or Threatened Ecological Communities.

A total of 93 vascular plant taxa, representative of 58 genera and 25 families, were recorded within No. 2 Dam survey area. Of these 83 were native species and 10 were introduced.

No threatened and four priority flora species were recorded within the No. 2 Dam survey area.

Suitable habitat for four threatened fauna species identified in the desktop survey was also present in the project area.

1 Introduction

The Shire of Esperance is the responsible land manager for a number of government dams. There are over 50 government dams within the Esperance Shire. The dams were constructed from 1910-1930 by the Public Works Department to provide water for new settlers as they arrived in Salmon Gums, Scaddan, Cascade and Grass Patch districts, where there were no large natural freshwater sources. Most of the dams include a graded catchment, with a dam (sometimes roofed). The dams provide valuable water for road construction, firefighting and can often be used as drought relief dams for stock when farm dams become dry.

All of the dam sites applied for under the Shires Government Dams Purpose Permit have been previously cleared, however due to many of them previously being in the Shire of Dundas, there was not a periodical maintenance program to regrade the catchments and many of the catchments have become overgrown. The dam catchments applied for under this strategic purpose permit would not be exempt under Regulation 5, Item 15, of the Clearing Regulations as these sections have not been cleared in the last 10 years.

1.1 Location and Scope of Project

The proposed works are located 6.2km east of the Salmon Gums townsite, within south east portion of SOE managed Reserve 20064. Specifically, it is located on Lot 1664 on Plan 190516 Salmon Gums East Road, Salmon Gums, on the south east side of the intersection of Salmon Gums East Road and Sassella Road. A point within the proposed clearing permit area is UTM Zone 51H 378663m E 6351337m N.

No. 2 Dam project is required for drought relief, road construction and firefighting purposes. The project involves clearing and grading the previously cleared catchment and widening the access track into the site to prevent damage to water trucks accessing the site in total 4.616ha of vegetation is proposed to be cleared. On 17 September 2024, the dam contained water, however reclearing the catchment should ensure water runoff into the dam is improved.

The Shire of Esperance has attempted to avoid, reduce, minimise impacts by keeping as much as possible to existing cleared areas.




Figure 1. Location of No. 2 Dam.

1.2 Environmental Legislation and Guidelines

The following legislation is relevant to this survey:

Commonwealth (Federal):

Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act).

Western Australian (State):

Biodiversity Conservation Act 2016 (BC Act);

- Biodiversity Conservation Act 2016 Biodiversity Conservation (Listing of Native Species) (Flora)
 Order 2022:
- Biodiversity Conservation Act 2016 Biodiversity Conservation (Listing of Native Species) (Fauna) Order 2022:
- Biosecurity and Agriculture Management Act 2007 (BAM Act); and
- Environmental Protection Act 1986 (EP Act).

Western Australian (State) guidelines relevant to this survey are:

- Environmental Factor Guideline: Flora and Vegetation (Environmental Protection Authority (EPA) 2016);
- Technical Guidance Flora and Vegetation Surveys for Environmental Impact Assessment (EPA 2016);
- A guide to the assessment of applications to clear native vegetation, Under Part V Division 2 of the Environmental Protection Act 1986 (DWER, 2014); and
- Technical Guidance Terrestrial vertebrate fauna surveys for environmental impact assessment (EPA, 2020).

2 OBJECTIVES

The objective of this survey was to undertake a vegetation, flora, fauna and environmental assessment of the No. 2 Dam survey area to enable an informed decision to be made in respect to the potential environmental impacts of the project. This is inclusive of the following:

- Undertake a desktop study of the vegetation, flora, fauna, threatened ecological communities, soils, geology, landform, aboriginal heritage, cadastre, important wetlands, soils of the No. 2 Dam survey area using all available resources. This includes spatial interrogation using the Shire of Esperance's Desktop Environmental Impacts Spatial Interrogation Program (DEISIP), aerial photography interpretation and the Commonwealth Protected Matters Search Tool.
- Review available historical literature of the No. 2 Dam survey area;
- Undertake a field survey of the No. 2 Dam survey area, and collect and identify the vascular plant species present;
- Define and map the vegetation communities present and their condition in the No. 2 Dam survey area.
- Define and map the location of any threatened flora (TF) and priority flora (PF), TECs, fauna and priority fauna habitat located within the No. 2 Dam survey area;
- Provide recommendations on the local and regional significance of the vegetation communities;
- Define any management issues related to any environmental values: and
- Provide recommendations to the Shire of Esperance Asset Management department in relation to environmental management of the project.

3 METHODS

3.1 Desktop Assessment

Desktop information was collated for all areas within a 20km buffer zone of the site using DBCA datasets sourced under agreement. These data sources are listed below:

- Threatened and Priority Flora Database (TPFL; DBCA 2024a);
- Western Australian Herbarium data (DBCA 2024b)

- DBCA's Esperance District Threatened Flora spatial dataset (DBCA 2024c);
- Threatened and Priority Ecological Communities (TECs & PECs; DBCA 2024d);
- Threatened, Specially Protected and Priority Fauna (DBCA 2024e); and
- Black cockatoo / Carnaby's cockatoo roost and breeding sites (DBCA 2024e).

Additionally, the EPBC Act Protected Matters Search Tool (PMST), was also checked to identify the possible occurrence of Threatened and Priority flora, fauna and ecological communities within the No. 2 Dam area. Search parameters were 'by polygon' and a 20km buffer was applied to the search area; standard used in this IBRA subregion.

Historical and State documentation and datasets consulted include:

- Vegetation mapping of the region, principally the coarse-scale vegetation associations of Beard (1973) (DDIRP-006);
- Vegetation Extent by Statewide Pre-European mapping statistics (Department of Parks and Wildlife 2018);
- Soil landscape mapping (Schoknecht, et al 2004);
- EPBC Act list of TECs; (2024)
- Priority Ecological Communities for Western Australia Version 35 (DBCA 2023c);
- Nomination or listing descriptions of TECs or PECs, where available and relevant (State and Federal);
- Recovery Plans, Approved Conservation Advices, Significant Impact Guidelines and / or other relevant reports or documentation relating to the preferred habitats / distributions of TECs / PECs, Threatened flora and fauna;
- Dieback Information Data Management System (DIDMS 2024; Gaia Resources);
- Shire of Esperance Weed Mapping Data (2024);
- Existing site digital orthophotos (Scaddan 2015);
- Atlas of Living Australia database (2024)
- Hydrographic Catchments (DWER-028); and
- Crown Reserves (Landgate-227).
- RAMSAR sites (DBCA-010)
- Directory of Important Wetlands (DBCA-045)

3.2 Field Survey

The site was initially inspected on 6 December 2023, by Julie Waters (SOE Environmental Coordinator). A general assessment of possible ecological impacts included historical clearing, impact of fire regimes, regeneration from disturbance, waterlogging, senescence, weeds, erosion, sedimentation, invasive fauna, *Phytophthora* Dieback, and illegal dumping of rubbish.

A detailed field assessment of the flora and vegetation of the No. 2 Dam survey area was undertaken by SOE botanists Julie Waters and Katherine Walkerden on 17 September 2024 in accordance with

methods outlined in Technical Guidance – Flora and vegetation surveys for environmental impact assessment (EPA 2016). All botanists held valid collection licences to collect flora for scientific purposes, issued under the BC Act.

The methodology for assessing threatened and priority flora consisted of traversing by foot the entire No. 2 Dam survey area. Botanists used handheld Garmin GPS units loaded with the No. 2 Dam survey area boundary, walking every second graded row to cover the entire area recording all species, and collecting all but the very common, well known species.

For threatened or priority flora species identified in the desktop survey as possible to occur, scans of pressed specimens from either the WAH or local Esperance District Herbarium were taken into the field. Suitable associated habitat for TF or PF identified in the desktop study were particularly focused on, and extensively searched. If suspected or known conservation significant flora species were encountered, a specimen was collected for subsequent identification with GPS coordinates and plant numbers recorded for the population. During the survey, a field herbarium for No. 2 Dam was also constructed.

All species unknown in the field were collected, pressed and dressed in accordance with WAH instructions, and later identified by the SOE's three Botanists, using keys, WA Herbarium's Florabase, literature and reference material from the Esperance District Herbarium. Any species that were unable to be identified were submitted to the WAH for identification.

A supplementary survey was conducted by Katherine Walkerden on 28 November 2024 to map the distribution of the Priority 3 species *Cyathostemon* sp. Salmon Gums.

The vegetation communities of No. 2 Dam were assessed for the presence a TEC or PEC (DBCA 2023, 2024d) comparing that to descriptions in approved conservation advice for these communities. PEC's do not have published approved conservation advice. Comparison of the vegetation community occurred using 'Priority Ecological Communities for Western Australia, Version 35 (DBCA 2023)' definitions, and other relevant documentation.

Only a basic fauna survey was conducted as per EPA (2020) guidelines. Observations of fauna presence, such as call sounds, footprints and scats were noted, and the area assessed for suitability of habitat within No. 2 Dam for any fauna species identified in the desktop survey.

3.3 Survey Timing

According to Table 3 in the Technical Guidance – Flora and vegetation surveys for Environmental Impact Assessment (EPA 2016), the primary survey timing for the South-west and Interzone Botanical Province is Spring (September-November), which is the peak flowering period for this region. As all surveys at No. 2 Dam were conducted in September and November, survey timing falls within this period.

3.4 Vegetation Descriptions

Vegetation communities present within the survey area were assessed during the field survey. Broad vegetation types defined by structure and composition were recorded and described using the National Vegetation Information System (NVIS; ESCAVI 2003) classification system.

Condition of vegetation was assessed using Table 2 of the Technical Guidance – Flora and vegetation surveys for Environmental Impact Assessment (EPA 2016) categories, as 'Excellent', 'Very Good', 'Good', 'Degraded' or 'Completely Degraded'. This illustrates how healthy vegetation is, determined by

vegetation structure, weed cover, presence of dieback, historical clearing, grazing and other signs of disturbance.

Additionally, possible environmentally sensitive areas, such as wetlands or granite, were noted. Overall, an assessment of environmental impacts to Department of Water and Environmental Regulation's (DWER) 10 Clearing Principles were inspected and evaluated.

3.5 Survey Limitations

A general assessment was made of the survey against a range of factors that may have limited the outcomes and conclusions of this report (Table 2). Based on this assessment, the present survey has not been subject to constraints which would affect the thoroughness of the survey, and the conclusions which have been formed.

Table 1: Potential limitations affecting the conclusions made in this report.

Table 1: Potential limitations affecting the co	Impact on Current Survey		
Availability of contextual information at a regional and local scale	Not a limitation: Reference resources such as Beard's mapping, together with online flora and vegetation information, have provided an appropriate level of information for the current survey. The vegetation of the Esperance shire has previously been mapped by Beard (1973).		
Resources (i.e. were there adequate resources to complete the survey to the required standard).	Not a constraint: Adequate resources were made available by SOE to complete the surveys.		
Competency/experience of team carrying out survey; experience in the bioregion surveyed	Not a limitation: Botanists had extensive experience working within the Shire of Esperance and wider areas. Two of the botanists have consistently worked within this bioregion for more than 15 years. Botanists were familiar with flora in the area. Any unknown or potential threatened or priority flora species were collected and identified, utilising resources available at the Western Australian Herbarium and consultation with expert taxonomists.		
Proportion of flora collected and identification issues	Potential limitation: While many plants were in flower during the survey, a proportion of plants encountered during the survey were sterile and may impact the chance of identification of some specimens to species level. Orchid species may not emerge each year if conditions are not favourable. Although these may affect the completeness of the species list, it is not expected to have a significant effect on mapping reliability, nor on the identification of threatened and priority species in the area as the majority were perennial species. Surveys were only undertaken in one year.		
Effort and extent of survey	Potential limitation: The survey area was thoroughly covered. The threatened and priority flora search undertaken by botanists by means of foot-traverse ensured thorough coverage of the survey area. Flora		

	that was unknown or resembled threatened or priority flora were collected, the location and habitat noted, and the number of plants counted.
Mapping reliability	Not a constraint. Handheld GPS units were used for the survey, which for a majority of field conditions have an accuracy level of ± 5m.
Survey timing, rainfall, season of survey	Not a limitation: The EPA (2016a) recommends that flora and vegetation surveys in the South – West Botanical Province be conducted in Spring (September-November). All surveys have been conducted in September which falls within this period.
Disturbances (fire/flood/clearing)	Not a limitation: The No. 2 Dam survey area has no history of fire.

4 DESKTOP ASSESSMENT RESULTS

4.1 Climate

The Salmon Gums climate is described as Mediterranean, characterised by cool wet winters and dry warm summers (BoM 2024). The Salmon Gums locality receives an average annual rainfall of 350 mm.

4.2 Catchment

No. 2 Dam is high in the landscape occurring approximately 240m above sea level.

No. 2 Dam project is mapped as being present within the Bandy Creek catchment area, however due to its topography, it is likely to be internally drained rather than draining to the coast.

4.3 Geology, Soils and Topography

A single geological unit was identified by Schoknecht et al. (2004). This was described as: "Tertiary sediments. Lacustrine sediments with gypsum and salt in lakes. Bedrock is deep".

Within the area, the soil has been described by Schoknecht et al. (2004) as: "Alkaline grey deep and shallow sandy duplex soils with associated salt lake soils, pale deep sands and calcareous loamy earths".

Within the area, the landform unit has been described by Schoknecht et al. (2004) as: "Gently undulating to undulating plain with many small playas. Lunettes and sand dunes are common on eastern side of lakes".

4.4 Regional Vegetation

The site is located within the Eastern Mallee (Mal01) Interim Biogeographic Regionalisation of Australia (Thackway & Cresswell 1995) region. The Mal01 is described as "the south-eastern of Yilgarn Craton is gently undulating, with partially occluded drainage. Mainly Mallee over Myrtaceous-Proteaceous heaths on duplex (sand over clay) soils. Melaleuca shrublands characterize alluvia, and Halosarcia low shrublands occur on saline alluvium. A mosaic of mixed Eucalypt woodlands and Mallee occur on calcareous earth plans, and sandplains overlying the Eocene Limestone strata in the East. Semi-arid (dry) and warm Mediterranean".

Beard (1973) mapped a single vegetation association (VA) within the No. 2 Dam area – Salmon Gums 486. (Table 3). 58.6% of this vegetation type is remaining, however it is poorly reserved with only 3.93% in IUCN reserves.

Table 2. Vegetation associations mapped by Beard (1973) within the No. 2 Dam area, and statistics on

pre-European remaining areas.

Vegetation Association	Salmon Gums_486
Description	Mosaic: Medium woodland; Salmon gum & red mallee / Shrublands; mallee scrub <i>Eucalyptus</i> eremophila
Pre-European extent in IBRA sub-region Mal01 (%)	48.71
Pre-European extent in LGA (%)	39.38
Current extent conserved in IUCN area (%)	3.93

4.5 Surrounding Land Use

The area directly included in the clearing permit application No. 2 Dam is a previously cleared catchment and dam surrounded by intact and vegetated 'water tank' reserve, managed by SOE. The surrounding land use is broadacre agriculture, with a high number of salt lakes dispersed amongst it. The area is within rural zoning. The project area is in a highly cleared area with only 3.617% of vegetation within 5km of the project remaining.




Figure 2. Map of remnant vegetation within a 5km buffer produced by DEISIP. Project area is highlighted in red, remnant vegetation is in green and cleared vegetation is in orange, road centrelines are in black and cadastre boundaries are in grey.

The site was 10.7km south-west from Reserve 33113, the closest conservation reserve. No other conservation vested reserves were within 10km of the site.

4.6 Potential Threatened and Priority Flora

1 threatened flora (TF) and 32 priority flora (PF) were recorded within a 20km radius of the proposed impact site (Appendix 3)). Of these, no TF species and 25 PF species had suitable known associated habitat that corresponded with vegetation communities and soil type of No. 2 Dam project.

4.7 Potential Threatened and Priority Ecological Communities

The desktop study identified the Priority 3 Ecological Community: "Granite outcrop pools with endemic aquatic fauna" 19.2km away.

The Protected Matters Search Tool identified the Environmental Protection and Biodiversity Conservation (EPBC) Act 1999 listed threatened ecological community (TEC) 'Proteaceae Dominated Kwongkan Shrublands of the Southeast Coastal Floristic Province of Western Australia (Kwongkan)' may occur within the buffer of No. 2 Dam project area.

4.8 Potential Threatened and Priority Fauna

4 threatened fauna, and 2 priority fauna were recorded within a 20km radius of the proposed impact site (Appendix 4).

4.9 Phytophthora Dieback

Dieback Information Delivery and Management System (DIDMS; GAIA Resources, SCNRM & State NRM 2024) data shows no *Phytophthora cinnamomi* or other *Phytophthora* sp. sample results in the immediate area. The Department of Biodiversity, Conservation and Attractions defines the vulnerable zone for Dieback as areas with over 400mm of annual rainfall. Some positive Dieback samples have been retrieved from areas within the 300 - 400mm rainfall zone if they receive high summer rainfall. The rainfall in the area of No. 2 Dam is probably too low.

5 FIELD SURVEY RESULTS AND DISCUSSION

5.1 Vegetation Communities

A single vegetation community was identified within the No. 2 Dam Site, as defined by structure and composition (Table 3). It is believed that the Beard (1973) vegetation associations identified in Section 4.4 are an appropriate match for the vegetation type observed.

Table 3. Vegetation communities identified within proposed No. 2 Dam project area.

Туре	Description	Figure	Closest Matching Beard Vegetation Association	Area (ha)	Diversity (native species)
A	Sparse regrowth Eucalyptus woodland over very sparse mixed melaleuca and acacia shrubland	3	Salmon Gums 486	4.616	83



Figure 3. Vegetation type A identified in No. 2 Dam project area, described as: "Sparse regrowth Eucalyptus woodland over very sparse mixed melaleuca and acacia shrubland".

5.2 Vegetation Condition

Vegetation condition was Excellent along the edges of the track into the site and Good within catchment area and around the dam itself. Quantifying vegetation condition, there is:

- 0.070ha of vegetation (1.52%) is in Excellent condition.
- 4.546ha of vegetation (98.48%) is in Good condition.

5.2.1 Weeds

There was minimal weed invasion across the entirety of the proposed No. 2 Dam area. Overall, 10 invasive species were identified within the project area (Appendix 1). None of these were Weed of National Significance (WONS) species / Declared Pest under the Biosecurity and Agriculture Management (BAM) Act of 2007 or priority environmental weeds in the Shire of Esperance's Environmental Weed Strategy 2009-2018.

5.2.2 Phytophthora Dieback

Surveyors were unable to detect any signs of *Phytophthora cinnamomi* dieback disease within the clearing permit area.

5.3 Threatened Ecological Communities

The desktop study identified the Priority 3 Ecological Community "Granite outcrop pools with endemic aquatic fauna" 19.2km away. There were no areas of granite outcrops within the No. 2 Dam catchment area and this community is not likely to be present within the survey area.

The Protected Matters Search Tool identified the Environmental Protection and Biodiversity Conservation (EPBC) Act 1999 listed threatened ecological community (TEC) 'Proteaceae Dominated Kwongkan Shrublands of the Southeast Coastal Floristic Province of Western Australia (Kwongkan)' may occur within the buffer of No. 2 Dam project area. *Grevillea plurijuga ssp. plurijuga* was the only proteaceous species recorded within the survey area, which is not a diagnostic species as per the approved conservation advice for this community.

5.4 Flora

A total of 93 vascular plant taxa, representative of 58 genera and 25 families, were recorded within No. 2 Dam survey area. Of these 83 were native species and 10 were introduced. The majority of taxa recorded were representative of the Myrtaceae (20 taxa), Asteraceae (16 taxa) and Fabaceae (12 taxa) families (see Appendix 1 for the complete incidental species list).

5.5 Threatened and Priority Flora

The targeted flora survey identified four priority species and no threatened species, within the No. 2 Dam survey area.

Table 4: Summary of Priority flora species recorded in No. 2 Dam project area.

Taxon	BC Act Conservation Status	Total plants counted in population	Total plants impacted
Conostephium uncinatum	P2	3	0
Acacia glaucissima*	Was P3, delisted on 5 March 2025	217	211
Cyathostemon sp. Salmon Gums	P3	512	459
Melaleuca fissurata	P4	50+	0




Figure 4. Map of priority flora located during the survey.

5.5.1 Conostephium uncinatum, Priority 2

A specimen of *Conostephium uncinatum* was sent to the WA Herbarium for identification confirmation (KSW05524; Accession 11153 with specimen retained). The identification was confirmed by Mike Hislop on 27 November 2024. Three plants were mapped on the north side of the access track. To avoid any impacts to this species the track will be widened on the south side of the existing track, meaning that no plants will be impacted upon.

A Threatened and Priority Flora Reporting Form (TPRF) was completed and sent to Department of Biodiversity, Conservation and Attractions (DBCA) Esperance District Flora Conservation Officer and Species and Communities Branch on 3 July 2025 (Appendix 2).



Figure 4. Location of Priority 2 species Conostephium uncinatum within the No. 2 Dam project.

5.5.2 Acacia glaucissima, Priority 3

A specimen of *Acacia glaucissima* was sent to the WA Herbarium for identification confirmation (KSW05724; Accession 11153 with specimen retained). The identification was confirmed by Mike Hislop on 27/11/2024. *Acacia glaucissima* was common throughout the catchment area. If proposed works occur, 212 plants of the 218 mapped plants will be impacted upon.

Since drafting this report, the Shire of Esperance has been notified by Emma Adams, DBCA Esperance District Conservation Officer, that *Acacia glaucissima* was removed from the Priority list on 5 March 2025.

5.5.3 Cyathostemon sp. Salmon Gums, Priority 3

Two specimens of *Cyathostemon* sp. Salmon Gums was sent to the WA Herbarium for identification confirmation (KSW05324 and KSW05424; Accession 11153 with specimens retained). The identification was confirmed by Mike Hislop on 27 November 2024. *Cyathostemon* sp. Salmon Gums was common on the eastern side of the catchment area. An additional subpopulation of 29 counted plants (likely to be a much higher number) was located 225m south of the project area on the north side of a large salt lake, A full count of the rest of the salt lake perimeter was not carried out. If proposed works occur, 458 plants will be impacted upon, from a total population count of at least 511 plants.

A Threatened and Priority Flora Reporting Form (TPRF) was completed and sent to Department of Biodiversity, Conservation and Attractions (DBCA) Esperance District Flora Conservation Officer and Species and Communities Branch on 3 July 2025 (Appendix 2).

Cyathostemon sp. Salmon Gums has been nominated for delisting, but at time of report writing this was still pending.

Cyathostemon sp. Salmon Gums has a fairly large distribution from Lake Cowan (North of Norseman) to south of Grass Patch, west to Frank Hann National Park and just east of this site. There are 19 specimens on Florabase and the species is often described in these collecting notes as "common". Ecoscape (2015) recorded 4684 plants over 24 populations during their State Barrier Fence surveys. Over Cyathostemon sp. Salmon Gums' distribution range, there are a large number of poorly surveyed salt lakes many in pristine condition, which are collectively likely to contain large numbers of plants around their perimeters. Despite over 400 plants being disturbed as part of this proposal, it is unlikely to be significant at either a local or regional scale.

5.5.4 Melaleuca fissurata, Priority 4

A specimen of *Melaleuca fissurata* was sent to the WA Herbarium for identification confirmation (KSW KSW05624; Accession 11153 with specimen retained). The identification was confirmed by Mike Hislop on 27 November 2024. There were at least 50 plants, however a full count was not completed as all *Melaleuca fissurata* (P3) plants were located outside the project area in the damp area below the dam to the north of the site.

If proposed works occur, no plants will be impacted upon, from a population total of at least 50 plants.

A Threatened and Priority Flora Reporting Form (TPRF) was completed and sent to Department of Biodiversity, Conservation and Attractions (DBCA) Esperance District Flora Conservation Officer and Species and Communities Branch on 3 July 2025 (Appendix 2).

5.6 Fauna

Of the six species identified within the Desktop survey, only the Peregrine falcon, Malleefowl, Western rosella, and Chuditch, have suitable habitat within the proposed clearing permit area.

The vegetation within the catchment itself is probably too open and sparse for Malleefowl who prefer the denser cover and abundant leaf litter, although the vegetation along the access track into the site would contain suitable habitat.

There were no large trees with hollows at the site for Western rosella (inland), however some large trees occurred outside the dam catchment itself and the dam catchment may contain suitable feeding habitat.

The Chuditch has a record 16.93km away and it is probable due to their large home range of 400ha that the species may pass through this area accessing the water in the dam or hunting other species visiting the water source when available.

The high tree perches and open ground for hunting at the site is suitable for Peregrine falcon.

The site did not contain suitable habitat for either Carnaby's cockatoo or Hooded plover.

6 REVIEW OF 10 CLEARING PRINCIPLES FOR NATIVE VEGETATION

The No. 2 Dam project may be at variance to some of the clearing principles that the Department of Water and Environmental Regulations (DWER) assess applications, as listed under Schedule 5 of the Environmental Protection Act 1986 (DWER 2019).

6.1 Principle (a) Native vegetation should not be cleared if it comprises a high level of biological diversity.

Likely at Variance: Biodiversity at this site is high with 83 native species recorded over a single vegetation community

6.2 Principle (b) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.

Not at Variance: The site provided suitable habitat for Peregrine Falcon, Chuditch and Western rosella, there was a small amount of suitable habitat for Malleefowl. None of this is likely to be significant given the large range of these species, and they may continue to use the are in exactly the same manner after clearing.

6.3 Principle (c) Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.

Not at Variance: Four priority species were observed in the area. One of these did not occur within the clearing footprint (*Melaleuca fissurata*) and one (*Conostephium uncinatum*) can be completely avoided. *Cyathostemon* sp. Salmon Gums occurs along the adjacent salt lake and is unlikely to have any significant local impacts. *Acacia glaucissima* is no longer priority flora.

6.4 Principle (d) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community.

Not at Variance: No TEC's or PEC's were relevant to the study area.

6.5 Principle (e) Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.

May be at Variance: The project is within a highly cleared landscape, as there was only 3.62% of native vegetation within 5km of the project site. The actual vegetation association at the site Beard VA Salmon Gums_486 still has around half of its original extent remaining, however it is not well reserved in IUCN reserves.

6.6 Principle (f) Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.

Not at Variance: Vegetation in this area was not growing in association with a natural watercourses or wetland.

6.7 Principle (g) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.

Not at Variance: Vegetation within this area will be providing limited function as windbreaks and erosion control for the agricultural areas surrounding it.

6.8 Principle (h) Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.

Not at Variance: The project is 10.27km from Red Lake Nature Reserve 29680 the closest conservation reserve. There is limited connection to this reserve via very narrow roadside reserves and this clearing is unlikely to have any impacts on this conservation reserve.

6.9 Principle (i) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.

Not at Variance: Clearing of the catchment will enable more runoff to enter the dam providing a valuable water source in a semi-arid environment.

6.10 Principle (j) Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence or intensity of flooding.

Not at Variance: The clearing all feeds into a dam and the area is not susceptible to flooding.

7 RECOMMENDATIONS

As Shire Environmental Coordinator signs off on project work packs the following recommendation will be included within the internal SOE approval process for the road project.

- Permit boundaries will be accurately marked out by surveyors prior to clearing.
- Melaleuca fissurata and Conostephium uncinatum plants will be marked out to avoid accidental damage.
- All vehicles and construction equipment to be cleaned prior to start of the project to prevent weed introduction into the site.

8 LIST OF PERSONNEL

The following Shire of Esperance Staff were involved in this project.

Name	Julie Waters		
Position	Environmental Coordinator		
Project Involvement	Desktop and Field Survey, Specimen Identification, GIS Mapping		
	Data Interpretation and Report Writing		
Qualifications	BEnvSc (Hons)		
Experience	20 years working in environmental field including Flora		
	Conservation Officer for previous DBCA, and 15 years' experience		
	as a botanist in the region		
Scientific Licence	FT61000787-2		

Name	Katherine Walkerden
Position	Environmental Officer
Project Involvement	Desktop and Field Survey, Specimen Identification, GIS Mapping,
	Data Interpretation and Report writing
Qualifications	BSc, MEnvSc
Experience	3.5 years' experience as a Botanist in the region
Scientific Licence FT61000788-2	

Name	Rosamund Mary Hoggart
Position	Environmental Assistant
Project Involvement	Specimen Identification
Qualifications and Experience	BSc (Hons)Ag
	15 years' experience as a botanist in the region and is highly
	regarded by Esperance Wildflower Society and her peers in
Esperance as one of the best botanists in Esperance	
Scientific Licence	N/A

9 REFERENCES

Atlas of Living Australia database (2024), < https://www.ala.org.au/>

Beard J.S. (1973), The vegetation of the Esperance and Malcom areas, Western Australia, 1:250 000 series, Vegmap Publications Perth

Bureau of Meteorology (2024), Climate statistics for Australian sites.http://www.bom.gov.au/climate/averages/tables/ca_wa_names.shtml

Commonwealth of Australia, *Environmental Protection and Biodiversity Conservation Act* 1999 (Cth), https://www.legislation.gov.au/Details/C2022C00214>

Commonwealth of Australia (2012), EPBC Act referral guidelines for three threatened black cockatoo species: Carnaby's cockatoo (endangered) Calyptorhynchus latirostris; Baudin's cockatoo (vulnerable) Calyptorhynchus baudinii; and Forest red-tailed black cockatoo (vulnerable) Calyptorhynchus banksii naso. Prepared for the Australian Government by the Department of Sustainability, Environment, Water, Population and Communities, Canberra ACT.

https://www.agriculture.gov.au/sites/default/files/documents/referral-guidelines-wa-black-cockatoo.pdf.

Commonwealth of Australia (2014), Approved Conservation Advice for Proteaceae Dominated Kwongkan Shrublands of the southeast coastal floristic province of Western Australia, Department of the Environment, http://www.environment.gov.au/biodiversity/threatened/communities/pubs/126-conservation-advice.pdf>

Commonwealth of Australia (2024), *National Recovery Plan for the Malleefowl (Leipoa ocellata)* Department of Climate change, Energy the Environment and Water

Department of Agriculture, Water and the Environment (2022) Referral guideline for 3 WA threatened black cockatoo species, Carnaby's Cockatoo (Zanda latirostris), Baudin's Cockatoo (Zanda baudinii) and the Forest Red-tailed Black-cockatoo (Calyptorhynchus banksii naso)

https://www.dcceew.gov.au/sites/default/files/documents/referral-guideline-3-wa-threatened-black-cockatoo-species-2022.pdf

Department of Biodiversity, Conservation and Attractions (2023a) List of Threatened Ecological Communities Endorsed by the Western Australian Minister for Environment https://www.dbca.wa.gov.au/wildlife-and-ecosystems/threatened-ecological-communities

Department of Biodiversity, Conservation and Attractions (2023b), Conservation codes for Western Australian flora and fauna, Government of Western Australia. https://www.dbca.wa.gov.au/media/792/download >

Department of Biodiversity, Conservation and Attractions (2023c), *Priority Ecological Communities for Western Australia Version 35*, Government of Western Australia

Department of Biodiversity, Conservation and Attractions (2024a), *Threatened and Priority Flora Database (TPFL) spatial dataset, 36-0624FL*, Government of Western Australia. [13/6/2024]

Department of Biodiversity, Conservation and Attractions (2024b), Western Australia Herbarium spatial dataset, 36-0624FL, Government of Western Australia. [13/6/2024]

Department of Biodiversity, Conservation and Attractions (2024c), *Esperance District Threatened and Priority Flora spatial dataset*, Government of Western Australia [February 2024]

Department of Biodiversity, Conservation and Attractions (2024d), *Threatened Ecological Communities and Priority Ecological Communities Search Results, for Boundaries and Buffers*, 12-0624EC Government of Western Australia. [11/06/2024].

Department of Biodiversity, Conservation and Attractions (2024e), *Threatened and Priority Fauna Search Results*, 13-0624FA Government of Western Australia. [10/06/2024].

Department of Biodiversity, Conservation and Attractions (2024f) Black cockatoo / Carnaby's cockatoo roost and breeding sites [13-0624FA(BC) & 13-0624FA(WTBC)

Department of Biodiversity, Conservation and Attractions (2024g) Florabase, The Flora of Western Australia Online (and collections housed at the WA Herbarium).https://florabase.dpaw.wa.gov.au/search/advanced.

Department of Climate Change, Energy, the Environment and Water (2024), *EPBC Act List of Threatened Ecological Communities*. < https://www.environment.gov.au/cgi-bin/sprat/public/publiclookupcommunities.pl>

Department of Climate Change, Energy, the Environment and Water (2024), *EPBC Act List of Threatened Fauna*, < https://www.environment.gov.au/cgi-bin/sprat/public/publicthreatenedlist.pl?wanted=fauna >

Department of Climate Change, Energy, the Environment and Water (2024), *EPBC Act List of Threatened Flora*. < https://www.environment.gov.au/cgi-bin/sprat/public/publicthreatenedlist.pl?wanted=flora>

Department of Environment and Conservation (2021) *Chuditch (Dasyurus geoffroii) National Recovery Plan,* Western Australian Wildlife Management Program No. 54

Department of Environment and Energy (2022), *National Recovery Plan for the Australasian Bittern, Botaurus poiciloptilus*, Commonwealth Government of Australia < https://www.dcceew.gov.au/sites/default/files/documents/national-recovery-plan-australasian-bittern.pdf>

Department of Environment and Energy (2017), *Australian Vegetation Attribute Manual Version 7.0* https://www.dcceew.gov.au/sites/default/files/documents/australian-vegetation-attribute-manual-v70.pdf

Department of Parks and Wildlife (2013) *Carnaby's Cockatoo (Calyptorhynchus latirostris) Recovery Plan.* Western Australian Wildlife Management Program No. 52. Department of Parks and Wildlife, Perth. Western Australia.

Department of Parks and Wildlife (2018), 2018 Statewide Vegetation Statistics (formerly the CAR Reserve Analysis – Full Report', Government of Western Australia

Department of Primary Industries and Regional Development (2024), *Western Australian Organism List*. https://www.agric.wa.gov.au/organisms

Department of Water and Environmental Regulation (2014) A guide to the assessment of applications to clear native vegetation, Under Part V Division 2 of the Environmental Protection Act 1986.

Ecoscape (2015), State Barrier Fence biological surveys: Conservation significant flora, https://www.epa.wa.gov.au/sites/default/files/Referral_Documentation/Attachment%207.zip

Environmental Protection Authority (2016), *Technical Guidance, Terrestrial Flora and Vegetation Surveys for Environmental Impact Assessment in Western Australia*, Government of Western Australia. http://www.epa.wa.gov.au/policies-guidance/technical-guidance-flora-and-vegetation-surveys-environmental-impact-assessment

Environmental Protection Authority (2020), *Technical Guidance – Terrestrial vertebrate fauna surveys for Environmental Impact Assessment*, EPA, Western Australia. https://www.epa.wa.gov.au/sites/default/files/Policies_and_Guidance/EPA-Technical-Guidance-Vertebrate-Fauna-Surveys.pdf

Environmental Protection Authority, (2016) *Environmental Factor Guideline: Flora and Vegetation*, EPA, Western Australia.

Field, C (2009) Environmental Weed Strategy 2009-2018, Shire of Esperance

GAIA Resources, State NRM and South Coast Natural Resource Management (2024), *Dieback Information Delivery and Management Service, DIDMS.* < https://didms.gaiaresources.com.au/>

Groom, C (2011) *Plants used by Carnaby's Black Cockatoo*, Department of Environment and Conservation

Main Roads of Western Australia (2024), *Standard Line Kilometres online application*, Government of Western Australia. < https://mrapps.mainroads.wa.gov.au/gpsslk>

Schoknecht, N., Tille, P. and Purdie, B. (2004) *Soil Landscape Mapping in south-western Australia*, Resource Management Technical Report 20, Department of Agriculture WA.

Thackway R, Cresswell ID, Shorthouse D, Ferrier S, Hagar T, Pressey T, Wilson P, Fleming M, Howe D, Morgon G, Young P, Copley P, Peters D, Wells P, Miles I, Parkes D, McKenzie N, Kitchin M & Bullen F (1995), Interim Biodigeographic Regionalisation for Australia: A framework for setting priorities in the National Reserves System Cooperative Program, Australia Nature Conservation Agency. https://www.environment.gov.au/system/files/resources/4263c26f-f2a7-4a07-9a29-b1a81ac85acc/files/ibra-framework-setting-priorities-nrs-cooperative-program.pdf >

Western Australian Government, Biosecurity and Agriculture Management Act 2007, https://www.legislation.wa.gov.au/legislation/statutes.nsf/main_mrtitle_2736_homepage.html

Western Australian Government, *Biodiversity Conservation Act 2016* https://www.legislation.wa.gov.au/legislation/statutes.nsf/law_a147120.html

Western Australian Government, *Biodiversity Conservation Act 2016 Biodiversity Conservation* (Species) Order 2022, Government Gazette, WA, 30 September 2022, https://www.dpaw.wa.gov.au/images/Biodiversity%20Conservation%20Listing%20of%20Native%20Species%20Flora%20Order%202022.pdf

Western Australian Government, *Biodiversity Conservation Regulations 2018*. https://www.legislation.wa.gov.au/legislation/statutes.nsf/law_s50938.html

Appendix 1: Incidental species list

Family	Taxon	Weed	BC Act (EPBC)	Herbarium
			Conservation	Reference
Λ: 	Composition mandaging		Status	
Aizoaceae	Carpobrotus modestus			
Apocynaceae	Alyxia buxifolia	V		
Asphodelaceae	Asphodelus fistulosus	X		
Asteraceae	Angianthus tomentosus	V		
Asteraceae	Arctotheca calendula	X		
Asteraceae	Asteridea athrixioides			
Asteraceae	Brachyscome ciliaris	.,		
Asteraceae	Centaurea melitensis	X		
Asteraceae	Cratystylis conocephala			
Asteraceae	Isoetopsis graminifolia			
Asteraceae	Monoculus monstrosus	X		
Asteraceae	Olearia muelleri			
Asteraceae	Olearia sp. Eremicola			
Asteraceae	Pogonolepis muelleriana			
Asteraceae	Rhodanthe pygmaea			
Asteraceae	Senecio glossanthus			
Asteraceae	Siemssenia capillaris			
Asteraceae	Vittadinia australasica			
Asteraceae	Vittadinia gracilis			
Caryophyllaceae	Spergularia diandra	Х		
Chenopodiaceae	Chenopodium desertorum ssp.			
•	desertorum			
Chenopodiaceae	Maireana suaedifolia			
Chenopodiaceae	Maireana trichoptera			
Chenopodiaceae	Rhagodia preissii ssp. preissii			
Chenopodiaceae	Enchylaena tomentosa			
Chenopodiaceae	Maireana erioclada			
Crassulaceae	Crassula exserta			
Dilleniaceae	Hibbertia psilocarpa			
Ericaceae	Conostephium uncinatum		P2	KSW05524,
				ACC 11153
Euphorbiaceae	Beyeria sulcata			
Fabaceae	Acacia camptoclada			
Fabaceae	Acacia deficiens			
Fabaceae	Acacia glaucissima		P3 * Has been	KSW05724,
			delisted	ACC 11153
Fabaceae	Acacia hadrophylla			
Fabaceae	Acacia nivea			
Fabaceae	Acacia nyssophylla			
Fabaceae	Acacia pritzeliana			
Fabaceae	Daviesia aphylla			

Fabaceae	Medicago minima var minima			
Fabaceae	Pultenaea arida			
Fabaceae	Dillwynia sp. Mallee			
Fabaceae	Senna artemisioides ssp. filifolia			
Geraniaceae	Erodium botrys	Х		
Goodeniaceae	Coopernookia strophiolata			
Goodeniaceae	Goodenia laevis ssp. laevis			
Goodeniaceae	Scaevola spinescens			
Hemerocallidaceae	Dianella brevicaulis			
Lamiaceae	Prostanthera serpyllifolia			
Lamiaceae	Westringia rigida			
Lauraceae	Cassytha melantha			
Myrtaceae	Eucalyptus balladoniensis			
Myrtaceae	Eucalyptus conglobata ssp. conglobata			
Myrtaceae	Eucalyptus cylindriflora			
Myrtaceae	Eucalyptus diptera			
Myrtaceae	Eucalyptus eremophila			
Myrtaceae	Eucalyptus flocktoniae ssp. flocktoniae			
Myrtaceae	Eucalyptus gracilis			
Myrtaceae	Eucalyptus indurata			
Myrtaceae	Eucalyptus leptocalyx			
Myrtaceae	Eucalyptus pileata			
Myrtaceae	Melaleuca bromelioides			
Myrtaceae	Melaleuca brophyi			
Myrtaceae	Melaleuca eleuterostachya			
Myrtaceae	Melaleuca fissurata		P4	KSW05624,
				ACC 11153
Myrtaceae	Melaleuca podiocarpa			
Myrtaceae	Melaleuca sapientes			
Myrtaceae	Melaleuca sparsiflora			
Myrtaceae	Melaleuca teuthidoides			
Myrtaceae	Cyathostemon sp. Salmon Gums		P3	KSW05324, KSW05424, ACC 11153
Plantaginaceae	Plantago hispida			
Poaceae	Austrostipa drummondii			
Poaceae	Austrostipa elegantissima			
Poaceae	Austrostipa scabra			
Poaceae	Avellinia festucoides	Х		
Poaceae	Avena fatua	Х		
Poaceae	Bromus rubens	Х		
Poaceae	Rytidosperma caespitosum			
Primulaceae	Lysimachia arvensis	Х		
Proteaceae	Grevillea plurijuga ssp. plurijuga			
Rutaceae	Cyanothamnus baeckeaceus			

Rutaceae	Cyanothamnus fabianoides ssp.		
	fabianoides		
Rutaceae	Phebalium lepidotum		
Rutaceae	Phebalium multiflorum ssp. multiflorum		
Rutaceae	Philotheca fitzgeraldii		
Santalaceae	Exocarpos sparteus		
Santalaceae	Leptomeria pachyclada		
Scrophulariaceae	Eremophila calorhabdos		
Scrophulariaceae	Eremophila decipiens		
Scrophulariaceae	Eremophila dichroantha		
Scrophulariaceae	Eremophila ionantha		
Scrophulariaceae	Eremophila psilocalyx		
Thymelaeaceae	Pimelea angustifolia		

Appendix 2: Threatened and Priority Flora Report Forms

Conostephium uncinatum, Priority 2



Threatened and Priority

Flora Report Form

Please complete as much of the form as possible, with emphasis on those sections bordered in black. For information on how to complete the form please price to the Threatened & Priority Flora Report Form (TPRF) manual on the DBCA website at www.dcaw.wa.gov.au/blants-and-animals/threatened-species-and-communification in the DBCA website at www.dcaw.wa.gov.au/blants-animals/threatened-species-and-communification in the DBCA website at www.dcaw.wa.gov.au/blants-animals/threatened-species-animals/threatened-species-animals/threatened-species-animals/threatened-species-animals/threatened-species-animals/threatened-species-animals/threatened-species-animals/threatened-species-animals/threatened-species-animals/threatened-species-animals/threa

communities/t	n(+)edicients							
TAXON:	Conostephiun	m uncinatum				TPFL F	op. No:	
OBSERV	ATION DATE:	17/09/2024	CONS	ERVATION	STATUS: P2	N	ew popula	tion 🛛
OBSERV	/ER/S: Julie	Waters and Kath	erine Walkerden			PHONE	90831519	
ROLE:	Environmental O	fficer	ORG	ANISATION:	Shire of Espera	ance _		
EMAIL:	Julie.Waters@esp	erance.wa.gov.au						
DE SCRIP	TION OF LOCATIO	N (Provide at least ne	arest town/named locality, a	nd the distance an	nd direction to that place	0)0		
			asella Road and Sa					
			k into Government					
	t of the Salmon G					Reserve	No: 2008	4
DBCA DIST	TRICT: Esperanc	e	LGA: Espera	nce	La	nd manager pre	sent 🛭	
DATUM:	coc	ORDINATES: (If UT	TM coords provided, Zone i	aiso required)	METHOD USE	D:		
004047	MGA94 🛛	cDegrees 🔲	DegMinSec 🔲 🛚 U	TMs 🔲	GPS 🗵	Differential G	SPS 🔲 N	Map 🔲
	AMG84 Laf	t / Northing: 63	51599		No. satellites:	N	fap used:	
		ig/Easting: 37	9256		Boundary poly	gon A	fap scale:	
U	nknown 🔲	ZONE: 51			captured:		_	
LAND TEN	URE:	20NE. <u>51</u>	н		_			
	re reserve 🗖	Timber reserve	Private prope	rty 🗖	Rail reserve		Shire road	reserve 🗖
	ional park	State forest	· · · · · · · · · · · · · · · · · · ·		MRWA road reserve			reserve 🔲
Conserva	ation park 🔲	Water reserve	U	CL 🔲 SLK/	Pole to	Specif	y other: Shire	"Water Tank Site"
						(T)		
EFFORT:	SESSMENT: Edg	e survey 🛄 🔑 spent surveying (n		ill survey 🛮	Area observed f minutes spent /			
	OUNT ACCURACY:		Extrapolation	Estimate I	_			
				Essimate g	(Refer to field manual			
WHAT CO	OUNTED:	Plants X	Clumps 🔲	Clonal stem	s 🗖			
TOTAL PO	P'N STRUCTURE:	Mature:	Juveniles:	Seedlings	: Totals:			
	Alive	3				Are	a of pop (m²):
	Dead						: Pls record cou	
OHADBA	TS PRESENT:	No.	Size	Data at	tached T	otal area of gu	percentages) for	
	Quad. Totals: Alive	NO	Size	Data at	acried	otal alea oi qu	auraus (mr).	
	CTIVE STATE:	Cional	Vegetative	Elemen	bud 🗖	Flower	-	
KEPRODU		ure fruit	Fruit 🖾	Dehisced		Percentage in fi		,
CONDITIO	N OF PLANTS:	Healthy 🖾	Moderate		oor 🗖	Senescent		
COMMENT					-	GG REACE II	_	
TUBELE						Current	Potential	Potential
	s - type, agent and		mation: nual for list of threats & ago	nic Specific space	tutan ninas	Impact	Impact	Threat
			rical for ist of fireas & age #=Medium, H=High, E=Ext		it where recentric	(N-E)	(L-E)	Onset
			=Medium (<9yrs), L=Long ((8-L)
• Dam ca	tchment reclearin	g (all plants will	be avoided)			N	Е	,
						<u>IN</u>	드	L
•								
•								

Please return completed form to Species And Communities Program DBCA,

Locked Bag 104, BENTLEY DELIVERY CENTRE WA 6983 OR email to: flora.data@dbca.wa.gov.au RECORDS: Please forward to Flora Administrative Officer, Species and Communities Program.

Record entered by: Sheet No.: Record Entered in Database D



Threatened and Priority Flora Report Form

Version 1.4 March 2021

HABITAT INFORMATI	ION:				
LANDFORM:	ROCK TYPE:	LOOSE ROCK:	SOIL TYPE:	SOIL COLOUR:	DRAINAGE:
Crest 🔲	Granite 🛮	(on soil surface; eg	Sand	Red	Well drained
Hill 🗖	Dolerite 🔲	gravel, quartz fields)	Sandy loam 🛮	Brown 🗵	Seasonally
Ridge 🔲	Laterite	0.400	Loam 🔲	Yellow 🗵	inundated
Outcrop 🔲	Ironstone 🔲	0-10%	Clay loam 🔲	White	Permanently inundated
Slope	Limestone	10-30%	Light clay	Grey 🗖	Tidal
Flat 🗵	Quartz 🛭	30-50%	Peat 🔲	Black	Tida:
Open depression 🔲	Specify other:	50-100%	Specify other:	Specify other:	
Drainage line 🔲					
Closed depression		_			
Wetland	Specific Landfo (Refer to field manual to				
CONDITION OF SOIL:	Dry 📓	Moist 🔲	Waterlogged 🔲	Inundated 🔲	
VEGETATION	4 Consess reasonath	Europhystus woodland		ad malalausa assais	shoubland
CLASSIFICATION*:		Eucalyptus woodland	over very sparse mix	ed meialeuda adadia	SITUDIATIO
Eg: 1. Banksia woodland (B. attenuata, B. Iliofolia);	2.				
Open shrubland (Hibbertia sp., Acadia spp.);	3.				
Isolated clumps of sedges	4.				
(Mietragona) ASSOCIATED	4.				
SPECIES:					
Other (non-dominant) spp					
		on layers (with up to three domina al for further information and struc		uctural Formations should folio	w 2009 Australian Soll and
CONDITION OF HABITA	_	_		Downsted To Com	alataba dan mada d
COMMENT:	I: Pristine	Excellent M Very go	od 🔛 Good 🔛	Degraded 🔲 Com	pletely degraded 🔲
	ast Fire: Season/Monti	h: Year:	Fire intensity: Hig	h Medium D Low D	No signs of fire
FENCING:	Not required		e / repair		th reg'd:
ROAD SIDE MARKER 8:	Not required		e / reposition		ntity regid:
OTHER COMMENTS:	(Please include recomi	mended management act	ions and/or implement	ed actions -	
		data available, and how			
Shire of Esperance is p	reparing a Strategic Pu	urpose Permit to reclear to	ne dam catchment.		
All 3 plants observed co	an be avoided so there	will be no impact to this p	opulation.		
FLORA AUTHORISAT	ION / LICENCE No:	Note if only observing	nionts (i.e. no specimens or r	elant matieral is taken) then no	n authorisation/lineanne is
required. For further informati	on on authorisation and licening	ng requirements see the Threater the OTHER COMMENTS section.			
SPECIMEN: Colle	ctors No:	/A Herb. Regional H	lerb. District Hert	o. M Other:	
	V05524				
LODGEMENT: WA I	Herb Lodgement	Accession 11153			
		GIS data			
ATTACHED: Map	Mudmap 🔲 P	hoto 🔲 📓	Field notes	Other:	
COPY SENT TO: R	egional Office 🔲 🛚 🗓	District Office	Other:		
Submitter of Record: Ju		invironmental Coordinator		Date: 3/7/2025	

Please return completed form to Species And Communities Program DBCA,

Locked Bag 104, BENTLEY DELIVERY CENTRE WA 6983 OR email to: flora.data@dbca.wa.gov.au

RECORDS: Please forward to Flora Administrative Officer, Species and Communities Program.

Record entered by:________ Sheet No.:______ Record Entered in Database C

Cyathostemon sp. Salmon Gums, Priority 3



Threatened and Priority

Flora Report Form

Version 1.4 March 2021

Version 1.4 March 2021

Please complete as much of the form as possible, with emphasis on those sections bordered in black. For internation on how to complete the form please refer to the Threatened & Priority Flora Report Form (TPRF) manual on the DBCA website at www.draw.wa.oov.au/blants-and-animals/threatened-socies-and-communities/threatened-clants

TAXON: Cyathos	temon s	p. Salmon	Gums				TPF	L Pop. No:	
OBSERVATION DAT	ΓE: :	28/11/2024	4	CONSERVATION	STATU	S: P3	_	New popula	tion 🗵
OBSERVER/S:	Katherin	e Walkerd	en				PHONE	90831519	
ROLE: Environme	ntal Offic	er		ORGANISATION:	Shire o	of Espera	ance		
EMAIL: katherine.w	alkerder	⊓@esperan	ce.wa.gov.au	•					
DESCRIPTION OF LO	CATION	(Provide at leas	at nearest town/named	locality, and the distance	and direction	to that place	D)C		
Shire Reserve 20064	Shire Reserve 20084, South-east side of Sasella Road and Salmon Gums East Road intersection								
Plants located in east	Plants located in eastern portion of dam catcment at Government Dam #2, another subpopulaion on salt lake 250m south								
~ 6 km east of the Sa		ums towns						ve No: 2006	4
	erance			Esperance			nd manager	present: 🔤	
DATUM:		DINATES: egrees 🔲	If UTM coords provide DegMinSec	d, Zone is also required) UTMs		HODUSE PS⊠		1 0 PO F	
GDA94 / MGA94		_		J OTMS L		_	Differentia		Map 🔲
AGD84 / AMG84		Northing:			_	atellites:	non.	Map used:	
WGS84	Long /	Easting:	379499		captu			Map scale:	
Unknown 🗖		ZONE:	51H						
LAND TENURE:									_
Nature reserve	Tir	mber reserve		te property 🗖		Rail reserve			d reserve
National park		State forest		toral lease		oad reserve	Sp.	ecity other: Shire	
Conservation park	W	Vater reserve	<u> </u>	UCL 🔲 SLK	/Pole	10			Site*
AREA ASSESSMENT:	Edge s	survey 🔲	Partial survey	Full survey	Area	observed	(m²):		
EFFORT:	Time spe	ent surveyin	g (minutes): 240	No.	of minutes	s spent / 1	100 m ² :		
POP'N COUNT ACCU	RACY:	Actual 🗵	Extrapolatio	n 🔲 Estimate		Count me	thod:		
		_	_	_		field manual	for list)	_	
WHAT COUNTED:	1	Plants 🗵	Clumps [
TOTAL POP'N STRUCTU	-	Mature:	Juvenile	s: Seedling	8:	Totals:			
Alir	ve :	511						Area of pop (m	
Dea	bd							vote: Pis record cou not percentages) fo	
QUADRAT'S PRESENT	r: N	0.	Size	Data a	ttached	П Т	otal area of	quadrats (m²)	
Summary Quad. Totals:	Alive								
REPRODUCTIVE STATE		onal 🔲	Vegetative 🕻		erbud 🖾		Flows		
	Immature	fruit 🔀	Fruit 🖟	■ Dehisce	d fruit 🔲		Percentage i	n flower: %	
CONDITION OF PLANTS	: Hea	althy 🖾	Moderate		Poor 🗖		Senescer	nt 🗖	
COMMENT:									
THREATS - type, agen	t and su	pporting in	formation:				Curren	t Potential	Potential
Eg dearing, too frequent fire, v	eed, diseas	se. Refer to fiel	d manual for list of thre	sats & agents. Specify age	ent where rei	levant.	Impaot		Threat Onset
Rate current and potentia							(N-E)	(L-E)	(8-L)
Estimate time to potential		Short (<12mths	s), M=Medium (<9yrs),	L=Long (5yrs+)			+	+	(3-2)
Dam catchment rec	• Dam catchment reclearing N E L								
								_	
•									
•									

Please return completed form to Species And Communities Program DBCA,

Locked Bag 104, BENTLEY DELIVERY CENTRE WA 6983 OR email to: flora.data@dbca.wa.gov.au RECORD'S: Please forward to Flora Administrative Officer, Species and Communities Program.

Record entered by: Sheet No.: Record Entered in Database C



Department of Biodiversity, Conservation and Attractions Threatened and Priority Flora Report Form

Version 1.4 March 2021

HABITAT INFORMA	TION:				
LANDFORM:	ROCK TYPE:	LOOSE ROCK:	SOIL TYPE:	SOIL COLOUR:	DRAINAGE:
Crest [Granite		Sand	Red 🔲	Well drained
Hill (□ Dolerite □	gravel, quartz fields)	Sandy loam 🛮	Brown 🔣	Seasonally
Ridge [Laterite	0-10%	Loam 🔲	Yellow 🛭	inundated
Outcrop [☐ Ironstone ☐	10-30%	Clay loam 🔲	White	Permanently inundated
Slope [Limestone	30-50%	Light clay 🔲	Grey 🗖	Tidal 🗖
Flat	Quartz 🛭		Peat 🔲	Black 🔲	_
Open depression [Specify other:	50-100%	Specify other:	Specify other:	
Drainage line [_			
Closed depression	Specific Landf	Incom Claments			
Wetland [(Refer to field manual				
CONDITION OF SOIL:	Dry 🖾	Moist 🔲	Waterlogged 🔲	Inundated 🔲	
VEGETATION	Sparce regrowt	h Eucalyptus woodland	over very sparse mix	ed melaleuca acacia	shrubland
CLASSIFICATION*: Eg: 1. Banksia woodland (B		7,	, , , , , , , , , , , , , , , , , , , ,		
attenuata, B. Ilidfolia); 2. Open shrubland					
(Hibbertia sp., Acadia spp.)					
Isolated clumps of sedge (Mitetragona)	4.				
ASSOCIATED					
SPECIES:					
Other (non-dominant) spp * Please monet up to four of t	he most recresentative years.	ation layers (with up to three domin	ant species in each laver's Str	urtural Enemations should folio	rw 2009 Australian Soli and
		ual for further information and stru			
CONDITION OF HABIT	AT: Pristine	Excellent Very go	ood 🔲 Good 🛭	Degraded 🔲 Con	pletely degraded 🔲
COMMENT:					
FIRE HISTORY:	Last Fire: Season/Mor	nth: Year:	Fire intensity: Hig	h 🔲 Medium 🔲 🛮 Low 🕻	No signs of fire 🛭
FENCING:	Not required		ce / repair 🔲		gth reg'd:
ROAD SIDE MARKER S	: Not required	Present 🔲 Repla	ce / reposition 📮	Required Qua	ntity req'd:
		mmended management ac		ed actions -	
1		al data available, and how	,	_	
		Purpose Permit to reclear t		least £11 plants	
		mpacted upon, from a total			of plants / wides
distribution	ulation on salt lake had	l only a brief count underta	iken. Triis is likely to be	much nigher number o	or plants r wider
ELOBA ALITHORISA	TION / LICENCE No:	Moto if eath reheard in	n slante il a un espaimane per	last matient is taken) then a	n a theologicalisans is
required. For further informs	ation on authorisation and lice	ning requirements see the Threate			
	is should be recorded above in lectors Nos:	the OTHER COMMENTS section	l		
	05324, KSW05424	WA Herb. 🔣 Regional I	Herb. District Herb	o. 🛮 Other:	
	Herb Lodgement				
No:		Accession 11153			
ATTACHED: Max	Mudmap	Photo GIS data	Field notes	Other:	
	_				
	Regional Office	District Office	Other:		
Submitter of Record:		Environmental Coordinato			
Plea	ase return comple	eted form to Species	s And Communit	nes Program DB	CA,
Locked Bag	104, BENTLEY D	ELIVERY CENTRE W	/A 6983 OR email t	o: flora.data@dbc	a.wa.gov.au

RECORDS: Please forward to Flora Administrative Officer, Species and Communities Program.

Record entered by:_______ Sheet No.:_____ Record Entered in Database □

Melaleuca fissurata, Priority 4



Threatened and Priority

Flora Report Form

Version 1.4 March 2021

Please complete as much of the form as possible, with emphasis on those sections bordered in black. For information on how to complete the form please refer to the Threatened & Priority Flora Report Form (TPRF) manual on the DBCA website at <a href="https://www.dbawwa.gov/au/blants-and-animals/threatened-species-and-communities/t

TAXON: Melaleuca	fissurata				TPFI F	Pop. No:				
OBSERVATION DATE		CON	SERVATION STA	TUS: P4		ew populat	ion 🕅			
	atherine Walkerden a		SERVATION STA	···		90831519				
ROLE: Environmenta			ANISATION: Shi	ire of Esperance	_	00001010				
	kerden@esperance.w			ire or esperance						
	DESCRIPTION OF LOCATION (Provide at least nearest town/hamed locality, and the distance and direction to that place): Shire Reserve 20084, South-east side of Sasella Road and Salmon Gums East Road intersection									
			almon Gums East	t Road Intersecti	on					
Plants located in damp ~ 6 km east of the Saln		r dam			Reserve	No: 2006	,			
> 0 km east of the Sain DBCA DISTRICT: Esper		LGA: Espera	nce		anager pro		•			
	COORDINATES: (IFUTI			IETHOD U SED:	anagar pro	attine.				
	_ ,		JTMs 🔲		erential G	SPS 🗖 N	fap 🔲			
GDA94 / MGA94	Lat / Northing: 635	51629	N	lo. satellites:	N	Map used:				
AGD84 / AMG84 WGS84	Long / Easting: 379	385		oundary polygon		Map scale:				
Unknown			ca	aptured:	IN.	wap scale:				
	ZONE: 51	4								
LAND TENURE:							_			
Nature reserve	Timber reserve	Private prope	, _	Rail reserve 🔲			reserve			
National park Conservation park	State forest	Pastoral le		/A road reserve to	Specif	fy other: Shire				
Conservation park	water reserve	·	CL SLK/POIE	10			Site*			
AREA ASSESSMENT:	Edge survey 🔲 🛮 Pa	rtial survey 🛭 F	ull survey 🔲 🛚 An	rea observed (m²):						
EFFORT: Ti	me spent surveying (m	inutes): 240	No. of mine	utes spent / 100 n	n ² :					
POP'N COUNT ACCURA	CY: Actual	Extrapolation 🔲	Estimate 🗵	Count method:						
	_	_	,	r to field manual for list;		•				
WHAT COUNTED:	Plants 🛭	Clumps	Clonal stems	1	- 1					
TOTAL POP'N STRUCTURE		Juveniles:	Seedlings:	Totals:	-					
Alive	50+				_	a of pop (m²)				
Dead						 Pis record cour percentages) for 				
QUADRATS PRESENT:	No.	Size	Data attache	ed 🔲 Total a	rea of qu	iadrats (m²):				
Summary Quad. Totals: All	ve									
REPRODUCTIVE STATE:	Clonal	Vegetative 🔲	Flowerbud		Flower					
lm	mature fruit	Fruit 🛮	Dehisced fruit	□ Perce	ntage in fi	ower: < 20%				
CONDITION OF PLANT 8:	Healthy 🖾	Moderate 🔲	Poor	Se	enescent					
COMMENT:										
THREATS - type, agent a	and supporting inform	nation:			Current	Potential	Potential			
Eg dearing, too frequent fire, wee	d, disease. Refer to field man	ual for list of threats & ag	ents. Specify agent when	re relevant.	Impaot	Impaot	Threat Onset			
	reat impact: N=Nil, L=Low, M				(N-E)	(L-E)	(8-L)			
· · · · · · · · · · · · · · · · · · ·	pact: S=Short (<12mths), M=	Medium (<5yrs), L=Long	(Syrs+)							
•										
						\vdash				
•										
•										
				1 '						

Please return completed form to Species And Communities Program DBCA,

Locked Bag 104, BENTLEY DELIVERY CENTRE WA 6983 OR email to: flora.data@dbca.wa.gov.au

RECORD\$: Please forward to Flora Administrative Officer, Species and Communities Program.

Record entered by: _______ Sheet No.: ______ Record Enfered in Database D



Department of Biodiversity, Conservation and Attractions Threatened and Priority Flora Report Form

Version 1.4 March 2021

HABITAT INFORMATI	ON:				
LANDFORM:	ROCK TYPE:	LOOSE ROCK:	SOIL TYPE:	SOIL COLOUR:	DRAINAGE:
Crest 🔲	Granite 🔲	(on soil surface; eg	Sand	Red 🔲	Well drained
Hill 🗖	Dolerite 🔲	gravel, quartz fields)	Sandy loam 🔲	Brown 🗵	Seasonally _
Ridge 🔲	Laterite	0.40%	Loam 🔲	Yellow 🔲	inundated
Outcrop 🔲	Ironstone 🔲	0-10% 🗖 10-30% 🗖	Clay loam 🔲	White	Permanently inundated
Slope 🔲	Limestone		Light clay 🔲	Grey 🔣	Tidal
Flat 🗵	Quartz 🔲	30-50%	Peat 🔲	Black 🔲	_
Open depression 🔲	Specify other:	50-100%	Specify other:	Specify other:	
Drainage line 🔲					
Closed depression 🗵	Specific Landfor	m Florocati			
Wetland	(Refer to field manual for				
CONDITION OF SOIL:	Dry 🗖	Moist 🖾	Waterlogged 🔲	inundated 🔲	
VEGETATION CLASSIFICATION*:		Eucalyptus woodland	over very sparse mix	ed melaleuca acacia	shrubland
Eg: 1. Banksia woodland (B. attenuata, B. Ilidfolia);	2.				
Open shrubland (Hibbertia sp., Acadia spp.);	3.				
 Isolated clumps of sedges (Mitetragona) 	4.				
ASSOCIATED					
SPECIES:					
Other (non-dominant) spp	most reconsciptifus uportatio	n layers (with up to three domina	ont enocios in each lower). Str	et en Enematione cha definin	ur 2000 Australian Soli and
		for further information and struc		ZUTE POTENCIE STOUCHOL	W 2007 Abbrever Sur end
CONDITION OF HABITA	T: Pristine 🔲	Excellent 🔲 Very go	od 🔲 Good 🖾	Degraded 🔲 Com	pletely degraded 🔲
COMMENT:					
FIRE HISTORY: L	ast Fire: Season/Month	: Year:	Fire intensity: Hig	h 🔲 Medium 🔲 🗆 Low 🖺	No signs of fire 🛭
FENCING:	Not required	_	oe / repair 🔲	_	th reg'd:
ROAD SIDE MARKERS:	Not required	Present 🔲 Replac	e / reposition 🚨	Required Quan	ntity req'd:
		nended management act data available, and how t		ed actions -	
Shire of Esperance is p	reparing a Strategic Pu	rpose Permit to reclear to	he dam catchment.		
None of these plants w	ill be impacted upon				
There were at least 5 outside the project ar		ull count was not comp	oleted as all Melaleuc	e fissurata (P3) plant	ts were located
FLORA AUTHORISAT required. For further informati under authorisations/licences	on on authorisation and licening	Note if only observing requirements see the Threater e OTHER COMMENTS section.	plants (i.e. no specimens or p ned Flora and Wildlife Licensin		
SPECIMEN: Colle	ctors Nos: W/	A Herb. Regional H	lerb. District Herb	. X Other:	
KSW0	5624	_	_	_	
LODGEMENT: WAY	flerb Lodgement	Accession 11153			
ATTACHED: Map	Mudmap 🔲 Ph	oto 🔲 🤘 GIS data	Field notes	Other:	
COPY SENT TO: R	egional Office 🔲 D	histrict Office	Other:		
Submitter of Record: Ju	lie Waters Role: Er	vironmental Coordinator	Signed: J.Waters	Date: 3/7/2025	

Please return completed form to Species And Communities Program DBCA,

Locked Bag 104, BENTLEY DELIVERY CENTRE WA 6983 OR email to: flora.data@dbca.wa.gov.au RECORDS: Please forward to Flora Administrative Officer, Species and Communities Program.

Record entered by:_______ Sheet No.:______ Record Entered in Database D

Appendix 3: Description of Threatened and Priority Flora Species with the Potential to occur within the No. 2 Dam Survey Area

Threatened or priority flora identified by the desktop study to be present within a 20 km radius of No. 2 Dam project area, using Threatened and Priority Flora Reporting (TPFL; DBCA 2024a), WA Herbarium (DBCA 2024b) and Esperance District Threatened Flora (DBCA 2024c).

Nt. Acronyms used in the table include priority flora (P), threatened flora (TF), Biodiversity Conservation (BC) Act 2018, Critically Endangered (CR) endangered

(EN) and Vulnerable (VU).

Taxon	BC Act (EPBC) Conservation Status	Associated Habitat	Likely to occur	Distance from site (km)
Acacia amyctica	P2	Loamy and sandy clay plains in low woodland, mallee and open shrubland.	Yes	6.30
Acacia bartlei	P3	Flat or gently undulating landscapes, waterlogged depression in brown/grey sandy loam or clay loam. Commonly associated with Eucalyptus occidentalis	No	6.51
Acacia glaucissima	P3	Open mallee woodland or Eucalyptus (tree) woodland. Frequently associated with fire or mechanical disturbance.	Yes	6.62
Adenanthos ileticos	P4	Mallee over myrtaceous shrubland in white, yellow or brown sand. Often in association with <i>Eucalyptus merrickiae</i> .	Yes	0.24
Angianthus sp. Salmon Gums	P1	Red-brown loam, salt lakes and granite outcrops.	Yes	13.60
Anigozanthos bicolor ssp. minor	T (EN)	Preferring moist sandy soil in heath, and also shallow skeletal soils near granite outcrops or wet gravelly clays. May be a disturbance opportunist	No	PMST
Aotus lanea	P1	Salt-lakes, sandplains, disturbed areas. Grey clayey sand, yellow clay, deep siliceous sand.	Yes	1.70
Aotus sp. Dundas	P2	Open mallee woodlands and margins of salt lakes on sand, Sandy-loam and loam. Associated with fire and chained firebreaks.	Yes	10.51
Bossiaea spinosa	P3	Gravelly, sandy soils on undulating plains.	Yes	6.33
Caladenia voigtii	P4	Tall shrubland on the margins of salt lakes and in shallow soil pockets on granite outcrops	Yes	11.38
Conostephium marchantiorum	P3	Sand. Plains, creek lines, edges of salt lakes.	Yes	7.94
Conostephium uncinatum	P2	Sand, Sandy loam. Margins of salt lakes, Eucalyptus woodlands.	Yes	0.47

Cyathostemon sp. Dowak	P1	Mallee woodland in open shrubland, saline depression. Margin of salt lake	Yes	17.90
Cyathostemon sp. Esperance	P1	Salt lakes, saline watercourse. Sandy gravel	Yes	7.46
Cyathostemon sp. Salmon Gums	P3	Various soils - orange sand, white sandy, sandy clay over granite, light brown clay, saline soils. Various habitats – flats, dry river beds, claypans.	Yes	8.00
Darwinia polycephala	P4	Sand, clay. Flats, near salt lakes	Yes	19.54
Eremophila chamaephila	P3	Open mallee woodland with limestone.	Yes	5.65
Eremophila compressa	P3	Mallee woodland. Clay or clay loam, sandy loam, sand. Undulating plains. Often in disturbed areas	Yes	6.92
Eremophila serpens	P4	Open Mallee over melaleuca shrubland. White sandy clay loam	Yes	17.21
Eucalyptus creta	P3	Winter-wet depressions, sub-saline flats, drainage lines, salt lakes	Yes	7.54
Eucalyptus dissimulata ssp. plauta	P1	Eucalyptus dominated woodland with understory of melaleuca. Sandy clay or loam. Calcareous plains	Yes	6.33
Eucalyptus dolichorhyncha	P4	Mallee shrubland or mixed Mallee woodland. Sandy to Loamy soil.	Yes	6.33
Eucalyptus histophylla	P3	Flats or slightly rising ground with whitish to yellowish sandy clay soil.	No	13.01
Eucalyptus merrickiae	T - VU	Mallee scrub, clay loam, near outcroppping granite and in gravelly soils.	No	6.13
Eutaxia andocada	P1	White sand or brown sandy-clay over granite	No	13.42
Lepidium fasciculatum	P1	Cracking clays and red loams on plains, dry lake beds, flats and low shrublands.	Yes	6.33
Melaleuca fissurata	P3	White/grey sand, sandy loam. Samphire flats, salt pans	Yes	11.54
Persoonia cymbifolia	P3	Sandy soils. On flats or in rock crevices	No	11.55
Pimelea halophila	P2	Margins of salt lakes	Yes	7.80
Pityrodia chrysocalyx	P3	Variable. Mallee shrubs over mid-open heathland, Eucalyptus woodland, Moderately exposed dunes associated with salt lake system	Yes	11.83
Ptilotus seminudus	P3	Plain near salt lake. Eucalyptus spp. open Low Woodland	Yes	19.31
Thysanotus brachyantherus	P2 (has since been delisted)	Grey sand on sandplain.	No	10.71

Appendix 4: Description of Threatened and Priority Fauna Species with the Potential to occur within the No. 2 Dam Survey Area

Threatened or priority fauna identified by the desktop study to be present within a 20 km radius of No. 2 Dam project area, using Threatened and Priority Fauna dataset (DBCA 2024e) and species identified by the EPBC protected matters search tool.

Nt. Acronyms used in the table include priority flora (P), threatened flora (TF), Biodiversity Conservation (BC) Act 2018, EPBC Act (1999), Extinct (EX), Critically Endangered (CR) endangered (EN) and Vulnerable (VU).

Taxon	Common Name	BC Act Status	EPBC Status	Associated Habitat	Likely to occur	Distance from site (km)	EPBC Protected Matters Tool
Platycercus ictrotis subsp. xanthogenys	Western rosella (inland)	P4	Not listed	Prefer mature eucalypt woodlands (e.g. E. salmonophloia and E. wandoo), as well as Allocasuarina heugeliana, mallee and wooded scrub of the low-rainfall inland region. Sighted feeding on Allocasuarina heugeliana, Eucalyptus eremophila, Olearia revoluta, Glischrocaryon flavescens, and Melaleuca acuminata. Breed in small hollows.	Possible	19.6	
Thinornis rubricollis	Hooded plover	P4		Inland and near-coastal salt lakes, brackish coastal lagoons, dispersing to the coast during the non-breeding season. Feeds on gastropods, crustaceans and seeds.	Unlikely	12.62	
Dasyurus geoffroii	Chuditch	VU	VU	Wide habitat range, requiring dense understorey for ambush hunting and an abundance of small to medium-sized mammalian, avian, amphibian and invertebrate prey.	Possible	16.93	
Falco peregrinus	Peregrine falcon	OS		Requires abundance of medium-sized birds such as waterfowl, doves, pigeons, parrots and passerines as prey. Requires open space for hunting, preferring to hunt over marshes, open water bodies, valleys, fields and grasslands. Utilising high perches, such as bare eucalypt stags, to surveil for potential prey.	Possible	15.11	
Leipoa ocellata	Malleefowl	VU	VU	Long-unburnt mallee woodland with abundant leaf litter and debris to build nest mounds and forage for seeds, small	Possible	17.61	

				invertebrates and lerps. Semi-arid regions across southern Australia.			
Zanda latirostris	Carnaby's cockatoo	EN	EN	Eucalypt woodlands with abundant foraging species and a reliable fresh water source; breed in large deep hollows in eucalypt trees > 200 years old. During the non-breeding season migrate to the coastline to forage on Proteaceous and Myrtaceous shrublands and heath.	Unlikely	PMST	May occur in buffer area

Appendix 5: EPBC Act Protected Matters Report

Listed Threatened Ecological Communities

		Presence	
Community Name	Threatened Category	Rank	Text
Proteaceae Dominated Kwongkan Shrublands of the Southeast Coastal Floristic Province of Western Australia	Endangered	Likely	Community may occur within area

Listed Threatened Species

Scientific Name	Common Name	Simple Presence	Threatened Category	Migratory Status
Calidris ferruginea	Curlew Sandpiper	Known	Critically Endangered	Migratory
Botaurus poiciloptilus	Australasian Bittern	May	Endangered	
Ricinocarpos trichophorus	Barrens Wedding Bush	May	Endangered	
Zanda latirostris	Carnaby's Black Cockatoo, Short- billed Black-cockatoo	Likely	Endangered (listed as Calyptorhynchus latirostris)	
Leipoa ocellata	Malleefowl	Likely	Vulnerable	
Aphelocephala leucopsis	Southern Whiteface	May	Vulnerable	
Eucalyptus merrickiae	Goblet Mallee	Known	Vulnerable	
Falco hypoleucos	Grey Falcon	May	Vulnerable	
Calidris acuminata	Sharp-tailed Sandpiper	May	Vulnerable	Migratory
Dasyurus geoffroii	Chuditch, Western Quoll	Known	Vulnerable	

Appendix 6: BC Act Threatened and Priority Flora and Fauna Definitions

Category	Definition
T – Threatened	Taxa that have been adequately searched for and are deemed to be in the wild either rare, in danger of extinction, or otherwise in need of special protection, and have been gazetted as such (Schedules 1 to 4 of the Wildlife Conservation (Rare Flora) Notice under the WC Act). Threatened flora are further ranked by the DBCA to align with IUCN Red List categories and criteria: CR: Critically Endangered – considered to be facing an extremely high risk of extinction in the wild (Schedule 1); EN: Endangered – considered to be facing a very high risk of extinction in the wild (Schedule 2); or VU: Vulnerable – considered to be facing a high risk of extinction in the wild (Schedule 3). EX: Presumed Extinct – taxa that have been adequately searched for and there is no reasonable doubt that the last individual has died (Schedule 4)
P1 – Priority 1 (Poorly known taxa)	Taxa that are known from one or a few collections or sight records (generally less than five), all on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, Shire, Westrail and Main Roads WA road, gravel and soil reserves, and active mineral leases and under threat of habitat destruction or degradation. Taxa may be included if they are comparatively well known from one or more localities but do not meet adequacy of survey requirements and appear to be under immediate threat from known threatening processes. Taxa that are known from one or a few collections or sight records, some of which
(Poorly known taxa)	are on lands not under imminent threat of habitat destruction or degradation, e.g. national parks, conservation parks, nature reserves, State forest, vacant Crown land, water reserves, etc. Taxa may be included if they are comparatively well known from one or more localities but do not meet adequacy of survey requirements and appear to be under threat from known threatening processes.
P3 – Priority 3 (Poorly known taxa)	Taxa that are known from collections or sight records from several localities not under imminent threat, or from few but widespread localities with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat. Taxa may be included if they are comparatively well known from several localities but do not meet adequacy of survey requirements and known threatening processes exist that could affect them.
P4 – Priority 4 (Rare, Near Threatened and other taxa in need of monitoring)	 Rare - Taxa that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection, but could be if present circumstances change. These species are usually represented on conservation lands. Near Threatened - Taxa that are considered to have been adequately surveyed and that do not qualify for Conservation Dependent, but that are close to qualifying for Vulnerable. Taxa that have been removed from the list of threatened species during the past five years for reasons other than taxonomy

Appendix 7: EPBC Act (1999) Definition of Threatened Flora and Fauna Species

egory Code	Category
	Extinct
-	Taxa which at a particular time if, at that time, there is no reasonable doubt that the
	last member of the species has died.
V I	Extinct in the Wild
	Taxa which is known only to survive in cultivation, in captivity or as a naturalised
	population well outside its past range; or it has not been recorded in its known
	and/or expected habitat, at appropriate seasons, anywhere in its past range,
	•
	,
	•
	, , , ,
	, , ,
	•
	•
	Critically Endangered Taxa which at a particular time if, at that time, it is facing an extremely high ris extinction in the wild in the immediate future, as determined in accordance with prescribed criteria. Endangered Taxa which is not critically endangered and it is facing a very high risk of extinct in the wild in the immediate or near future, as determined in accordance with prescribed criteria. Vulnerable Taxa which is not critically endangered or endangered and is facing a high ris extinction in the wild in the medium-term future, as determined in accordance with prescribed criteria. Conservation Dependent Taxa which at a particular time if, at that time, the species is the focus of a speconservation program, the cessation of which would result in the species becomvulnerable, endangered or critically endangered within a period of 5 years.

Appendix 8: BC Act Definition of Threatened Ecological Communities

Category	Category
Code	
PTD	Presumed Totally Destroyed An ecological community will be listed as Presumed Totally Destroyed if there are no recent records of the community being extant and either of the following applies: (i) records within the last 50 years have not been confirmed despite thorough searches or known likely habitats or; (ii) all occurrences recorded within the last 50 years have since been destroyed.
CE	Critically Endangered
	An ecological community will be listed as Critically Endangered when it has been adequately surveyed and is found to be facing an extremely high risk of total destruction in the immediate future, meeting any one of the following criteria: (i) The estimated geographic range and distribution has been reduced by at least 90% and is either continuing to decline with total destruction imminent, or is unlikely to be substantially rehabilitated in the immediate future due to modification; (ii) The current distribution is limited ie. highly restricted, having very few small or isolated occurrences, or covering a small area;
	(iii) The ecological community is highly modified with potential of being rehabilitated in the immediate future.
E	Endangered An ecological community will be listed as Endangered when it has been adequately surveyed and is not Critically Endangered but is facing a very high risk of total destruction in the near future. The ecological community must meet any one of the following criteria: (i) The estimated geographic range and distribution has been reduced by at least 70% and is either continuing to decline with total destruction imminent in the short term future, or is unlikely to be substantially rehabilitated in the short term future due to modification; (ii) The current distribution is limited ie. highly restricted, having very few small or isolated occurrences, or covering a small area; (iii) The ecological community is highly modified with potential of being rehabilitated in the short term future.
V	Vulnerable An ecological community will be listed as Vulnerable when it has been adequately surveyed and is not Critically Endangered or Endangered but is facing high risk of total destruction in the medium to long term future. The ecological community must meet any one of the following criteria: (i) The ecological community exists largely as modified occurrences that are likely to be able to be substantially restored or rehabilitated; (ii) The ecological community may already be modified and would be vulnerable to threatening process, and restricted in range or distribution; (iii) The ecological community may be widespread but has potential to move to a higher threat category due to existing or impending threatening processes.

Appendix 9: BC Act Definition of Priority Ecological Communities

Category
Poorly-known ecological communities
Ecological communities with apparently few, small occurrences, all or most not actively
managed for conservation (e.g. within agricultural or pastoral lands, urban areas, active
mineral leases) and for which current threats exist.
Poorly-known ecological communities
Communities that are known from few small occurrences, all or most of which are
actively managed for conservation (e.g. within national parks, conservation parks,
nature reserves, State forest, unallocated Crown land, water reserves, etc.) and not
under imminent threat of destruction or degradation.
Poorly known ecological communities
(i) Communities that are known from several to many occurrences, a significant number
or area of which are not under threat of habitat destruction or degradation or:
(ii) Communities known from a few widespread occurrences, which are either large or
within Significant remaining areas of habitat in which other occurrences may occur, much of it not under imminent threat, or;
(iii) Communities made up of large, and/or widespread occurrences, that may or not be
represented in the reserve system, but are under threat of modification across much of
their range from processes such as grazing and inappropriate fire regimes.
Ecological communities that are adequately known, rare but not threatened or meet
criteria for Near Threatened, or that have been recently removed from the threatened
list. These communities require regular monitoring.
Conservation Dependent ecological communities
Ecological communities that are not threatened but are subject to a specific conservation
program, the cessation of which would result in the community becoming threatened
within five years.

Appendix 10: EPBC Act Definition of Threatened Ecological Communities

Three categories exist for listing threatened ecological communities under the Commonwealth Environment Protection and Biodiversity Conservation Act 1999.

Listing Category Code	Explanation of Category
Critically endangered	If, at that time, it is facing an extremely high risk of extinction in the wild in
	the immediate future.
Endangered	If, at that time, it is not critically endangered and is facing a very high risk of
	extinction in the wild in the near future.
Vulnerable	If, at that time, it is not critically endangered or endangered, and is facing a
	high risk of extinction in the wild in the medium term
	future.

Appendix 11: BAM Act Categories and Control of Declared (Plant) Pests in Western Australia

relation to a category 1 declared pest, the vner or occupier of land in an area for which organism is a declared pest or a person who conducting an activity on the land must take uch of the control measures specified in
vner or occupier of land in an area for which organism is a declared pest or a person who conducting an activity on the land must take
bregulation) as are reasonable and necessary to destroy, event or eradicate the declared pest.
relation to a category 2 declared pest, the wher or occupier of land in an area for which a organism is a declared pest or a person who conducting an activity on the land must take ach of the control measures specified in abregulation as are reasonable and necessary to destroy, event or eradicate the declared pest.
relation to a category 3 declared pest, the vner or occupier of land in an area for which organism is a declared pest or a person who conducting an activity on the land must take ach of the control measures specified in abregulation (a) alleviate the harmful impact of the declared pest in the area for which it is declared; or (b) reduce the number or distribution of the declared pest in the area for which it is declared; or
rvi coob)

(c) prevent or contain the spread of the

declared pest in the area for which it is

declared.

desirable, to manage them in order to limit

an area which currently is free of that pest.

their damage. Control measures can prevent a C3

pest from increasing in population size or density or

moving from an area in which it is established into

Appendix 12: Definition of Vegetation Condition ScaleFor the south west and interzone botanical provinces

Condition Rating Description	Condition Rating Description
Pristine (1)	Pristine or nearly so, no obvious signs of disturbance
Excellent (2)	Vegetation structure intact; disturbance affecting individual
	species; weeds are non-aggressive species.
Very Good (3)	Vegetation structure altered; obvious signs of disturbance For
	example, disturbance to vegetation structure caused by repeated
	fires; the presence of some more aggressive weeds; dieback;
	logging; & grazing.
Good (4)	Vegetation structure significantly altered by very obvious signs of
	multiple disturbances. Retains basic vegetation structure or ability
	to regenerate it. For example, disturbance to vegetation structure
	caused by very frequent fires; the presence of some very
	aggressive weeds at high density; partial clearing; dieback; &
	grazing
Degraded (5)	Basic vegetation structure severely impacted by disturbance.
	Scope for regeneration but not to a state approaching good
	condition without intensive management. For example, disturbance
	to vegetation structure caused by very frequent fires; the presence
	of very aggressive weeds; partial clearing; dieback; & grazing.
Completely Degraded (6)	The structure of the vegetation is no longer intact and the area is
	completely or almost completely without native species. These
	areas are often described as 'parkland cleared' with the flora
	comprising weed or crop species with isolated native trees or
	shrubs.