

Indigo Parkway and Larsen Road Linkage Project, Byford

1. Introduction	2
1.1 Background.....	2
1.2 Shire of Serpentine Jarrahdale	2
1.3 Purpose of Report.....	2
2. Existing Environment	2
2.1 Topography, Geology and Soils.....	2
2.2 Hydrology.....	2
2.3 Flora and Vegetation.....	3
2.3.1 Site Assessment	4
2.4 Fauna and Habitat	6
2.4.1 Black Cockatoo Habitat Assessment	6
2.5 Conservation Areas and Ecological Linkages.....	7
2.6 Heritage	7
3. Proposed clearing.....	7
3.1 Schedule.....	7
3.2 Proposed Works	7
3.3 Tree Clearing	8
3.4 Clearing Methodology.....	8
3.5 Avoidance	8
3.6 Mitigation	12
3.7 Relationship with other Offsets	12
4. Assessment Against Native Vegetation Clearing Permit Clearing Principles.....	13
5. Conclusion	16
6. References	16
7. Appendices.....	18
Appendix 1. Pinjarra/Guildford vegetation complex flora list	18
Appendix 2. Native and Introduced Trees to be cleared.	27

1. Introduction

1.1 Background

The proposed project will involve the construction of a new road linkage from the east of the existing Indigo Parkway and Briggs Road, to the north of Larsen Road and Sansimeon Boulevard in Byford. The new road link is a necessary transport corridor identified in the Shire's 2004 District Structure Plan, updated in 2023 to the Byford District Structure Plan, to improve connectivity to the northern side of the Byford Town Centre (Attachment 13). The project incorporates the tie in of new road pavement with existing pavement, two single lane roundabouts, parallel parking bays, cycle lane, footpath, dual use path and associated stormwater drainage (Attachment 9).

1.2 Shire of Serpentine Jarrahdale

The Shire of Serpentine Jarrahdale has a history of responsible environmental management and strives to minimise the impact of development in areas which are environmentally sensitive, provide ecosystem support, contain native vegetation and support high levels of biodiversity. The Shire's Local Biodiversity Strategy 2008 and Update Report 2019 are two key documents which aim to protect and manage Local Natural Areas, local characteristic species, vegetation complexes and specific features within the Shire (Ironbark Environmental 2008; Shire of Serpentine Jarrahdale 2019). These documents are supported by several other complementary strategies, policies and plans including the Urban and Rural Forest Strategy 2018 and a series of recently Council endorsed vegetation management plans (Marri Woodland, Banksia Woodland, Clay-based Wetlands, and Scarp and Plateau Woodland and Forest).

The Urban and Rural Forest Management Strategy 2018 outlines the Shire's commitment to managing, protecting, and retaining trees and native vegetation across both urban and rural areas, including prioritising tree retention in road design, maintenance, and construction. To support this, the Significant Tree Register serves as a key tool for identifying and protecting significant tree species, particularly those located on Shire managed land that require consideration during roadworks and verge maintenance. Additionally, vegetation type management plans guide the management of Local Natural Areas based on vegetation complexes (Shire of Serpentine Jarrahdale 2024b, 2024c, 2024d, 2025).

Further strengthening its environmental approach, the Shire is currently developing a draft Environmental Offsets Strategy. This strategy is being shaped by the principles of the Mitigation Hierarchy and Biodiversity Sensitive Urban Design Frameworks, aiming to minimise impacts on native vegetation, support sustainable growth, and enhance biodiversity outcomes throughout the Shire.

1.3 Purpose of Report

This report has been prepared in support of the Shire's Area Clearing Permit Application (PRJ-0017163) 'Indigo Parkway and Larsen Road Linkage Project, Byford' submitted via Environment Online.

2. Existing Environment

2.1 Topography, Geology and Soils

The Local Water Strategy prepared by 360 Environmental (2020) for various Larsen Road and Briggs Road Lots describes the topography, geology and soils of the project area (Attachment 6). The site varies between 33 and 39 meters Above Height Datum (mAHD) and gently slopes from the south east to the north west. Soils are characterised as 213Pj__P1e 'Flat to very gently undulating plain with deep acidic mottled yellow duplex soils; Shallow pale sand to sandy loam over very gravelly clay; moderately well drained.' Regional Acid Sulfate Soil (ASS) mapping indicates that there is moderate to low risk of ASS onsite.

2.2 Hydrology

The Local Water Strategy prepared by 360 Environmental (2020) for various Larsen Road and Briggs Road Lots also describes the hydrological features of the project area. Boreholes installed on site in July 2019 identified that peak levels occurred in September, with the minimum separation from the groundwater to the

existing ground level being 0.66 m in the east of the site and greater than 5 m in the west and south of the site.

The project area contains a minor watercourse flowing SE to Oaklands Drain at the north of the site. The 1% AEP flood levels are 39.75 m AHD to 33.71 m AHD.

The entire project area lies across the Armadale Palusplain Multiple Use Wetland (ID 16189). Multiple Use Wetlands are classified as the lowest management priority for development on the Swan Coastal Plain, characterised by 'wetlands with few remaining important attributes and functions' (Department of Biodiversity, Conservation and Attractions 2025).

2.3 Flora and Vegetation

The project area exists on the Swan Coastal Plain (SCP), part of the South West Botanical Province which has a very high degree of species diversity. The SCP is broadly characterised by *Banksia* or *Tuart* on sandy soils, *Casuarina obesa* and *Corymbia calophylla* on outwash plains of colluvial and alluvial origin, and *Melaleuca* shrublands in swampy areas (Mitchell, Williams & Desmond 2002). The Swan Coastal Plain has undergone extensive clearing, with the most significant loss occurring in the eastern parts of the central and southern zones (Mitchell, Williams & Desmond 2002). Historical aerial photography from Landgate indicates that the majority of the project area was cleared for agricultural use prior to 1953, with only scattered trees in paddocks and remnant vegetation remaining along the Oaklands Drain and water channel (Figure 1).

According to Vegetation Complex mapping, the site falls within the Guildford Vegetation Complex (Department of Biodiversity, Conservation and Attractions 2017). The Guildford Vegetation Complex is significantly under-represented in the Shire, with only 611 hectares, or approximately 5% of its original extent remaining following historical clearing (Shire of Serpentine Jarrahdale 2008). The Guildford Vegetation Complex is described as 'a mixture of open forest to tall open forest of *Corymbia calophylla* (Marri) - *Eucalyptus wandoo* (Wandoo) - *Eucalyptus marginata* (Jarrah) and woodland of *Eucalyptus wandoo* (Wandoo), with rare occurrences of *Eucalyptus lane-poolei* (Salmon White Gum). Minor components include *Eucalyptus rudis* (Flooded Gum) - *Melaleuca raphiophylla* (Swamp Paperbark).' The Shire has developed a list of plant species recorded in the Shire of Serpentine Jarrahdale within the Pinjarra/Guildford Vegetation Complex (Appendix 1).




Figure 1. Aerial image of project area from 1953.

2.3.1 Site Assessment

The vegetation within the project area primarily consists of parkland cleared land with planted Eucalypts of varying densities, remnant Marri (*Corymbia calophylla*) and Flooded Gum (*Eucalyptus rudis*), along with a variety of other tree and shrub species over grassland or bare ground (Harewood 2025) (Figure 2a–2d).

In January 2025, Westworks Consultancy conducted a tree survey across the project area, identifying a total of 70 trees. Of these, 24 were classified as native species (*Corymbia calophylla* and *Eucalyptus rudis*), while 46 were introduced or exotic species (Appendix 2, Attachment 10). Fourteen native trees were recorded within Lot 151 Larsen Road, and ten within Lot 58 Briggs Road.

Six River Red Gums (*Eucalyptus camaldulensis*) were also recorded in the project area (Westworks Consultancy 2025). These trees were in very poor to fair condition, and assessed as introduced (Appendix 2). These trees were found growing along a degraded section of the Larsen Road reserve and near the former residence within Lot 58 Briggs Rd. The six *Eucalyptus camaldulensis* trees are highly likely to be naturalised or introduced to the project area. In addition to the 24 native trees, three *Xanthorrhoea preissii* plants were identified growing along the road verge within the project area, adjacent to Briggs Road (Figure 2c).



Figure 2a. Mixed exotic Eucalypts over weedy grasses.



Figure 2b. Mixed exotic Eucalypts and other trees over weedy grasses.



Figure 2c. Three *Xanthorrhoea preissii* specimens growing along the road reserve.



Figure 2d. Remnant Marri over grassy weeds and Watsonia along the water channel.

2.4 Fauna and Habitat

A fauna reconnaissance surveyed carried out by Zoologist Greg Harewood during August 2025 recorded twelve common fauna species and evidence of two fauna species of conservation significance. The two fauna species of conservation significance were two species of Black Cockatoo; Carnaby's Cockatoo and Forest Red-tailed Black Cockatoo. The proposed development is considered unlikely to significantly impact the conservation status of any fauna species, despite a small number of generally common species losing the use of small areas of habitat (Harewood 2025).

2.4.1 Black Cockatoo Habitat Assessment

A summary of the Black Cockatoo habitat assessment for the project site, conducted by Harewood (2025), is provided below:

- Westworks Consultancy (2025) identified 38 trees as potential Black Cockatoo breeding habitat (DBH >30 cm), however, Harewood (2025) confirmed that none contained hollows suitable for nesting by Black Cockatoos.
- No roosting trees or evidence of roosting activity was identified during the survey.
- The BCE scoring system assigned the woodland vegetation within the project area with a moderate foraging value score of 5 out of 10. This score could be attributed to the presence of vegetation with a moderate foraging value and small contribution to the estimated local foraging resource.
- Application of the Department of Energy and Environment's (2022) Foraging Quality Scoring Tool assigned a high foraging value (8 or 10 out of 10) for all three species of Black Cockatoo. However, the high quality rating applies mainly to small sections of the project area containing Marri, which would amount to much less than 1 ha.
- Based on the fauna assessment results, the criteria listed below suggest that an *EPBC Act* referral may be required, however, this conclusion was considered debatable.
 - The loss of breeding habitat,

CM Ref: E25/8693

- The loss of equal to or greater than 1 ha of high quality foraging habitat, and
- The loss of 1 or more ha of predominantly exotic habitat known to be utilised by Black Cockatoos.

The Shire considers that a referral under the EPBC Act is unlikely to be required at this time based on the absence of existing breeding and roosting trees, and the project area containing low densities of Marri that are more accurately representative of low quality foraging habitat. However, Harewood (2025) recommends that the need for a referral be reviewed as planning for the proposed development progresses and clearing area refined.

2.5 Conservation Areas and Ecological Linkages

The project area does not intersect with any known local or regional ecological linkages, Bush Forever sites, Threatened flora and fauna or Threatened and Priority Ecological Communities. The nearest Bush Forever site to the project area is Brickwood Reserve approximately 1.7km south (Site no. 321). Lot 151, however, includes conservation and public open space land uses, associated with reclassification of land for the 2016 Abernethy Road widening project CPS 6498/1 (refer section 2.6, Attachment 7).

2.6 Heritage

No known indigenous or other heritage areas exist within the project area. The closest heritage place to the project area is an artefact/scatter in Byford approximately 2.3 km to the south east (ACH-00016094) (Department of Planning, Lands and Heritage 2025).

3. Proposed clearing

3.1 Schedule

On-ground works are scheduled to commence during the 2026–2027 financial year, with the construction tender anticipated to be released in March or April 2026. Rehabilitation and revegetation activities are planned to follow in the 2027–2028 financial year (Attachment 8). Construction is proposed to occur during the warmer, drier months to avoid the breeding season of local fauna, reduce the risk of spreading *Phytophthora* Dieback, and minimise potential impacts on surface water flows.

3.2 Proposed Works

The construction of the project will include the following works and elements as further described by Talis Consultants (2025) (Attachment 9):

- Road reserve width of 27.5m and 22.5m adjacent to the northern Multiple Use Corridor Public Open Space (MUC),
- Earthworks for the full road reserve width, and any adjacent tie in/blending,
- Verge width of 5.75m to accommodate parking,
- 2.5m parking bays indented into the verge,
- 5m wide lanes, consisting of 3.5m wide traffic lane and 1.5m wide on street cycle lane,
- 2.5m wide dual use path on the north side and a 1.5m footpath on the south side,
- Minor 20% and Major 1% drainage design including centre median island to be designed as a 6m wide inverted swale,
- Continuation of a median island East/West across Briggs Road, creating a left in-left out intersection at Briggs Road and Indigo Parkway,
- Roundabout intersection at Carraway Avenue and Indigo Parkway,
- Roundabout intersection at Larsen Road and Indigo Parkway,
- Left in/Left out at Portwine Avenue,
- Associated drainage design, including Water Sensitive Urban Design,
- Utility removal/relocation and insertion, and
- LED Western Power standard Street lighting.

3.3 Tree Clearing

A total of 70 trees, including 24 native trees of the species *Corymbia calophylla* and *Eucalyptus rudis* are proposed to be cleared as well as three *Xanthorrhoea preissii* specimens growing adjacent to Briggs Road (Figure 3, Appendix 2). The remaining 46 trees have been classified as introduced or naturalised species, including six River Red Gums (*Eucalyptus camaldulensis*) (Westworks Consultancy 2025). Of the 24 trees to be removed, 14 exist in Lot 151 Larsen Road and 10 exist in Lot 58 Briggs Road. River Red Gums (*Eucalyptus camaldulensis*) are a commonly naturalised tree species in the Shire of Serpentine Jarrahdale and therefore excluded from the native vegetation clearing permit.




Figure 3. Trees and vegetation proposed for removal.

3.4 Clearing Methodology

Prior to clearing, the works area and trees to be cleared will be clearly marked to ensure avoidance areas are protected. The trees to be removed will be cleared by a combination of cutting from a qualified arborist and mechanical clearing/bulldozing to remove bulkier sections and roots from the construction area.

3.5 Avoidance

The road alignment was designed to avoid unnecessary clearing across the impacted Lots. Within Lot 151, the majority of the native vegetation has been avoided, within only 14 native trees (0.14 ha) existing within the road alignment proposed for clearing. The avoidance area includes several Marri trees growing along the drainage channel in the southern portion of Lot 151 Larsen Road as well as the majority of the public open space and conservation area associated with the CPS 6498/1 environmental offset. Additionally, the Shire will retain the existing vegetation along the Oaklands drain by designing the creek to meander around the mature Flooded Gum and Marri trees (Figure 4a-4c).

CM Ref: E25/8693

Lot 58 Briggs Road was previously zoned for rural residential use but has since been acquired by the Shire to support this project (Attachment 14-15). The site was largely cleared prior to 1953 and now contains a mix of exotic/introduced and native tree species in a highly degraded condition. Several planted trees located north of the road alignment along the former driveway will be retained and integrated into the Multiple Use Corridor as part of the revegetation and landscaping works (Attachment 8) (Figure 4b, 4d).



Figure 4a. Oaklands drain on left showing trees to be retained on both sides of former driveway, including large Marri trees.



Figure 4b. Oaklands drain on right showing trees to be retained on both sides of the former driveway, including large Flooded Gum trees.



Figure 4c. Large Marri tree to be retained.



Figure 4d. Mixed Eucalyptus and Marri over weedy grasses to be retained.

3.6 Mitigation

The Shire will implement the following mitigation measures as part of this project:

1. **Dieback and weed management:** the Shire will implement weed and dieback management during earth works. This will involve working in drier weather where possible, and cleaning mud and plant material from machinery and vehicles prior to accessing and exiting the project area. The Shire will ensure all soil and green waste generated through the proposed clearing is disposed of in an authorised waste facility or left in-situ as mulch.
2. **Seed collection:** the Shire will engage Landcare SJ to collect Marri seeds from the cleared trees for use in local revegetation projects. Large Marri logs from the felled trees will also be left in situ where safe to do so to provide fauna habitat in the landscape and revegetation areas.
3. **Cockatoo foraging:** the Shire proposes to engage with Kaarakin Black Cockatoo Centre to salvage suitable foraging material for Black Cockatoos in rehabilitation.
4. **Working in optimal conditions:** where possible, the works will be scheduled for drier months of late spring and summer to reduce the potential for topsoil disturbance (erosion, dust and sedimentation), fauna breeding, and the introduction and spread of water borne pathogens.
5. **Tree marking:** the Shire will clearly mark the trees proposed to be cleared with flagging tape and clearly communicate to its contractors that only the taped or marked trees are to be removed or pruned, and the remaining trees are to be retained and protected.
6. **Qualified arborist:** the Shire will engage the services of a qualified arborist to perform the pruning and clearing works.
7. **Landscape and Revegetation Plan:** a Revegetation and Landscape Plan will be developed to inform on-site rehabilitation and revegetation that will adequately compensate for the clearing of Black cockatoo habitat values, Guildford Vegetation Complex, existing offset area, and conservation category wetland. Refer to Attachment 8 'Indigo Parkway and Larsen Road Linkage Project – Draft Revegetation and Concept Plan', for further information.
8. **Water Sensitive Urban Design:** the project's stormwater design has been informed by the Shire's 360 Environmental Local Water Management Strategy (LWMS) report that incorporates water management strategies in consideration of water sensitive urban design principles. The key elements are summarised in Table 1 of the LWMS (Attachment 6) and further described in the Draft Revegetation and Landscape Concept Plan (Attachment 8).

3.7 Relationship with other Offsets

Lot 151 Larsen Road forms part of a previous offset associated with the 2016 Abernethy Road widening project (CPS 6498/1) (Attachment 7). The Landscape and Revegetation Plan aims to address the clearing of an existing offset area by implementing revegetation and rehabilitation works (Attachment 8).

4. Assessment Against Native Vegetation Clearing Permit Clearing Principles

An assessment of the proposed vegetation clearing principles against the ten native vegetation clearing principles contained in Schedule 5 of the EP Act is summarised in Table 1 below. The assessment determined that the proposed clearing is considered not to be at variance with four of the ten principles, considered unlikely to be at variance with two of the ten principles, and may be at variance with four of the ten principles.

Table 1. Assessment against the ten clearing principles.

Clearing Principle	Discussion	Assessment
a. Native vegetation should not be cleared if it comprises a high level of biological diversity	The proposed clearing area contains two native species, a mix of exotic trees and a completely degraded understorey. Historical photography from Landgate shows the majority of the project area was cleared for agricultural purposes prior to 1953, with the exception of isolated trees in paddocks and growing along the Oaklands drain and water channel. On this basis, the proposed clearing is not considered to be at variance with this principle.	The proposed clearing is not considered to be at variance with this principle.
b. Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia	The clearing area was not considered to contain fauna of any conservation significance except for Black Cockatoos. The BCE scoring system assigned the woodland vegetation within the project area with a moderate foraging score of 5 out of 10, due to the relatively small contribution to the local foraging resource and presence of vegetation with a moderate foraging value. No other Black Cockatoo breeding or roosting values were identified by Zoologist Greg Harewood (2025). There are no records of Threatened & Priority fauna or Threatened and Priority flora from DBCA's (2025) database. Furthermore, no Threatened or Priority flora has been identified within the proposed clearing area based on the site inspection undertaken by Westworks Consultancy (2025).	The proposed clearing may be considered at variance with this principle.
c. Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora	Furthermore, no Threatened or Priority flora has been identified within the proposed clearing area based on the site inspection undertaken by Westworks Consultancy (2025).	The proposed clearing is not considered to be at variance with this principle.

Clearing Principle	Discussion	Assessment
	Historical photography from Landgate shows most of the project area was cleared for agricultural purposes prior to 1953, with occasional remnant stands of trees in paddocks and growing along the Oaklands drain and water channel. It is considered highly unlikely that Threatened or Priority flora have been able to persist in the proposed clearing area following this significant disturbance. Remaining habitat is not considered to be suitable for any Threatened or Priority flora. Furthermore, the dominance of weed species in the understorey provides threats to most Threatened and Priority flora from competition for space, nutrients and water. On this basis, the proposed clearing is considered highly unlikely to result in any impacts to Threatened or Priority flora.	
d. Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community	The proposed clearing area has been observed to be in a completely degraded condition. The flora is comprised of a weedy understorey with isolated or small remnant native trees. The project area does not overlap the buffer or known location of a Threatened or Priority Ecological Community according to DBCA (2025) records.	The proposed clearing is not considered to be at variance with this principle.
e. Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.	The Guildford Vegetation Complex has been mapped across the proposed clearing area. The Guildford Vegetation Complex is under-represented with less than 5% remaining within the Shire and Swan Coastal Plain bioregion (Webb et al. 2016; Shire of Serpentine Jarrahdale 2008). The clearing area contains two native species which are known to be broadly representative of the Guildford Vegetation Complex (Marri and Flooded Gum). Historical imagery shows the proposed clearing area and surrounding areas were largely cleared for agriculture prior to 1953, suggesting the majority of existing native vegetation, aside from several trees growing along the drain and water channel, are likely to be planted or regrowth vegetation.	The proposed clearing may be considered at variance with this principle.
f. Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a	The proposed clearing area forms part of a regionally mapped Multiple Use Wetland as defined by DBCA. Multiple Use Wetlands are the lowest conservation category wetland, containing few remaining important attributes and functions. Nonetheless, the development has	The proposed clearing may be considered at variance with this principle.

Clearing Principle	Discussion	Assessment
watercourse or wetland	been designed to address water sensitive urban design principles, and minimise clearing directly along the drain and watercourse. Given the modified nature of the drains and water course, and limited extent of trees and degraded nature of the vegetation growing along them, the proposed clearing is not considered to be significant.	
g. Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation	The minimal amount of tree clearing (24 trees) over the broader project area is not anticipated to cause further appreciable land degradation. The Shire will undertake the construction works during the drier months to minimise the risk of topsoil disturbance and erosion from water runoff.	The proposed clearing is not considered at variance with this principle.
h. Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area	The current uses of Lot 151 Larsen Road includes conservation and public open space land uses, associated with reclassification of land for the 2016 Abernethy Road widening project (CPS 6498/1). The clearing of 14 trees (~0.14 ha) is not expected to significantly impact the environmental values of the broader area, particularly the more vegetated sections between Thomas Road and the Oaklands Drain covering an area approximately 5 hectares.	The proposed clearing may be considered at variance with this principle.
i. Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water	The Local Water Management Strategy for the adjacent area found clearance to groundwater was over 5 m for most of the site (360 Environmental 2020). This water was determined to have salinity levels 'marginally' suitable for watering household gardens, and 'unsuitable' for garden bores. The removal of 24 trees is not expected to have a significant interaction with ground water and therefore not cause a significant deterioration of water quality. The trees are proposed to be cleared during the warmer drier months to ensure issues such as sedimentation are prevented from impacting the quality of surface water.	The proposed clearing is unlikely to be considered at variance with this principle.
j. Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence or intensity of flooding	The majority of Lot 151 Larsen Road and Lot 58 Briggs Road was historically cleared prior to 1953, with current flood mapping indicating the 1% flood level at Oaklands Drain as 39.75 m to 33.71 m AHD into the POS area. The proposed clearing is not expected to further intensify the risk of flooding in the area.	The proposed clearing is unlikely to be considered at variance with this principle.

5. Conclusion

The proposed project will significantly improve the function and user safety of the local road network in Byford in anticipation of ongoing urban residential development in the area (Attachment 13). A total of 24 native trees are proposed to be cleared to enable the road and associated infrastructure to be constructed. The native vegetation proposed to be cleared provides the following environmental values:

- The presence of Marri and Flooded Gum broadly representative of the under-represented Guildford Vegetation Complex,
- The presence of moderate value foraging habitat for Black Cockatoos,
- A regionally mapped Multiple Use Wetland, and
- A conservation area associated with the offset for Abernethy Road widening.

However, the low species diversity, low priority conservation category wetland, limited foraging value for Black Cockatoos, and overall highly degraded condition of the project area means these values are not considered to be highly significant. In conclusion, the Shire considers that the impact of the project towards environmental values can be adequately addressed via on-site rehabilitation.

6. References

360 Environmental (2020), Local Water Management Strategy – Various Lots Larsen Road and Briggs Road, Byford. [Attachment 6]

Department of Biodiversity, Conservation and Attractions (2025), Wetlands, Available from: <https://www.dbca.wa.gov.au/management/wetlands>

Department of Biodiversity, Conservation and Attractions (2017), Vegetation Complexes of the Swan Coastal Plain. Available from: https://library.dbca.wa.gov.au/static/FullTextFiles/072149/SCP_A0_lowres.pdf

Department of Planning, Lands and Heritage, Aboriginal Cultural Heritage Enquiry System (2025), Available from: <https://espatial.dplh.wa.gov.au/ACHIS/index.html?viewer=ACHIS>

Harewood, G (2025), Indigo Parkway Extension Cockatoo Assessment, Byford. [ISA-0001027]

Ironbark Environmental (2008), Local Biodiversity Strategy, prepared for the Shire of Serpentine Jarrahdale.

Mitchell, D, Williams K, & Desmond, A (2002), Swan Coastal Plain 2 (SWA2 – Swan Coastal Plain subregion). Available from: <https://library.dbca.wa.gov.au/FullTextFiles/021927.049.pdf>

Shire of Serpentine Jarrahdale (2018), Urban and Rural Forest Strategy 2018-2028. Available from: <https://www.sjshire.wa.gov.au/Profiles/sj/Assets/ClientData/Documents/Page-Centre/Community/SJ-UFS-final-lowres-v2-BEST-v5.pdf>

Shire of Serpentine Jarrahdale (2019a), 'Local Biodiversity Strategy Update Report'. Available from: https://www.sjshire.wa.gov.au/Profiles/sj/Assets/ClientData/Documents/Page-Centre/Community/E19_9620_Local_Biodiversity_Strategy_-_Final_Update_Report.pdf

Shire of Serpentine Jarrahdale (2024b), 'Marri Woodland Management Plan'. Available from: https://www.sjshire.wa.gov.au/Profiles/sj/Assets/ClientData/Documents/Page-Centre/Community/E19_9620_Local_Biodiversity_Strategy_-_Final_Update_Report.pdf

Shire of Serpentine Jarrahdale (2024c), 'Banksia Woodland Management Plan'. Available from: https://www.sjshire.wa.gov.au/Profiles/sj/Assets/ClientData/Documents/Page-Centre/Community/E19_9620_Local_Biodiversity_Strategy_-_Final_Update_Report.pdf

Shire of Serpentine Jarrahdale (2024d), 'Clay-based Woodland Management Plan'. Available from: https://www.sjshire.wa.gov.au/Profiles/sj/Assets/ClientData/Documents/Page-Centre/Community/E19_9620_Local_Biodiversity_Strategy_-_Final_Update_Report.pdf

Shire of Serpentine Jarrahdale (2025), 'Scarp and Plateau Woodland and Forest Management Plan'. Available from: <https://www.sjshire.wa.gov.au/council-meetings/ordinary-council-meeting/ordinary-council-meeting-19->

CM Ref: E25/8693

[may-2025/613/documents/1011-attachment-1-scarp-and-plateau-woodland-and-forest-management-plan.pdf](https://www.sjshire.wa.gov.au/council-meetings/ordinary-council-meeting/ordinary-council-meeting-19-may-2025/613/documents/1011-attachment-1-scarp-and-plateau-woodland-and-forest-management-plan.pdf)

Talis Consultants (2025), Design Report Indigo Parkway. [Attachment 9]

Webb A, Kinloch J, Keighery G & Pitt G (2016), The extension of vegetation complex mapping to landform boundaries within the Swan Coastal Plain landform and forested region of south-west Western Australia, available from: <https://www.sjshire.wa.gov.au/council-meetings/ordinary-council-meeting/ordinary-council-meeting-19-may-2025/613/documents/1011-attachment-1-scarp-and-plateau-woodland-and-forest-management-plan.pdf>

Westworks Consultancy (2025), Tree Survey Indigo Parkway, Byford. [IBSA-2025-0295 - Attachment 10]

7. Appendices

Appendix 1. Pinjarra/Guildford vegetation complex flora list

Pinjarra/Guildford vegetation complex flora list for the Shire of Serpentine Jarrahdale

Pinjarra/Guildford complex

List of plant species recorded in the Shire of Serpentine Jarrahdale in the Pinjarra/Guildford vegetation complex.

Note: This is not a complete list. It is likely that some species will not have been recorded in the surveys from which this list was compiled, and other groups of species have been omitted (including parasitic plants, *Drosera*, *Stylidium*, and orchids), due to difficulty in sourcing or propagation.

Highlighting = available in nurseries

Note: This means that the species is listed by one or more of the larger native nurseries. It is likely that most of the species on the list could be propagated with sufficient notice.

Genus	species	Plant form/comments	Common name	Approx. height (m)	Dry areas	Wet areas
<i>Acacia</i>	<i>alata</i>	Shrub	Winged wattle	0.3 – 2.1	X	
<i>Acacia</i>	<i>applanata</i>	Shrub	Grass wattle	0.1 – 0.5	X	X
<i>Acacia</i>	<i>dentifera</i>	Shrub	Toothed wattle	0.6 – 3	X	X
<i>Acacia</i>	<i>drewiana</i>	Shrub		0.15 – 0.9	X	
<i>Acacia</i>	<i>drummondii</i>	Shrub	Drummond's wattle	0.3 – 1	X	
<i>Acacia</i>	<i>huegelii</i>	Shrub		0.2 – 1	X	X
<i>Acacia</i>	<i>incurva</i>	Shrub		0.2 – 0.5	X	X
<i>Acacia</i>	<i>lasiocarpa</i>	Shrub/P1	Dune moses/Panjang	0.15 – 1.5	X	X
<i>Acacia</i>	<i>preissiana</i>	Shrub		0.05 – 0.35	X	
<i>Acacia</i>	<i>pulchella</i>	Shrub	Prickly moses	0.3 – 3	X	
<i>Acacia</i>	<i>rostellifera</i>	Shrub	Summer-scented wattle	1 – 6	X	
<i>Acacia</i>	<i>saligna</i>	Shrub	Golden wreath/Orange wattle	1.5 – 6	X	X
<i>Acacia</i>	<i>sessilis</i>	Shrub		0.3 – 1	X	X
<i>Acacia</i>	<i>stenoptera</i>	Shrub	Narrow winged wattle	0.2 – 0.7	X	X
<i>Acacia</i>	<i>teretifolia</i>	Shrub		0.2 – 0.5	X	
<i>Acacia</i>	<i>willdenowiana</i>	Shrub	Grass wattle	0.3 – 0.6	X	X
<i>Actinostrobos</i>	<i>pyramidalis</i>	Shrub	Swamp cypress	to 4	X	X
<i>Adenanthos</i>	<i>cygnorum</i>	Shrub	Common woollybush	0.8 – 4	X	
<i>Adenanthos</i>	<i>meisneri</i>	Shrub		0.2 – 1.5	X	X
<i>Adenanthos</i>	<i>obovatus</i>	Shrub	Basket flower	0.3 – 1.5	X	X
<i>Adiantum</i>	<i>aethiopicum</i>	Herb/fern	Common maidenhair	0.1 – 0.35		X
<i>Agrostocrinum</i>	<i>hirsutum</i>	Herb		to 0.6	X	
<i>Agrostocrinum</i>	<i>scabrum</i>	Herb	Blue grass lily	to 1	X	X
<i>Allocasuarina</i>	<i>fraseriana</i>	Tree	Sheoak	5 – 15	X	
<i>Allocasuarina</i>	<i>humilis</i>	Shrub	Dwarf sheoak	0.2 – 2	X	X
<i>Allocasuarina</i>	<i>microstachya</i>	Shrub		0.1 – 1	X	X
<i>Alternanthera</i>	<i>nodiflora</i>	Herb	Common joyweed	0.02 – 1		X
<i>Amphibromus</i>	<i>nervosus</i>	Grass		to 1.25		X
<i>Amphipogon</i>	<i>debilis</i>	Grass		0.25 – 0.35	X	X
<i>Amphipogon</i>	<i>laguroides</i>	Grass		to 0.55	X	
<i>Amphipogon</i>	<i>turbinatus</i>	Grass		0.2 – 0.8	X	
<i>Andersonia</i>	<i>caerulea</i>	Shrub	Foxtails	0.05 – 1	X	
<i>Angianthus</i>	<i>drummondii</i>	Herb/P3		to 0.1		X
<i>Anigozanthos</i>	<i>bicolor</i>	Herb	Little kangaroo paw	0.05 – 0.6	X	
<i>Anigozanthos</i>	<i>humilis</i>	Herb	Catspaw	0.1 – 1	X	
<i>Anigozanthos</i>	<i>manglesii</i>	Herb	Mangles kangaroo paw	0.2 – 1.1	X	X
<i>Anigozanthos</i>	<i>viridis</i>	Herb	Green kangaroo paw	0.05 – 0.85	X	X
<i>Anthotium</i>	<i>junciforme</i>	Herb/P4		0.05 – 0.4		X
<i>Aotus</i>	<i>gracillima</i>	Shrub		0.6 – 2		X
<i>Aotus</i>	<i>procumbens</i>	Shrub		to 0.5	X	X

Pinjarra/Guildford

Dr Penelope Hollick

11/10

1

Pinjarra/Guildford vegetation complex flora list for the Shire of Serpentine Jarrahdale

Genus	species	Plant form/comments	Common name	Approx. height (m)	Dry areas	Wet areas
<i>Aphelia</i>	<i>cyperoides</i>	Sedge		0.02 - 0.11	X	X
<i>Aphelia</i>	<i>mutans</i>	Sedge		to 0.025		X
<i>Aponogeton</i>	<i>hexapetalus</i>	Herb/aquatic/P4	Stalked water ribbons			X
<i>Astartea</i>	<i>affinis</i>	Shrub		to 3		X
<i>Astartea</i>	<i>fascicularis</i>	Shrub		0.3 - 3	X	X
<i>Astroloma</i>	<i>ciliatum</i>	Shrub	Candle cranberry	0.05 - 0.3	X	
<i>Astroloma</i>	<i>pallidum</i>	Shrub	Kick bush	0.05 - 0.3	X	X
<i>Austrodanthonia</i>	<i>caespitosa</i>	Grass	Common wallaby grass	0.15 - 0.9	X	X
<i>Austrodanthonia</i>	<i>occidentalis</i>	Grass		0.15 - 0.6	X	
<i>Austrodanthonia</i>	<i>pilosa</i>	Grass		0.2 - 0.9	X	X
<i>Austrostipa</i>	<i>campylachne</i>	Grass		0.4 - 1	X	X
<i>Austrostipa</i>	<i>compressa</i>	Grass		0.15 - 0.7	X	
<i>Austrostipa</i>	<i>elegantissima</i>	Grass	Feather speargrass	0.35 - 2	X	
<i>Austrostipa</i>	<i>semibarbata</i>	Grass		0.3 - 1.1	X	
<i>Baeckea</i>	<i>camphorosmae</i>	Shrub	Camphor myrtle	0.2 - 0.5	X	X
<i>Banksia</i>	<i>attenuata</i>	Tree	Slender banksia	0.4 - 10	X	X
<i>Banksia</i>	<i>bipinnatifida</i>	Shrub/was <i>Dryandra</i>		0.1 - 0.3	X	X
<i>Banksia</i>	<i>dallanneyi</i>	Shrub/was <i>Dryandra lindleyana</i>	Couch honeypot	to 3	X	
<i>Banksia</i>	<i>grandis</i>	Tree	Bull banksia	1.5 - 10	X	
<i>Banksia</i>	<i>ilicifolia</i>	Tree	Holly-leaved banksia	to 12	X	X
<i>Banksia</i>	<i>littoralis</i>	Tree	Swamp banksia	1.5 - 12		X
<i>Banksia</i>	<i>menziesii</i>	Tree	Firewood banksia	1.3 - 7	X	X
<i>Banksia</i>	<i>nivea</i>	Shrub/was <i>Dryandra</i>	Couch honeypot	0.15 - 1.5	X	X
<i>Banksia</i>	<i>sessilis</i>	Shrub/was <i>Dryandra</i>	Parrot bush	0.5 - 5	X	X
<i>Banksia</i>	<i>telmatiaea</i>	Shrub	Swamp fox banksia	0.5 - 2	X	X
<i>Baumea</i>	<i>acuta</i>	Sedge	Pale twig rush	0.2 - 0.4		X
<i>Baumea</i>	<i>juncea</i>	Sedge	Bare twig rush	0.2 - 1.2		X
<i>Baumea</i>	<i>preissii</i>	Sedge		0.2 - 2		X
<i>Baumea</i>	<i>vaginalis</i>	Sedge	Sheath twig rush	0.6 - 1.2		X
<i>Beaufortia</i>	<i>squarrosa</i>	Shrub	Sand-plain bottlebrush	to 2	X	
<i>Billardiera</i>	<i>fraseri</i>	Herb/climbing/was <i>Pronaya</i>	Elegant pronaya	0.2 - 1.5	X	X
<i>Billardiera</i>	<i>heterophylla</i>	Herb/climbing/was <i>Sollya</i>	Australian bluebell	0.3 - 3	X	
<i>Boronia</i>	<i>ramosa</i>	Shrub		to 0.6	X	
<i>Boronia</i>	<i>spathulata</i>	Shrub	Boronia	0.15 - 1		X
<i>Borya</i>	<i>scirpoidea</i>	Herb		0.05 - 0.2	X	X
<i>Borya</i>	<i>sphaerocephala</i>	Herb	Pincushions	0.02 - 0.2		X
<i>Bossiaea</i>	<i>eriocarpa</i>	Shrub	Common brown pea	0.2 - 1	X	X
<i>Bossiaea</i>	<i>ornata</i>	Shrub	Broad leaved brown pea	0.15 - 1	X	X
<i>Brachyscome</i>	<i>bellidioides</i>	Herb		to 0.15		X
<i>Brachyscome</i>	<i>iberidifolia</i>	Herb		0.05 - 0.45	X	X
<i>Burchardia</i>	<i>congesta</i>	Herb		to 0.8	X	X
<i>Burchardia</i>	<i>multiflora</i>	Herb	Dwarf burchardia	0.045 - 0.3	X	X
<i>Caesia</i>	<i>micrantha</i>	Herb	Pale grass-lily	0.15 - 0.6	X	X
<i>Caesia</i>	<i>occidentalis</i>	Herb		0.2 - 0.8	X	
<i>Calactasia</i>	<i>grandiflora</i>	Herb	Blue tinsel lily	to 0.65	X	X
<i>Calothammus</i>	<i>hirsutus</i>	Shrub		0.3 - 1.5	X	X
<i>Calothammus</i>	<i>lateralis</i>	Shrub		0.4 - 1.5	X	X
<i>Calothammus</i>	<i>quadrididus</i>	Shrub	One sided bottlebrush	0.9 - 2		X
<i>Calytrix</i>	<i>angulata</i>	Shrub	Yellow star-flower	0.2 - 1	X	
<i>Calytrix</i>	<i>aurea</i>	Shrub		0.2 - 1.3	X	X
<i>Calytrix</i>	<i>flavescens</i>	Shrub	Summer star-flower	0.3 - 0.8	X	X
<i>Calytrix</i>	<i>fraseri</i>	Shrub	Pink summer calytrix	0.2 - 1	X	

Pinjarra/Guildford

Dr Penelope Hollick

11/10

2

Pinjarra/Guildford vegetation complex flora list for the Shire of Serpentine Jarrahdale

Genus	species	Plant form/comments	Common name	Approx. height (m)	Dry areas	Wet areas
Cardamine	pauciflora	Herb/P2		to 0.4		X
Carex	preissii	Sedge		0.1 – 0.6		X
Carionema	phylloides	Herb		0.1 – 0.5	X	X
Casuarina	obesa	Tree	Swamp sheoak	1.5 – 10		X
Centrolepis	alepyroides	Sedge		0.015 – 0.06	X	X
Centrolepis	aristata	Sedge	Pointed centrolepis	0.02 – 0.2	X	X
Centrolepis	glabra	Sedge	Smooth centrolepis	0.01 – 0.9		X
Centrolepis	inconspicua	Sedge		0.005 – 0.02		X
Centrolepis	mutica	Sedge		0.03 – 0.07		X
Chaetanthes	aristatus	Sedge	Bearded twine-rush	0.2 – 1	X	X
Chamaecilla	corymbosa	Herb	Blue squill	0.05 – 0.4	X	X
Cheilanthes	austrotenuifolia	Herb/fern		0.1 – 0.8		X
Chordifex	sinuosus	Sedge		0.25 – 0.4	X	
Chorizandra	enodis	Sedge	Black bristlerush	0.18 – 1		X
Chorizema	dicksonii	Shrub	Yellow-eyed flame pea	0.3 – 1	X	
Clematis	pubescens	Herb/climbing	Common clematis	to 5	X	
Comesperma	calymega	Herb	Blue-spike milkwort	0.1 – 0.5	X	
Conospermum	stoechadis	Shrub	Common smokebush	0.3 – 2	X	X
Conostephium	pendulum	Shrub	Pearl flower	0.15 – 0.7	X	X
Conostephium	preissii	Shrub		0.3 – 1.2	X	
Conostylis	aculeata	Herb	Prickly conostylis	0.06 – 0.5	X	X
Conostylis	caricina	Herb		0.05 – 0.2	X	
Conostylis	juncea	Herb		0.1 – 0.4	X	
Conostylis	setigera	Herb	Bristly cottonhead	0.05 – 0.36	X	
Conostylis	setosa	Herb	White cottonhead	0.15 – 0.3	X	
Corymbia	calophylla	Tree	Marri	to 40	X	X
Cotula	australis	Herb	Common cotula	0.02 – 0.2		X
Cotula	cotuloides	Herb	Smooth cotula	0.04 – 0.2		X
Craspedia	variabilis	Herb		0.1 – 0.6	X	
Crassula	elosiana	Herb		0.01 – 0.1		X
Crassula	colorata	Herb		0.015 – 0.15		X
Crassula	decumbens	Herb	Rufous stonecrop			X
Cristonia	biloba	Shrub/was Templetonia		0.3 – 0.7	X	X
Cryptandra	arbutiflora	Shrub	Waxy cryptandra	0.05 – 1	X	
Cyathochaeta	avenacea	Sedge		0.4 – 1.6	X	X
Cyathochaeta	clandestina	Sedge		0.4 – 2	X	X
Cytogonidium	leptocarpoides	Sedge		0.2 – 0.5		X
Dampiera	alata	Herb	Winged-stem dampiera	0.1 – 0.6	X	X
Dampiera	linearis	Herb	Common dampiera	0.15 – 0.6	X	X
Dampiera	teres	Herb	Terete-leaved dampiera	0.15 – 0.6	X	
Darwinia	citriodora	Shrub	Lemon-scented darwinia	0.2 – 1.5		X
Darwinia	thymoides	Shrub		to 0.2	X	
Dasypogon	bromeliifolius	Herb	Pineapple bush	0.3 – 1	X	X
Daviesia	angulata	Shrub		0.4 – 1.5	X	X
Daviesia	decurrens	Shrub	Prickly bitter-pea	to 1	X	
Daviesia	divaricata	Shrub	Marnoo	0.3 – 3	X	
Daviesia	incrassata	Shrub		0.1 – 1.2	X	
Daviesia	mudiflora	Shrub		0.3 – 1.5	X	
Daviesia	physodes	Shrub		0.4 – 1.8	X	X
Daviesia	preissii	Shrub		0.3 – 0.6	X	
Daviesia	triflora	Shrub		0.25 – 0.6	X	
Desmocladius	asper	Sedge		0.05 – 0.3	X	
Desmocladius	fasciculatus	Sedge		0.2 – 0.3	X	X
Desmocladius	flexuosus	Sedge		0.2 – 1.5	X	X
Dianella	revoluta	Herb	Blueberry lily	0.3 – 1.5	X	X

Pinjarra/Guildford

Dr Penelope Hollick

11/10

3

Pinjarra/Guildford vegetation complex flora list for the Shire of Serpentine Jarrahdale

Genus	species	Plant form/comments	Common name	Approx. height (m)	Dry areas	Wet areas
<i>Dichelachne</i>	<i>crinita</i>	Grass	Longhair plumegrass	0.3 – 0.7		X
<i>Dichopogon</i>	<i>capillipes</i>	Herb		0.3 – 1	X	
<i>Dichopogon</i>	<i>preissii</i>	Herb		to 0.5		X
<i>Dillwynia</i>	<i>dillwynioides</i>	Shrub/P3		0.3 – 1.2	X	X
<i>Dysphania</i>	<i>pumilio</i>	Herb	Clammy goosefoot			X
<i>Epilobium</i>	<i>billardierianum</i>	Herb	Glabrous willow herb	0.1 – 0.7		X
<i>Eragrostis</i>	<i>elongata</i>	Grass	Clustered lovegrass	0.2 – 0.9		X
<i>Eremaea</i>	<i>asterocarpa</i>	Shrub		0.2 – 1	X	
<i>Eremaea</i>	<i>pauciflora</i>	Shrub	Orange flowered eremaea	to 4	X	X
<i>Erodium</i>	<i>cygnorum</i>	Herb	Blue heronsbill	to 0.6		X
<i>Eryngium</i>	<i>pinnatifidum</i>	Herb	Blue devils	0.2 – 0.5	X	X
<i>Eucalyptus</i>	<i>lane-poolei</i>	Tree	Salmon barked white gum	3 – 12	X	
<i>Eucalyptus</i>	<i>marginata</i>	Tree	Jarrah	to 40	X	
<i>Eucalyptus</i>	<i>rudis</i>	Tree	Flooded gum	5 – 20	X	X
<i>Eucalyptus</i>	<i>wandoo</i>	Tree	Wandoo	3 – 25	X	
<i>Eutaxia</i>	<i>virgata</i>	Shrub		0.3 – 1		X
<i>Gastrolobium</i>	<i>capitatum</i>	Shrub/toxic	Bacon and eggs	to 1	X	
<i>Gastrolobium</i>	<i>nervosum</i>	Shrub/toxic/was <i>Nemcia reticulata</i>		to 0.5	X	
<i>Geranium</i>	<i>retrosum</i>	Herb		0.05 – 0.45	X	
<i>Gnephosis</i>	<i>angianthoides</i>	Herb		0.02 – 0.15	X	X
<i>Gompholobium</i>	<i>aristatum</i>	Shrub		0.1 – 0.8	X	X
<i>Gompholobium</i>	<i>capitatum</i>	Shrub	Yellow pea	0.2 – 1	X	
<i>Gompholobium</i>	<i>confertum</i>	Shrub		0.15 – 1	X	
<i>Gompholobium</i>	<i>knighianum</i>	Shrub		0.1 – 0.5	X	
<i>Gompholobium</i>	<i>marginatum</i>	Shrub		0.05 – 0.4	X	
<i>Gompholobium</i>	<i>polymorphum</i>	Shrub/climbing		0.05 – 0.6	X	
<i>Gompholobium</i>	<i>tomentosum</i>	Shrub	Hairy yellow pea	0.3 – 1	X	X
<i>Gonocarpus</i>	<i>pithyoides</i>	Herb		0.15 – 0.4	X	X
<i>Goodenia</i>	<i>coerulea</i>	Herb		to 0.4	X	X
<i>Goodenia</i>	<i>micrantha</i>	Herb		0.02 – 0.2		X
<i>Goodenia</i>	<i>pulchella</i>	Herb		0.05 – 0.35	X	X
<i>Gratiola</i>	<i>pubescens</i>	Herb		0.05 – 0.3	X	X
<i>Grevillea</i>	<i>bipinnatifida</i>	Shrub	Fuchsia grevillea	0.2 – 1	X	X
<i>Grevillea</i>	<i>obtusifolia</i>	Shrub	Obtuse leaved grevillea	0.2 – 2		X
<i>Grevillea</i>	<i>diversifolia</i>	Shrub	Variable-leaved grevillea	1 – 6	X	
<i>Grevillea</i>	<i>pilulifera</i>	Shrub	Woolly-flowered grevillea	0.2 – 1	X	X
<i>Grevillea</i>	<i>quercifolia</i>	Shrub	Oak-leaf grevillea	0.3 – 0.7	X	
<i>Grevillea</i>	<i>wilsonii</i>	Shrub	Native fuchsia	0.4 – 1	X	
<i>Haemodorum</i>	<i>brevisepalum</i>	Herb		0.08 – 0.35	X	
<i>Haemodorum</i>	<i>discolor</i>	Herb		0.3 – 1	X	
<i>Haemodorum</i>	<i>laxum</i>	Herb		0.6 – 1.4	X	X
<i>Haemodorum</i>	<i>paniculatum</i>	Herb	Mardja	0.4 – 1.8		X
<i>Haemodorum</i>	<i>simplex</i>	Herb		0.2 – 0.65	X	X
<i>Haemodorum</i>	<i>simulans</i>	Herb		0.5 – 2	X	
<i>Haemodorum</i>	<i>sparsiflorum</i>	Herb		0.3 – 1.5	X	X
<i>Haemodorum</i>	<i>spicatum</i>	Herb	Mardja	0.3 – 2	X	
<i>Hakea</i>	<i>auriculata</i>	Shrub		1.5 – 2	X	
<i>Hakea</i>	<i>ceratophylla</i>	Shrub	Horned leaf hakea	0.5 – 2	X	X
<i>Hakea</i>	<i>cristata</i>	Shrub	Snail hakea	1 – 2.5	X	
<i>Hakea</i>	<i>incrassata</i>	Shrub	Marble hakea	0.35 – 1.5	X	X
<i>Hakea</i>	<i>lissocarpa</i>	Shrub	Honeybush	0.4 – 1.5	X	
<i>Hakea</i>	<i>marginata</i>	Shrub		1 – 5	X	X

Pinjarra/Guildford

Dr Penelope Hollick

11/10

4

Pinjarra/Guildford vegetation complex flora list for the Shire of Serpentine Jarrahdale

Genus	species	Plant form/comments	Common name	Approx. height (m)	Dry areas	Wet areas
<i>Hakea</i>	<i>prostrata</i>	Shrub	Harsh hakea	1 - 3	X	
<i>Hakea</i>	<i>ruscifolia</i>	Shrub	Candle hakea	0.5 - 3	X	
<i>Hakea</i>	<i>stenocarpa</i>	Shrub	Narrow-fruited hakea	0.3 - 1	X	
<i>Hakea</i>	<i>sulcata</i>	Shrub	Furrowed hakea	0.4 - 2	X	X
<i>Hakea</i>	<i>trifurcata</i>	Shrub	Two-leaf hakea	1.5 - 3	X	X
<i>Hakea</i>	<i>undulata</i>	Shrub	Wavy-leaved hakea	1 - 2	X	
<i>Hakea</i>	<i>varia</i>	Shrub	Variable-leaved hakea	1 - 4	X	X
<i>Hardenbergia</i>	<i>comptoniana</i>	Shrub/climbing	Native wisteria		X	
<i>Harperia</i>	<i>lateriflora</i>	Sedge		0.05 - 0.2	X	X
<i>Hemianthera</i>	<i>pungens</i>	Shrub	Snakebush	0.05 - 1	X	X
<i>Hemigenia</i>	<i>incana</i>	Shrub	Silky hemigenia	0.25 - 1.4	X	
<i>Hibbertia</i>	<i>acerosa</i>	Shrub	Needle leaved guinea flower	0.1 - 0.6	X	
<i>Hibbertia</i>	<i>commutata</i>	Shrub		0.1 - 0.6	X	X
<i>Hibbertia</i>	<i>diamesogenos</i>	Shrub		to 0.6	X	
<i>Hibbertia</i>	<i>huegelii</i>	Shrub		0.1 - 0.6	X	
<i>Hibbertia</i>	<i>hypericoides</i>	Shrub	Yellow buttercups	0.2 - 1	X	X
<i>Hibbertia</i>	<i>stellaris</i>	Shrub	Orange stars	0.15 - 1.5	X	X
<i>Hibbertia</i>	<i>vaginata</i>	Shrub		0.2 - 0.75	X	
<i>Homalosciadium</i>	<i>homalocarpum</i>	Herb		0.02 - 0.1	X	
<i>Hovea</i>	<i>trisperma</i>	Shrub	Common hovea	0.1 - 0.7	X	
<i>Hyalosperma</i>	<i>cotula</i>	Herb		0.05 - 0.25	X	X
<i>Hybanthus</i>	<i>calycinus</i>	Herb	Wild violet	0.1 - 0.6	X	
<i>Hydrocotyle</i>	<i>alata</i>	Herb		0.01 - 0.05	X	X
<i>Hydrocotyle</i>	<i>callicarpa</i>	Herb	Small pennywort	0.01 - 0.08		X
<i>Hydrocotyle</i>	<i>diantha</i>	Herb		0.01 - 0.1	X	X
<i>Hydrocotyle</i>	<i>pilifera</i>	Herb		0.01 - 0.2	X	
<i>Hypericum</i>	<i>japonicum</i>	Herb	Matted St John's wort	0.02 - 0.12		X
<i>Hypocalymma</i>	<i>angustifolium</i>	Shrub	White myrtle	to 1.5	X	X
<i>Hypocalymma</i>	<i>robustum</i>	Shrub	Swan river myrtle	0.4 - 1	X	
<i>Hypolaena</i>	<i>exsulca</i>	Sedge		0.25 - 0.75	X	X
<i>Hypolaena</i>	<i>fastigiata</i>	Sedge		0.15 - 0.3		X
<i>Hypolaena</i>	<i>pubescens</i>	Sedge		0.15 - 1		X
<i>Hypoxis</i>	<i>glabella</i>	Herb	Tiny star	0.02 - 0.2		X
<i>Hypoxis</i>	<i>occidentalis</i>	Herb		0.05 - 0.2	X	X
<i>Isoetes</i>	<i>australis</i>	Herb/fern ally		0.01 - 0.07		X
<i>Isoetes</i>	<i>drummondii</i>	Herb/fern ally	Quillwort	0.004 - 0.18		X
<i>Isolepis</i>	<i>cernua</i>	Sedge	Nodding club-rush	to 0.3		X
<i>Isolepis</i>	<i>oldfieldiana</i>	Sedge		0.02 - 0.35		X
<i>Isolepis</i>	<i>stellata</i>	Sedge	Star club-rush	0.02 - 0.1		X
<i>Isopogon</i>	<i>asper</i>	Shrub		0.2 - 0.8	X	
<i>Isotoma</i>	<i>hypocrateriformis</i>	Herb	Woodbridge poison	0.08 - 0.6	X	X
<i>Isotropis</i>	<i>cuneifolia</i>	Shrub	Granny bonnets	0.05 - 0.3	X	
<i>Jacksonia</i>	<i>furcellata</i>	Shrub	Grey stinkwood	0.4 - 4	X	
<i>Jacksonia</i>	<i>gracillima</i>	Shrub /P3			X	X
<i>Jacksonia</i>	<i>lehmannii</i>	Shrub		0.15 - 0.5	X	
<i>Jacksonia</i>	<i>sericea</i>	Shrub	Waldjumi	to 0.6	X	
<i>Jacksonia</i>	<i>sternbergiana</i>	Shrub	Stinkwood	1.5 - 5	X	X
<i>Johnsonia</i>	<i>pubescens</i>	Herb	Pipe lily	0.08 - 0.23	X	
<i>Juncus</i>	<i>holoschoenus</i>	Sedge	Jointleaf rush	0.3 - 1		X
<i>Juncus</i>	<i>kraussii</i>	Sedge		0.3 - 1.2		X
<i>Juncus</i>	<i>pallidus</i>	Sedge	Pale rush	0.5 - 2		X
<i>Juncus</i>	<i>pauciflorus</i>	Sedge	Loose flower rush	0.3 - 1		X
<i>Kennedia</i>	<i>prostrata</i>	Herb/climbing	Scarlet runner		X	X
<i>Kennedia</i>	<i>stirlingii</i>	Shrub	Bushy kennedia	0.1 - 1	X	

Pinjarra/Guildford

Dr Penelope Hollick

11/10

5

Pinjarra/Guildford vegetation complex flora list for the Shire of Serpentine Jarrahdale

Genus	species	Plant form/comments	Common name	Approx. height (m)	Dry areas	Wet areas
<i>Kingia</i>	<i>australis</i>	Tree-like monocot	Kingia	1 - 8	X	X
<i>Kunzea</i>	<i>ericifolia</i>	Shrub	Spearwood	to 4	X	X
<i>Kunzea</i>	<i>glabrescens</i>	Shrub	Spearwood	1.5 - 4	X	
<i>Kunzea</i>	<i>micrantha</i>	Shrub	Mountain kunzea	0.35 - 1.5	X	X
<i>Kunzea</i>	<i>recurva</i>	Shrub		0.3 - 2	X	X
<i>Labiichea</i>	<i>punctata</i>	Shrub	Lance-leaved cassia	0.15 - 1	X	
<i>Lachnagrostis</i>	<i>filiformis</i>	Grass	Blowngrass	to 1	X	X
<i>Lachnagrostis</i>	<i>plebeia</i>	Grass		0.2 - 0.3	X	X
<i>Lachnagrostis</i>	<i>preissii</i>	Grass		to 0.4	X	X
<i>Lagenophora</i>	<i>huegelii</i>	Herb		0.04 - 0.35		X
<i>Lambertia</i>	<i>multiflora</i>	Shrub	Many-flowered honeysuckle	0.5 - 2.5		X
<i>Latrobea</i>	<i>tenella</i>	Shrub		to 0.7		X
<i>Laxmannia</i>	<i>ramosa</i>	Herb		0.1 - 0.3		X
<i>Laxmannia</i>	<i>sessiliflora</i>	Herb		0.05 - 0.3	X	
<i>Laxmannia</i>	<i>squarrosa</i>	Herb		0.03 - 0.1	X	X
<i>Lechenaultia</i>	<i>biloba</i>	Shrub	Blue lechenaultia	0.15 - 1	X	
<i>Lechenaultia</i>	<i>expansa</i>	Shrub		0.15 - 0.6	X	X
<i>Lepidobolus</i>	<i>preissianus</i>	Sedge		0.15 - 0.4	X	
<i>Lepidosperma</i>	<i>angustatum</i>	Sedge		to 0.5	X	X
<i>Lepidosperma</i>	<i>costale</i>	Sedge		0.2 - 0.7	X	
<i>Lepidosperma</i>	<i>effusum</i>	Sedge	Spreading sword-sedge	to 2.5		X
<i>Lepidosperma</i>	<i>leptostachyum</i>	Sedge		0.1 - 0.6	X	X
<i>Lepidosperma</i>	<i>longitudinale</i>	Sedge	Pithy sword-sedge	0.5 - 2		X
<i>Lepidosperma</i>	<i>pubisquamum</i>	Sedge		0.15 - 0.4	X	
<i>Lepidosperma</i>	<i>scabrum</i>	Sedge		0.3 - 1.5	X	
<i>Lepidosperma</i>	<i>squamatum</i>	Sedge		0.15 - 1	X	X
<i>Lepidosperma</i>	<i>tenue</i>	Sedge		0.15 - 0.8	X	
<i>Lepyrodia</i>	<i>glauca</i>	Sedge		1 - 1.5		X
<i>Lepyrodia</i>	<i>macra</i>	Sedge	Large scale rush	0.15 - 0.35	X	X
<i>Lepyrodia</i>	<i>mutrii</i>	Sedge		0.45 - 1	X	X
<i>Leucopogon</i>	<i>gracillimus</i>	Shrub		0.2 - 0.8	X	
<i>Leucopogon</i>	<i>squarrosus</i>	Shrub		0.4 - 0.7		X
<i>Linum</i>	<i>marginale</i>	Herb	Wild flax	0.1 - 0.6		X
<i>Lobelia</i>	<i>anceps</i>	Herb	Angled lobelia	to 1.2		X
<i>Lobelia</i>	<i>rhytidisperma</i>	Herb	Wrinkle-seeded lobelia	0.1 - 0.3	X	
<i>Lobelia</i>	<i>tenuior</i>	Herb	Slender lobelia	0.15 - 0.5	X	X
<i>Lomandra</i>	<i>brittanii</i>	Herb		0.05 - 0.2	X	
<i>Lomandra</i>	<i>caespitosa</i>	Herb	Tufted mat rush	0.1 - 0.4	X	X
<i>Lomandra</i>	<i>hermaphrodita</i>	Herb		0.06 - 0.2	X	X
<i>Lomandra</i>	<i>micrantha</i>	Herb	Small-flower mat-rush	0.1 - 0.7	X	X
<i>Lomandra</i>	<i>odora</i>	Herb	Tiered mat-rush	0.09 - 0.3	X	X
<i>Lomandra</i>	<i>preissii</i>	Herb		0.2 - 0.6	X	
<i>Lomandra</i>	<i>purpurea</i>	Herb	Purple mat-rush	0.15 - 0.6	X	
<i>Lomandra</i>	<i>sericea</i>	Herb	Silky mat-rush	0.15 - 0.4		X
<i>Lomandra</i>	<i>sonderi</i>	Herb		0.2 - 0.5		X
<i>Lomandra</i>	<i>suaveolens</i>	Herb		0.1 - 0.3	X	X
<i>Loxocarya</i>	<i>cinerea</i>	Sedge		0.1 - 1	X	X
<i>Luzula</i>	<i>meridionalis</i>	Sedge	Field woodrush	0.15 - 0.4	X	X
<i>Lyginia</i>	<i>barbata</i>	Sedge		0.2 - 1	X	X
<i>Lyginia</i>	<i>imberbis</i>	Sedge		0.4 - 0.7	X	
<i>Macarthuria</i>	<i>australis</i>	Shrub		0.15 - 0.75	X	
<i>Macrozamia</i>	<i>riedlei</i>	Tree - cycad	Zamia	0.5 - 3	X	
<i>Meeboldina</i>	<i>aff. crebriculmis</i>	Sedge		to 1.3		X
<i>Meeboldina</i>	<i>cana</i>	Sedge	Hoary twine-rush	0.35 - 1.2	X	X

Pinjarra/Guildford

Dr Penelope Hollick

11/10

6

Pinjarra/Guildford vegetation complex flora list for the Shire of Serpentine Jarrahdale

Genus	species	Plant form/comments	Common name	Approx. height (m)	Dry areas	Wet areas
<i>Meeboldina</i>	<i>coangustata</i>	Sedge		0.3 - 1	X	X
<i>Meeboldina</i>	<i>roycei</i>	Sedge		0.3 - 1.5		X
<i>Melaleuca</i>	<i>cuticularis</i>	Tree	Saltwater paperbark	to 7		X
<i>Melaleuca</i>	<i>lateriflora</i>	Shrub		1 - 8	X	X
<i>Melaleuca</i>	<i>lateritia</i>	Shrub	Robin redbreast bush	to 2.5	X	X
<i>Melaleuca</i>	<i>pauciflora</i>	Shrub		0.5 - 1.5	X	X
<i>Melaleuca</i>	<i>preissiana</i>	Tree	Moonah	2 - 9	X	X
<i>Melaleuca</i>	<i>rhapthiophylla</i>	Tree	Swamp paperbark	to 10		X
<i>Melaleuca</i>	<i>scabra</i>	Shrub	Rough honey-myrtle	0.2 - 1.5	X	
<i>Melaleuca</i>	<i>teretifolia</i>	Shrub	Banbar	1 - 5	X	X
<i>Melaleuca</i>	<i>thymoides</i>	Shrub		0.4 - 2	X	
<i>Melaleuca</i>	<i>trichophylla</i>	Shrub	Pretty honey myrtle	to 1	X	
<i>Melaleuca</i>	<i>uncinata</i>	Shrub	Broom bush	0.5 - 5	X	X
<i>Melaleuca</i>	<i>viminea</i>	Shrub	Mohan	0.6 - 5	X	X
<i>Mesomelaena</i>	<i>graciliceps</i>	Sedge		0.15 - 0.7	X	
<i>Mesomelaena</i>	<i>pseudostygia</i>	Sedge		0.2 - 0.75	X	X
<i>Mesomelaena</i>	<i>stygia</i>	Sedge		0.1 - 0.5	X	
<i>Mesomelaena</i>	<i>tetragona</i>	Sedge	Semaphore sedge	0.3 - 0.8	X	X
<i>Microlaena</i>	<i>stipoides</i>	Grass	Weeping grass	0.3 - 0.75		X
<i>Millotia</i>	<i>tenuifolia</i>	Herb	Soft millotia	0.02 - 0.1		X
<i>Mirbelia</i>	<i>spinosa</i>	Shrub		0.2 - 1.5		X
<i>Monotaxis</i>	<i>grandiflora</i>	Herb	Diamond of the desert	0.07 - 0.15	X	
<i>Monotaxis</i>	<i>occidentalis</i>	Herb		to 0.2	X	
<i>Myriophyllum</i>	<i>drummondii</i>	Herb/semi-aquatic		0.02 - 0.05		X
<i>Myriophyllum</i>	<i>echinatum</i>	Herb/P3		0.02 - 0.03		X
<i>Neurachne</i>	<i>alopecuroidea</i>	Grass	Foxtail mulga grass	0.15 - 0.5	X	X
<i>Nuytsia</i>	<i>floribunda</i>	Tree/hemiparasitic	Christmas tree	to 10	X	X
<i>Olearia</i>	<i>elaeophila</i>	Shrub		0.2 - 1	X	X
<i>Opercularia</i>	<i>apiciflora</i>	Shrub		0.03 - 0.7	X	
<i>Opercularia</i>	<i>vaginata</i>	Shrub	Dog weed	0.1 - 0.45	X	X
<i>Oxalis</i>	<i>perennans</i>	Herb		0.05 - 0.3		X
<i>Paraserianthes</i>	<i>lophantha</i>	Tree	Albizia	1 - 10		X
<i>Parsonia</i>	<i>diaphanophleba</i>	Shrub/climbing/P4		to 10		X
<i>Patersonia</i>	<i>juncea</i>	Herb	Rush leaved patersonia	0.07 - 0.3	X	X
<i>Patersonia</i>	<i>occidentalis</i>	Herb	Purple flag	to 1.5	X	X
<i>Pericalymma</i>	<i>ellipticum</i>	Shrub	Swamp teatree	to 3	X	X
<i>Persicaria</i>	<i>prostrata</i>	Herb	Creeping knotweed	0.05 - 0.1		X
<i>Persoonia</i>	<i>elliptica</i>	Shrub	Spreading snottygobble	2 - 8	X	
<i>Persoonia</i>	<i>saccata</i>	Shrub	Snottygobble	0.2 - 1.5	X	
<i>Petrophile</i>	<i>juncifolia</i>	Shrub		to 0.4	X	
<i>Petrophile</i>	<i>linearis</i>	Shrub	Pixie mops	0.2 - 1	X	
<i>Petrophile</i>	<i>macrostachya</i>	Shrub		0.3 - 1.2	X	
<i>Petrophile</i>	<i>seminuda</i>	Shrub		0.3 - 1.5	X	X
<i>Petrophile</i>	<i>squamata</i>	Shrub		0.3 - 3	X	
<i>Petrophile</i>	<i>striata</i>	Shrub		0.2 - 1	X	
<i>Philotheca</i>	<i>spicata</i>	Shrub	Pepper and salt	0.2 - 0.6	X	X
<i>Philydrella</i>	<i>drummondii</i>	Herb		0.15 - 0.25		X
<i>Philydrella</i>	<i>pygmaea</i>	Herb	Butterfly flowers	0.02 - 0.3	X	X
<i>Phlebocarya</i>	<i>ciliata</i>	Herb		0.2 - 0.6	X	
<i>Phlebocarya</i>	<i>filifolia</i>	Herb		0.15 - 0.4	X	
<i>Phyllangium</i>	<i>paradoxum</i>	Herb	Wiry maitrewort	0.05 - 0.3	X	X
<i>Phyllanthus</i>	<i>calycinus</i>	Shrub	False boronia	0.2 - 1.2	X	
<i>Phylloglossum</i>	<i>drummondii</i>	Herb/clubmoss	Pigmy clubmoss	0.01 - 0.06		X
<i>Pimelea</i>	<i>imbricata</i>	Shrub		0.1 - 1	X	X
<i>Pimelea</i>	<i>sulphurea</i>	Shrub	Yellow banjine	0.15 - 0.7	X	

Pinjarra/Guildford

Dr Penelope Hollick

11/10

7

Pinjarra/Guildford vegetation complex flora list for the Shire of Serpentine Jarrahdale

Genus	species	Plant form/comments	Common name	Approx. height (m)	Dry areas	Wet areas
<i>Poa</i>	<i>poliformis</i>	Grass	Coastal poa	0.15 - 0.9	X	
<i>Podolepis</i>	<i>gracilis</i>	Herb	Slender podolepis	0.1 - 0.5	X	X
<i>Podolepis</i>	<i>lessonii</i>	Herb		0.1 - 0.4		X
<i>Podotheca</i>	<i>angustifolia</i>	Herb	Sticky longheads	0.03 - 0.2	X	
<i>Podotheca</i>	<i>gnaphalioides</i>	Herb	Golden longheads	0.02 - 0.6	X	
<i>Pogonolepis</i>	<i>stricta</i>	Herb		0.01 - 0.2		X
<i>Polypogon</i>	<i>tenellus</i>	Grass		0.15 - 0.5		X
<i>Pteridium</i>	<i>esculentum</i>	Herb/bracken fern	Bracken	0.5 - 2		X
<i>Ptilotus</i>	<i>drummondii</i>	Herb	Narrowleaf mulla mulla	0.05 - 0.8	X	X
<i>Ptilotus</i>	<i>manglexii</i>	Herb	Pom poms	0.05 - 0.3	X	X
<i>Quinetia</i>	<i>urvillei</i>	Herb		0.03 - 0.2	X	X
<i>Ranunculus</i>	<i>pumilio</i>	Herb	Smallflower buttercup	0.01 - 0.3	X	
<i>Regelia</i>	<i>ciliata</i>	Shrub	Mousy bush	0.8 - 2	X	X
<i>Regelia</i>	<i>inops</i>	Shrub		to 2.5		X
<i>Scaevola</i>	<i>calliptera</i>	Herb		0.1 - 0.4	X	
<i>Scaevola</i>	<i>glandulifera</i>	Herb	Viscid hand-flower	0.15 - 0.6	X	
<i>Scaevola</i>	<i>lanceolata</i>	Herb		0.1 - 0.5	X	X
<i>Scaevola</i>	<i>phlebotopata</i>	Herb	Velvet fanflower	0.05 - 0.3	X	
<i>Scaevola</i>	<i>pilosa</i>	Herb	Hairy fanflower	0.3 - 0.7		X
<i>Scaevola</i>	<i>repens</i>	Herb		0.05 - 1	X	
<i>Schoenolaena</i>	<i>juncea</i>	Herb		0.2 - 0.75	X	X
<i>Schoenus</i>	<i>asperocarpus</i>	Sedge	Poison sedge	0.15 - 1	X	
<i>Schoenus</i>	<i>bifidus</i>	Sedge		0.1 - 0.4		X
<i>Schoenus</i>	<i>breviculmis</i>	Sedge		0.05 - 0.1	X	X
<i>Schoenus</i>	<i>brevisetis</i>	Sedge		0.05 - 0.4	X	X
<i>Schoenus</i>	<i>clandestinus</i>	Sedge		0.01 - 0.07	X	X
<i>Schoenus</i>	<i>curvifolius</i>	Sedge		to 0.4	X	
<i>Schoenus</i>	<i>efoliatus</i>	Sedge		0.1 - 1	X	
<i>Schoenus</i>	<i>nanus</i>	Sedge	Tiny bog rush	0.01 - 0.1	X	X
<i>Schoenus</i>	<i>odontocarpus</i>	Sedge		0.02 - 0.15	X	X
<i>Schoenus</i>	<i>pedicellatus</i>	Sedge		0.25 - 0.75	X	
<i>Schoenus</i>	<i>plumosus</i>	Sedge		0.06 - 0.18		X
<i>Schoenus</i>	<i>rigens</i>	Sedge		0.2 - 0.6	X	X
<i>Schoenus</i>	<i>subbarbatus</i>	Sedge	Bearded bog-rush	0.1 - 0.4	X	
<i>Schoenus</i>	<i>subbulbosus</i>	Sedge		0.07 - 0.35	X	
<i>Schoenus</i>	<i>subflavus</i>	Sedge	Yellow bog-rush	0.05 - 0.3	X	
<i>Schoenus</i>	<i>tenellus</i>	Sedge		0.05 - 0.1		X
<i>Schoenus</i>	<i>unispiculatus</i>	Sedge		0.1 - 0.45	X	X
<i>Scholtzia</i>	<i>involverata</i>	Shrub	Spiked scholtzia	0.2 - 1.5	X	X
<i>Selaginella</i>	<i>gracillima</i>	Herb/clubmoss	Tiny clubmoss	0.01 - 0.09		X
<i>Senecio</i>	<i>quadridentatus</i>	Herb		0.2 - 1	X	X
<i>Sida</i>	<i>hookeriana</i>	Herb		0.15 - 0.8		X
<i>Siloxerus</i>	<i>humifusus</i>	Herb	Procumbent siloxerus	0.01 - 0.09	X	X
<i>Sonchus</i>	<i>hydrophilus</i>	Herb	Native sowthistle	0.5 - 1.8		X
<i>Sowerbaea</i>	<i>laxiflora</i>	Herb	Purple tassels	0.15 - 0.45	X	X
<i>Sphaerolobium</i>	<i>medium</i>	Shrub		0.1 - 0.6	X	
<i>Sphaerolobium</i>	<i>vimineum</i>	Shrub	Leafless globe pea	0.3 - 1.2	X	
<i>Stachystemon</i>	<i>vermicularis</i>	Shrub		to 1	X	
<i>Stackhousia</i>	<i>monogyna</i>	Herb		0.1 - 0.7	X	X
<i>Stirlingia</i>	<i>lanifolia</i>	Shrub	Blueboy	0.2 - 1.5	X	X
<i>Stypandra</i>	<i>glauca</i>	Herb	Blind grass	0.3 - 1	X	
<i>Synaphea</i>	<i>acutiloba</i>	Shrub	Granite synaphea	0.3 - 1		X
<i>Synaphea</i>	<i>floribunda</i>	Shrub		0.1 - 0.3		X
<i>Synaphea</i>	<i>odocoileops</i>	Shrub/PI		0.2 - 0.5	X	X
<i>Synaphea</i>	<i>petiolaris</i>	Shrub	Synaphea	0.1 - 0.6	X	X

Pinjarra/Guildford

Dr Penelope Hollick

11/10

8

Pinjarra/Guildford vegetation complex flora list for the Shire of Serpentine Jarrahdale

Genus	species	Plant form/comments	Common name	Approx. height (m)	Dry areas	Wet areas
<i>Synaphea</i>	<i>spinulosa</i>	Shrub		0.2 - 1.2		X
<i>Taxandria</i>	<i>linearifolia</i>	Shrub		to 5		X
<i>Tetraria</i>	<i>australlensis</i>	Sedge/R		to 1	X	
<i>Tetraria</i>	<i>capillaris</i>	Sedge	Hair sedge	0.15 - 0.7	X	X
<i>Tetraria</i>	<i>octandra</i>	Sedge		0.15 - 1.2	X	X
<i>Tetradlea</i>	<i>hirsuta</i>	Shrub	Black-eyed Susan	0.1 - 0.9	X	
<i>Themeda</i>	<i>triandra</i>	Grass		0.3 - 2	X	
<i>Thomasia</i>	<i>foliosa</i>	Shrub		0.2 - 1	X	
<i>Thysanotus</i>	<i>dichotomus</i>	Herb	Branching fringed lily	0.25 - 1	X	X
<i>Thysanotus</i>	<i>manglesianus</i>	Herb/climbing	Fringed lily	0.2 - 2	X	X
<i>Thysanotus</i>	<i>multiflorus</i>	Herb	Many-flowered fringe lily	0.1 - 0.5	X	X
<i>Thysanotus</i>	<i>patersonii</i>	Herb/climbing		0.15 - 0.5	X	X
<i>Thysanotus</i>	<i>sparteus</i>	Herb		0.2 - 1	X	X
<i>Thysanotus</i>	<i>thyrsoides</i>	Herb		0.15 - 0.35	X	X
<i>Thysanotus</i>	<i>triandrus</i>	Herb		to 0.4	X	
<i>Trachymene</i>	<i>pilosa</i>	Herb	Native parsnip	0.02 - 0.3	X	X
<i>Tribonanthes</i>	<i>australis</i>	Herb		0.15 - 0.4	X	X
<i>Tribonanthes</i>	<i>brachypetala</i>	Herb		0.2 - 0.4		X
<i>Tribonanthes</i>	<i>longipetala</i>	Herb		0.05 - 0.32	X	
<i>Tribonanthes</i>	<i>violacea</i>	Herb		0.05 - 0.2		X
<i>Trichocline</i>	<i>spathulata</i>	Herb	Native gerbera	0.15 - 1	X	
<i>Tricoryne</i>	<i>elator</i>	Herb	Yellow autumn lily	0.1 - 0.5	X	X
<i>Tricoryne</i>	<i>humilis</i>	Herb		0.06 - 0.2	X	X
<i>Tricoryne</i>	<i>tenella</i>	Herb		to 0.45	X	
<i>Tricostularia</i>	<i>neesii</i>	Sedge		0.4 - 0.8	X	X
<i>Triglochin</i>	<i>linearis</i>	Sedge/aquatic		0.2 - 0.4	X	X
<i>Tripterococcus</i>	<i>brunonis</i>	Herb	Winged stackhouse	0.1 - 0.8	X	
<i>Trithuria</i>	<i>bibracteata</i>	Sedge/aquatic		to 0.02		X
<i>Velleia</i>	<i>trinervis</i>	Herb		0.1 - 0.5	X	
<i>Verticordia</i>	<i>acerosa</i>	Shrub		0.2 - 1	X	X
<i>Verticordia</i>	<i>densiflora</i>	Shrub	Compacted featherflower	0.25 - 2	X	X
<i>Verticordia</i>	<i>huegelii</i>	Shrub	Variegated featherflower	0.05 - 1.4	X	X
<i>Verticordia</i>	<i>lindleyi</i>	Shrub/P4		0.2 - 0.75	X	
<i>Verticordia</i>	<i>pennigera</i>	Shrub		0.15 - 0.6	X	X
<i>Verticordia</i>	<i>plumosa</i>	Shrub	Plumed featherflower	0.2 - 1.5	X	X
<i>Verticordia</i>	<i>serrata</i>	Shrub		to 1	X	X
<i>Viminaria</i>	<i>juncea</i>	Shrub	Swishbush	1 - 4	X	X
<i>Wahlenbergia</i>	<i>preissii</i>	Herb		0.06 - 0.4	X	X
<i>Wurmbea</i>	<i>dioica alba</i>	Herb		0.035 - 0.3	X	X
<i>Xanthorrhoea</i>	<i>brunonis</i>	Tree-like monocot		to 1.5		X
<i>Xanthorrhoea</i>	<i>preissii</i>	Tree-like monocot	Grass tree	to 5	X	X
<i>Xanthosia</i>	<i>huegelii</i>	Herb		0.05 - 0.25	X	X
<i>Xylomelum</i>	<i>occidentale</i>	Tree	Woody pear	2 - 8	X	

Appendix 2. Native and Introduced Trees to be cleared.

CM Ref: E25/8693

Tree Id	Taxon Name	Common Name	Species Origin	DBH (cm)	Health	Latitude	Longitude	Structure	Tree Height (cm)
1	<i>Eucalyptus camaldulensis</i>	River Red Gum	Introduced	15.68	Fair	-32.2088189	115.992146	Very Poor	7
2	<i>Eucalyptus robusta</i>	Swamp Mahogany	Introduced	57	Fair	-32.2089168	115.993695	Fair	16
3	<i>Eucalyptus robusta</i>	Swamp Mahogany	Introduced	63	Poor	-32.208851	115.993725	Fair	15
4	<i>Pinus radiata</i>	Radiata Pine	Introduced	56	Dead	-32.2087705	115.993734	Poor	10
5	<i>Fraxinus oxycarpa</i>	Desert Ash	Introduced	10.63	Fair	-32.2087852	115.993808	Poor	8
6	<i>Fraxinus excelsior raywood</i>	Claret ash	Introduced	18	Fair	-32.2089373	115.993793	Fair	13
7	<i>Acaicia elata</i>	Cedar Wattle	Introduced	51	Fair	-32.2089089	115.993852	Poor	18
8	<i>Corymbia maculata</i>	Spotted Gum	Introduced	56	Fair	-32.2088653	115.993843	Fair	29
9	<i>Eucalyptus nicholii</i>	Narrow Leaved Peppermint	Introduced	62	Fair	-32.2088196	115.993844	Fair	19
10	<i>Corymbia maculata</i>	Spotted Gum	Introduced	41	Fair	-32.2087927	115.993867	Fair	31
11	<i>Liquidambar styraciflua</i>	Liquidamber	Introduced	11	Fair	-32.2087811	115.99391	Fair	8
12	<i>Liquidambar styraciflua</i>	Liquidamber	Introduced	14	Fair	-32.2088181	115.993921	Fair	8
13	<i>Liquidambar styraciflua</i>	Liquidamber	Introduced	6	Fair	-32.208963	115.993923	Fair	6
14	<i>Jacaranda mimosifolia</i>	Jacaranda	Introduced	11.4	Fair	-32.2088405	115.993942	Fair	6
15	<i>Liquidambar styraciflua</i>	Liquidamber	Introduced	15	Fair	-32.2088208	115.993968	Fair	10
16	<i>Celtis sinensis</i>	Chinese Hackberry	Introduced	10.82	Fair	-32.208893	115.993975	Fair	7
17	<i>Acacia podalyriifolia</i>	Mt Morgan Wattle	Introduced	14	Fair	-32.2089713	115.993977	Fair	6
18	<i>Grevillea robusta</i>	Silky Oak	Introduced	17.5	Very Poor	-32.2089604	115.994007	Poor	13
19	<i>Sapium sebiferum</i>	Chinese Tallow Tree	Introduced	14.21	Fair	-32.2087974	115.993999	Fair	7
20	<i>Platanus orientalis</i>	Cutleaf plane	Introduced	23	Poor	-32.2088223	115.994031	Fair	9
21	<i>Platanus orientalis</i>	Cutleaf plane	Introduced	20	Poor	-32.208886	115.994026	Fair	10
22	<i>Callistemon viminalis</i>	Weeping Bottlebrush	Introduced	41.44	Fair	-32.2089351	115.994042	Fair	10
23	<i>Acer buergerianum</i>	Trident Maple	Introduced	12	Fair	-32.2089669	115.994066	Fair	5
24	<i>Swietenia macrophylla</i>	Big leaf mahogany	Introduced	16	Fair	-32.2089511	115.994067	Fair	0
25	<i>Syagrus romanzoffiana</i>	Cocos Palm	Introduced	24	Fair	-32.208782	115.994154	Fair	10
26	<i>Syagrus romanzoffiana</i>	Cocos Palm	Introduced	16	Fair	-32.208795	115.994201	Fair	8
27	<i>Syagrus romanzoffiana</i>	Cocos Palm	Introduced	20	Fair	-32.2087851	115.994273	Fair	11

Attachment 12 - Native Vegetation Clearing Application Supplementary Report

Tree Id	Taxon Name	Common Name	Species Origin	DBH (cm)	Health	Latitude	Longitude	Structure	Tree Height (cm)
28	<i>Eucalyptus camaldulensis</i>	River Red Gum	Introduced	36	Very Poor	-32.2088785	115.994477	Poor	14
29	<i>Corymbia calophylla</i>	Marri	Native	70	Fair	-32.20885	115.99447	Fair	14
30	<i>Eucalyptus leucoxylon</i>	Yellow Gum	Introduced	26	Fair	-32.2087503	115.994523	Fair	10
31	<i>Corymbia calophylla</i>	Marri	Native	50	Fair	-32.208801	115.994533	Fair	17
32	<i>Eucalyptus camaldulensis</i>	River Red Gum	Introduced	46	Fair	-32.2088787	115.994539	Fair	19
33	<i>Callistemon viminalis</i>	Weeping Bottlebrush	Introduced	17	Fair	-32.2089502	115.994533	Fair	12
34	<i>Acacia retinodes</i>	Swamp Wattle	Introduced	43	Fair	-32.2089797	115.994652	Very Poor	10
35	<i>Eucalyptus rudis</i>	Flooded Gum	Native	35	Fair	-32.2088551	115.994624	Fair	13
36	<i>Eucalyptus rudis</i>	Flooded Gum	Native	33	Fair	-32.208945	115.994692	Fair	16
37	<i>Eucalyptus grandis</i>	Rose Gum	Introduced	51	Fair	-32.2088884	115.994714	Fair	28
38	<i>Eucalyptus grandis</i>	Rose Gum	Introduced	97	Fair	-32.2089476	115.994768	Fair	34
39	<i>Eucalyptus grandis</i>	Rose Gum	Introduced	129	Fair	-32.2088097	115.994794	Fair	37
40	<i>Eucalyptus camaldulensis</i>	River Red Gum	Introduced	7.81	Fair	-32.2089139	115.994834	Very Poor	6
41	<i>Eucalyptus grandis</i>	Rose Gum	Introduced	114	Fair	-32.2090432	115.994806	Fair	32
42	<i>Eucalyptus rudis</i>	Flooded Gum	Native	93	Fair	-32.2089144	115.9949	Fair	18
43	<i>Eucalyptus rudis</i>	Flooded Gum	Native	37.54	Poor	-32.2088186	115.994929	Fair	10
44	<i>Eucalyptus rudis</i>	Flooded Gum	Native	47	Fair	-32.2087748	115.995064	Fair	17
45	<i>Eucalyptus grandis</i>	Rose Gum	Introduced	90	Fair	-32.2087247	115.995123	Fair	38
46	<i>Eucalyptus rudis</i>	Flooded Gum	Native	98	Fair	-32.2089671	115.995031	Fair	19
47	<i>Eucalyptus grandis</i>	Rose Gum	Introduced	9	Fair	-32.2089426	115.995095	Fair	9
48	<i>Eucalyptus rudis</i>	Flooded Gum	Native	21.26	Fair	-32.2087033	115.995197	Fair	11
49	<i>Eucalyptus rudis</i>	Flooded Gum	Native	65	Fair	-32.2090206	115.995161	Fair	15
50	<i>Eucalyptus conferruminata</i>	Bushy Yate	Introduced	56	Poor	-32.2090059	115.995271	Poor	15
51	<i>Eucalyptus rudis</i>	Flooded Gum	Native	134	Fair	-32.2089219	115.995331	Fair	21
52	<i>Eucalyptus robusta</i>	Swamp Mahogany	Introduced	90	Fair	-32.2088153	115.995299	Fair	22
53	<i>Eucalyptus grandis</i>	Rose Gum	Introduced	27	Poor	-32.2087892	115.995337	Very Poor	12
54	<i>Eucalyptus</i> sp.	Eucalyptus sp.	Introduced	15.2	Poor	-32.2090027	115.995574	Very Poor	8
55	<i>Corymbia calophylla</i>	Marri	Native	104	Poor	-32.208699	115.99577	Fair	19
56	<i>Corymbia calophylla</i>	Marri	Native	18	Fair	-32.2087489	115.99577	Fair	9

Tree Id	Taxon Name	Common Name	Species Origin	DBH (cm)	Health	Latitude	Longitude	Structure	Tree Height (cm)
57	<i>Corymbia calophylla</i>	Marri	Native	47	Dead	-32.2089328	115.996006	Poor	15
58	<i>Corymbia calophylla</i>	Marri	Native	51	Dead	-32.208935	115.996074	Poor	12
59	<i>Corymbia calophylla</i>	Marri	Native	33	Poor	-32.2089396	115.996111	Fair	15
60	<i>Corymbia calophylla</i>	Marri	Native	50	Fair	-32.2089577	115.996162	Fair	18
61	<i>Corymbia calophylla</i>	Marri	Native	77	Fair	-32.2089412	115.99619	Fair	23
62	<i>Corymbia calophylla</i>	Marri	Native	21	Poor	-32.2089616	115.996205	Fair	11
63	<i>Corymbia calophylla</i>	Marri	Native	34	Very Poor	-32.2089437	115.996227	Poor	13
64	<i>Corymbia calophylla</i>	Marri	Native	84	Fair	-32.2089401	115.99627	Fair	23
65	<i>Corymbia calophylla</i>	Marri	Native	64	Poor	-32.2089639	115.996271	Fair	20
66	<i>Eucalyptus</i> sp.	Eucalyptus sp.	Introduced	42	Dead	-32.2089639	115.996322	Has Failed	14
67	<i>Eucalyptus rudis</i>	Flooded Gum	Native	49	Poor	-32.209032	115.996337	Has Failed	12
68	<i>Corymbia calophylla</i>	Marri	Native	70	Poor	-32.2090059	115.996378	Fair	13
69	<i>Eucalyptus camaldulensis</i>	River Red Gum	Introduced	37.03	Fair	-32.2113733	116.001128	Fair	0
70	<i>Eucalyptus camaldulensis</i>	River Red Gum	Introduced	68	Fair	-32.2114346	116.001207	Fair	16