


ARBORICULTURAL ASSESSMENT




BALCATT A REFUSE CENTRE / BALCATT A



Re: Updated tree population survey and assessment at the above address



Please find attached a report regarding your request to re-assess and survey all trees likely to be impacted by the proposed development of the Balcatta Refuse Centre. If you would like any further information regarding the assessment or matters contained in the report, please contact me anytime during normal business hours.



INDEX

| | |
|------------------------------------|-------|
| 1 - SUMMARY | 3 |
| 2 – INTRODUCTION | 3-5 |
| 3 – SURVEY DATA | 6-7 |
| 4 – DISCUSSION | 8-9 |
| 5 - RECOMMENDATIONS | 9 |
| 6 – APPENDIX 1 – DATA TABLE | 10-14 |
| 6 – APPENDIX 2 – TREE IMAGES | 15-51 |

1 - SUMMARY

A pre-development survey of the Balcatta Refuse Centre site was originally undertaken in 2019. At the request of the City an updated survey and assessment of all trees within the site has been conducted and an additional group of trees running along the southern boundary has also been added.

The updated survey will find several trees have died or been removed since the original survey including one significant *E. gomphocephala* (T37). The majority of trees have maintained similar structural condition and vitality since the initial survey however steep decline of multiple *Banksia* within the native bushland areas and of isolated *E. marginata* (Jarrah) in more exposed areas was noted. This suggests both these WA native species have been under significant environmental stress factors during this time period.

A total of one hundred and twelve (112) individual trees and three (3) groups require removal to accommodate the most recent development design, these trees range in retention value with the majority representing low to moderate value. Of note however are three very high value *E. gomphocephala* (T40, T41, T61) and consideration to modify the proposed design in order to retain these trees and four additional mature Jarrah will be recommended.

The report will also discuss the protection of trees to be retained and potential transplant options for suitable specimens within the site.

2 - INTRODUCTION

2.1 The City has requested an arboricultural assessment and updated population survey of all trees within the Balcatta Refuse Centre site. An additional group of *Corymbia maculata* located within the City's Operation Centre and running adjacent to the sites southern boundary have also been included.

2.2 The initial site survey was conducted in March 2019 and collected the following data:

- **GPS location** - Latitude and Longitude
- **Height Range** – in 5-10 metre increments
- **Diameter at Breast Height (DBH)** – measured at 1.4m from ground
- **Diameter at Ground Level (DGL)** – measured above root flare or buttresses
- **Structural Root Zone (SRZ)** – Calculated from DGL
- **Tree Protection Zone (TPZ)** – Calculated from DBH
- **Vitality** – Good, Fair, Poor, Very Poor
- **Structural Condition** – Good, Fair, Poor, Very Poor
- **Presence of diseases or pests** – Details supplied
- **Known weed species?** – Yes/No
- **Anticipated life expectancy** – Limited (<5y), short (5-15y), Medium (15-40y), Long (>40y)
- **Tree retention value** – Very High, High, Moderate, Low
- **A digital image**
- **Additional comments**

The updated survey was conducted between 18-20 December 2023 in clear and calm conditions. All previous data was checked for accuracy and the following categories have been updated:

- **Vitality**
- **Structural Condition**
- **Presence of diseases or pests**
- **Known weed species?**
- **Anticipated life expectancy**
- **Tree retention value**
- **Additional comments**

2.3 All survey data was collected within the Tree Plotter online software client

Collected data is attached in table format within the appendix of this report and can also be accessed directly via the following link login information:

URL: <https://au.pg-cloud.com/ClassicTS/>

Username: Balcatta Refuse Centre

Password: brc2024

2.4 The City have supplied the most recent concept design drawing (TC23038, C-121, RevA). Impact to the assessed trees population from this proposal are discussed within Section 4 of the report.




FIG 1 - Concept Design, – (Balcatta WTS, Swept Paths Sheet 2/2, TC23038, C-121, Rev A).

2.5 The Refuse Centre site has been separated into distinct Zones for ease of reference and discussion. The following map shows the original 10 Zones and the additional Zone 11 which has been added into this survey.

2.6 Site Map showing identified zones



FIG 2 – Showing the location of the 11 zones. Image courtesy of Google.

3 – SURVEY DATA

3.1 Total Items Surveyed = 217

Trees = 213

Groups = 4 (T59, T77, T187, T197)

Added since last survey = 21 trees, 1 group

Trees removed since last survey = 4

Trees died since last survey = 9

3.2 Vitality _____ Structural Integrity

Good - 175

Fair - 24

Poor – 4

Very Poor - 1

Dead trees – 9

Removed - 4

Good - 123

Fair – 74

Poor - 15

Very Poor – 1

Removed – 4

3.3 Trees requiring removal for proposed design:

112 individuals, 3 groups

3.3.1 Retention Value:

Very High = 5, High = 15, Moderate = 49, Low = 53

3.3.2 Retention Value by Zone:

Z1 - 0

Z2 - 0

Z3 - Very High = 3, High = 1, Moderate = 7, Low = 13

Z4 - Very High = 0, High = 1, Moderate = 1, Low = 7

Z5 - Very High = 0, High = 5, Moderate = 6, Low = 2

Z6 - Very High = 0, High = 2, Moderate = 11, Low = 9

Z7 - Very High = 0, High = 0, Moderate = 14, Low = 10

Z8 - Very High = 0, High = 1, Moderate = 4, Low = 4

Z9 - Very High = 2, High = 3, Moderate = 5, Low = 1

Z10 - Very High = 0, High = 1, Moderate = 1, Low = 7

Z11 - 0

3 groups = 1x Z5 High, 2x Z3 1 Mod, 1 Low

3.4 Trees retained within proposed design:

97 individuals, 1 group

3.3.1 Retention Value:

Very High = 8, High = 52, Moderate = 26, Low = 12

3.3.2 Retention Value By Zone:

Z1 - Very High = 0, High = 11, Moderate = 15, Low = 8

Z2 - Very High = 0, High = 0, Moderate = 2, Low = 0

Z3 - Very High = 1, High = 0, Moderate = 1, Low = 0

Z4 - 0

Z5 - 0

Z6 - 0

Z7 - 0

Z8 - 8

Z9 - Very High = 3, High = 25, Moderate = 3, Low = 3

Z10 - Very High = 3, High = 0, Moderate = 4, Low = 1

Z11 - Very High = 0, High = 16, Moderate = 1, Low = 0

1 group = 1x Z9 Very High

3.5 Survey Map



FIG 3 – Showing GPS locations and ID number of all trees surveyed. Information available for direct access via Tree Plotter online portal. Colour of icon indicates species.

4 – DISCUSSION

4.1 Summary of findings

4.1.1 Completion of the updated survey found a total of 9 trees have died and a further 4 have been removed since the initial survey. The removed trees include two fully mature and high value specimens - T37, a very large and high value *E. gomphocephala* (Tuart) and T74, a mature *E. marginata* (Jarrah).

4.1.2 Overall, the majority of trees have maintained similar form and vitality since the initial survey. Assessment of trees in Zone 5 however noted broad decline of Jarrah and *Banksia*, decline of *Banksia* was also noted within Zone 9 where several dead specimens are now noted.

4.1.3 New trees added to this survey include a replacement tree adjacent to the removed T37, several self-seeded specimens within the storm drain (Z3) and a row of *Corymbia maculata* along the southern boundary line (T201-T217).

4.2 Retained Trees

Assessment of the most recent concept design found a total of 97 individuals and 1 group of trees would be retained. All trees within Zones 1, 2 and 10 have been retained, along with the majority of Zone 9 and two specimens within Zone 3. These trees represent significant amenity and habitat value and include multiple high value Tuart and Jarrah native specimens.

4.3 Trees requiring removal

4.3.1 The remaining trees within the site, totalling 112 individuals and 3 groups, would require removal in order to accommodate the proposed design. Trees within Zones 4 and 8 represent generally low amenity and habitat value. Select trees within Zones 6 and 7 have higher value however transplant options are potentially available to minimise or mitigate these losses if desired.

Trees within Zones 3, 5 and 9 currently contain the highest value specimens requiring removal and as such would represent the most significant loss, these trees include two very high value Jarrah in Zone 9, a native bushland area including five high value Jarrah in Zone 5, and three very high value Tuart within Zone 3.

4.3.2 The current design encroaches moderately into Zone 9 stopping at a natural break within the native bushland area and which enables the preservation of Trees 153, 154. Extension of the preserved area further west to encompasses the remaining Jarrah in this area (T147,148,150) could be considered and would provide a notable benefit if achievable.

4.3.3 The native bushland within Zone 5 appears to have declined since the previous inspection but select Jarrah specimens still present with high vitality and good form. Tree 75 is especially notable in this regard and retention within a small verge or bush area could possibly be achieved. Consideration of this is therefore recommended.

4.3.4 Trees 41, 60 and 61 are located adjacent to the current storm drain within a central position on the site. Due to their significant size and very high value some form of design modification to allow for their retention would provide a substantial benefit and is recommended for consideration. However, a significant verge area would be required to accommodate their combined rootzone and maintain the trees high vitality and good form, and this may be prohibitive regarding design options.

4.4 Transplant Options

4.4.1 All palms and *Araucaria* within Zone 7 could potentially be transplanted and are of a size where this option may be financially viable, especially if relocation close to the current location is proposed. As previously discussed within the original survey report (2019, Authored by Kneebone et al) the mature *Ficus* and *Araucaria* within other locations could also be transplanted with sufficient preparation time, although the practicalities and cost of such options may be prohibitive. The likelihood of survival for other species within the site are lower and are unlikely to provide worthwhile results, and as such these have not been offered as potential candidates for transplant.

4.5 Tree Protection

4.5.1 The majority of retained trees within the proposed concept design are isolated from the development area and as such will likely not require significant protection during construction. Of note in this regard is T36, a mature *E. grandis* within Zone 2, which falls within some road modification works. The subject tree is already within an isolated kerbed area suggesting root impact from the works will be minimal. Erection of fencing to prevent stem and damage from larger machinery will however still be recommended. Installation of additional protective fencing around Trees 38, 39 within Zone 3 is also recommended.

4.5.2 Trees within Zone 10 are situated away from the main development but the storage of large machinery, equipment or materials within this area during the build process is a possibility. As such it is recommended fencing is installed around these trees to prevent stem and canopy damage.

4.5.3 Zone 11 represents the newly added row of *Corymbia maculata* within the COS Operations Centre grounds. These trees are outside the proposed development site however structural and absorptive root mass is calculated to extend into the area and therefore, both vitality and structural integrity may be impacted by the proposed works. Stem centres of these trees currently fall approximately 1m from the fence boundary. Based on the calculated SRZ and TPZ figures it is recommended an area a minimum of 2m from the current boundary line is preserved in its current form in order to minimise impact to the trees. This is consistent with the current retaining wall within the eastern section of the boundary and which has been installed to mediate the current disparity between the two ground levels. Due to the commonly deep rooting nature of the species this distance could potentially be reduced further, possibly to 1m if required by the design, however this has a higher likelihood of being detrimental to the trees and cannot be determined without further assessment.

5 – RECOMMENDATIONS

5.1 Consider modification of design to retain identified high value specimens, specifically:

Trees 41, 60, 61 – Mature Tuart in Zone 3

Trees 147, 148, 150 - Mature Jarrah in Zone 9

Tree 75 – Mature *E. marginata* (Jarrah) in Zone 5

5.2 Erect protective fencing around Trees 36, 38, 39 and all trees within Zone 10 in line with AS4970 - *Protection of trees on development sites* prior to commencement of the project.

5.3 Check current design and potentially modify to allow 2m clearance from the current southern boundary fence in order to prevent root damage to the row of *Corymbia maculata* (T201-2016) and to maintain both full vitality and structural integrity of these trees.

5.4 Consider transplant options for identified trees, specifically semi-mature Palm and *Araucaria* within Zone 7.

Jack Payne
January 2024

APPENDIX 1 – SURVEY DATA TABLE

3.3 Tree details

| Tree Id | Botanical Name | Height Range | Zone | DBH [cm] | DGL [cm] | TPZ [m] | SRZ [m] | Vitality | Structural Condition | Pest or Disease | Weed Species | Anticipated Life Expectancy | Comments | Retention Value | Transplant Option |
|---------|---|--------------|------|----------|----------|---------|---------|----------|----------------------|-----------------|--------------|-----------------------------|---------------|-----------------|-------------------|
| 1 | <i>Callistemon viminalis</i> | <5 Metres | Z1 | 18 | 56 | 2.16 | 2.59 | Good | Good | Yes | No | Short Term 5-15 | Frass present | Moderate | No |
| 2 | <i>Callistemon viminalis</i> | <5 Metres | Z1 | 12 | 46 | 2 | 2.39 | Poor | Good | No | No | Limited <5 | | Low | No |
| 3 | <i>Callistemon viminalis</i> | <5 Metres | Z1 | 10 | 31 | 2 | 2.02 | Good | Good | No | No | Short Term 5-15 | | Moderate | No |
| 4 | <i>Eucalyptus grandis</i> | 20-30 Metres | Z1 | 58 | 67 | 6.96 | 2.8 | Good | Good | No | No | Long >40 | | High | No |
| 5 | <i>Eucalyptus robusta</i> | 10-20 Metres | Z1 | 43 | 52 | 5.16 | 2.51 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 6 | <i>Ficus microcarpa var hillii</i> | 5-10 Metres | Z1 | 47.01 | 46 | 5.64 | 2.39 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 7 | <i>Eucalyptus sideroxylon 'rosea'</i> | 5-10 Metres | Z1 | 24 | 28 | 2.88 | 1.94 | Poor | Good | No | No | Limited <5 | | Low | No |
| 8 | <i>Eucalyptus sideroxylon 'rosea'</i> | 10-20 Metres | Z1 | 54 | 56 | 6.48 | 2.59 | Good | Good | No | No | Medium 15-40 | | High | No |
| 9 | <i>Eucalyptus sideroxylon 'rosea'</i> | 10-20 Metres | Z1 | 26 | 27 | 3.12 | 1.91 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 10 | <i>Eucalyptus sideroxylon 'rosea'</i> | 5-10 Metres | Z1 | 26 | 38 | 3.12 | 2.2 | Fair | Good | No | No | Short Term 5-15 | | Low | No |
| 11 | <i>Eucalyptus sideroxylon 'rosea'</i> | <5 Metres | Z1 | 24 | 24 | 2.88 | 1.82 | Good | Fair | No | No | Short Term 5-15 | | Moderate | No |
| 12 | <i>Eucalyptus camaldulensis</i> | 20-30 Metres | Z1 | 63 | 86 | 7.56 | 3.11 | Good | Good | No | No | Medium 15-40 | | High | No |
| 13 | <i>Casuarina obesa</i> | 5-10 Metres | Z1 | 27 | 53 | 3.24 | 2.53 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 14 | <i>Eucalyptus rudis</i> | 5-10 Metres | Z1 | 19 | 23 | 2.28 | 1.79 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 15 | <i>Eucalyptus rudis</i> | <5 Metres | Z1 | 20 | 25 | 2.4 | 1.85 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 16 | <i>Eucalyptus camaldulensis</i> | 10-20 Metres | Z1 | 40 | 46 | 4.8 | 2.39 | Good | Good | No | No | Medium 15-40 | | High | No |
| 17 | <i>Eucalyptus camaldulensis</i> | <5 Metres | Z1 | 35 | 45 | 4.2 | 2.37 | Good | Good | No | No | Short Term 5-15 | | Low | No |
| 18 | <i>Acacia saligna</i> | <5 Metres | Z1 | 90 | 15 | 10.8 | 1.49 | Fair | Good | No | Yes | Limited <5 | | Low | No |
| 19 | <i>Eucalyptus sideroxylon 'rosea'</i> | 10-20 Metres | Z1 | 38 | 40 | 4.56 | 2.25 | Good | Good | No | No | Medium 15-40 | | High | No |
| 20 | <i>Eucalyptus conferruminata</i> | | Z1 | 90 | 14 | 10.8 | 1.45 | | | No | No | | Tree Removed | Low | No |
| 21 | <i>Eucalyptus sideroxylon 'rosea'</i> | 5-10 Metres | Z1 | 17 | 23 | 2.04 | 1.79 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 22 | <i>Agonis flexuosa</i> | 5-10 Metres | Z1 | 38.95 | 59 | 4.67 | 2.65 | Good | Good | No | No | Medium 15-40 | | High | No |
| 23 | <i>Eucalyptus conferruminata</i> | <5 Metres | Z1 | 12.73 | 16 | 2 | 1.53 | Fair | Fair | No | No | Limited <5 | | Low | No |
| 24 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z1 | 84.86 | 83 | 10.18 | 3.06 | Good | Fair | No | No | Long >40 | | High | No |
| 25 | <i>Agonis flexuosa</i> | <5 Metres | Z1 | 27 | 34 | 3.24 | 2.1 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 26 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z1 | 54 | 64 | 6.48 | 2.74 | Good | Good | No | No | Medium 15-40 | | High | No |
| 27 | <i>Eucalyptus camaldulensis var. obtusa</i> | 5-10 Metres | Z1 | 12 | 20 | 2 | 1.68 | Good | Good | No | No | Medium 15-40 | | Low | No |
| 28 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z1 | 20 | 23 | 2.4 | 1.79 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 29 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z1 | 22.63 | 31 | 2.72 | 2.02 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 30 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z1 | 190 | 23 | 15 | 1.79 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 31 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z1 | 24 | 28 | 2.88 | 1.94 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 32 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z1 | 69 | 83 | 8.28 | 3.06 | Good | Good | No | No | Medium 15-40 | | High | No |
| 33 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z1 | 54 | 66 | 6.48 | 2.78 | Good | Good | No | No | Medium 15-40 | | High | No |
| 34 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z1 | 78 | 91 | 9.36 | 3.18 | Good | Good | No | No | Long >40 | | High | No |
| 35 | <i>Eucalyptus camaldulensis var. obtusa</i> | <5 Metres | Z1 | 8 | 13 | 2 | 1.4 | Good | Good | No | No | Short Term 5-15 | | Low | No |
| 36 | <i>Eucalyptus grandis</i> | 10-20 Metres | Z2 | 31 | 38 | 3.72 | 2.2 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 37 | <i>Eucalyptus gomphocephala</i> | 20-30 Metres | Z2 | 142.97 | 170 | 15 | 4.14 | | | No | No | | Tree Removed | | No |
| 38 | <i>Eucalyptus gomphocephala</i> | 10-20 Metres | Z3 | 65.44 | 65 | 7.85 | 2.76 | Good | Good | No | No | Long >40 | | Very High | No |
| 39 | <i>Eucalyptus rudis</i> | 5-10 Metres | Z3 | 34 | 40 | 4.08 | 2.25 | Good | Fair | No | No | Long >40 | | Moderate | No |

| | | | | | | | | | | | | | | | |
|----|---|--------------|----|-------|-----|-------|------|--------|-----------|-----|-----|-----------------|----------------|-----------|-----|
| 40 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z3 | 59.55 | 54 | 7.15 | 2.55 | V Poor | Fair | No | No | Limited <5 | | Moderate | No |
| 41 | <i>Eucalyptus gomphocephala</i> | 20-30 Metres | Z3 | 124 | 124 | 14.88 | 3.62 | Good | Fair | Yes | No | Long >40 | Fungal Bracket | Very High | No |
| 42 | <i>Eucalyptus camaldulensis var. obtusa</i> | <5 Metres | Z3 | 15 | 18 | 2 | 1.61 | Good | Good | No | No | Medium 15-40 | | Low | No |
| 43 | <i>Eucalyptus leucoxydon</i> | <5 Metres | Z3 | 18 | 20 | 2.16 | 1.68 | Fair | Fair | No | No | Short Term 5-15 | | Low | No |
| 44 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z3 | 58 | 69 | 6.96 | 2.83 | Good | Good | No | No | Long >40 | | High | No |
| 45 | <i>Eucalyptus utilis</i> | <5 Metres | Z3 | 27 | 35 | 3.24 | 2.13 | Fair | Fair | No | No | Short Term 5-15 | | Low | No |
| 46 | <i>Ficus microcarpa var hillii</i> | 5-10 Metres | Z3 | 41 | 45 | 4.92 | 2.37 | Good | Fair | No | No | Long >40 | | Moderate | No |
| 47 | <i>Casuarina cunninghamiana</i> | <5 Metres | Z3 | 19.85 | 26 | 2.38 | 1.88 | Dead | Poor | No | No | | Dead tree | Low | No |
| 48 | <i>Casuarina cunninghamiana</i> | 10-20 Metres | Z3 | 35 | 45 | 4.2 | 2.37 | Good | Fair | No | No | Short Term 5-15 | | Low | No |
| 49 | <i>Eucalyptus melliodora</i> | 10-20 Metres | Z3 | 37 | 26 | 4.44 | 1.88 | Fair | Fair | No | No | Short Term 5-15 | | Low | No |
| 50 | <i>Eucalyptus melliodora</i> | 10-20 Metres | Z3 | 38 | 45 | 4.56 | 2.37 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 51 | <i>Melia azedarach</i> | 5-10 Metres | Z3 | 15 | 45 | 2 | 2.37 | Good | Fair | No | Yes | Medium 15-40 | | Low | No |
| 52 | <i>Ricinus communis</i> | <5 Metres | Z3 | 10 | 50 | 2 | 2.47 | Fair | Poor | No | Yes | Limited <5 | | Low | No |
| 53 | <i>Melia azedarach</i> | 5-10 Metres | Z3 | 25 | 30 | 3 | 2 | Good | Fair | No | Yes | Medium 15-40 | | Low | No |
| 54 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z3 | 48 | 48 | 5.76 | 2.43 | Good | Fair | No | No | Long >40 | | Moderate | No |
| 55 | <i>Eucalyptus camaldulensis var. obtusa</i> | 5-10 Metres | Z3 | 22 | 38 | 2.64 | 2.2 | Good | Good | No | No | Medium 15-40 | | Low | No |
| 56 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z3 | 49 | 64 | 5.88 | 2.74 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 57 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z3 | 46 | 26 | 5.52 | 1.88 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 58 | <i>Eucalyptus camaldulensis var. obtusa</i> | 10-20 Metres | Z3 | 51 | 55 | 6.12 | 2.57 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 59 | <i>Melia azedarach (Group)</i> | 5-10 Metres | Z3 | 0 | | 2 | | Good | Good | No | Yes | Medium 15-40 | | Moderate | No |
| 60 | <i>Eucalyptus gomphocephala</i> | 20-30 Metres | Z3 | 94.29 | 94 | 11.31 | 3.22 | Good | Good | No | No | Long >40 | | Very High | No |
| 61 | <i>Eucalyptus gomphocephala</i> | 10-20 Metres | Z3 | 65 | 70 | 7.8 | 2.85 | Good | Good | No | No | Long >40 | | Very High | No |
| 62 | <i>Eucalyptus leucoxydon</i> | <5 Metres | Z4 | 27 | 32 | 3.24 | 2.05 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 63 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z4 | 75 | 86 | 9 | 3.11 | Fair | Fair | No | No | Short Term 5-15 | | High | No |
| 64 | <i>Ficus benamina</i> | <5 Metres | Z4 | 11 | 19 | 2 | 1.65 | Good | Fair | No | No | Short Term 5-15 | | Low | Yes |
| 65 | <i>Araucaria heterophylla</i> | <5 Metres | Z4 | 13 | 17 | 2 | 1.57 | Fair | Very Poor | No | No | Short Term 5-15 | | Low | Yes |
| 66 | <i>Ficus benamina</i> | 10-20 Metres | Z4 | 46.54 | 40 | 5.58 | 2.25 | Good | Fair | No | No | Short Term 5-15 | | Low | Yes |
| 67 | <i>Ficus benamina</i> | 10-20 Metres | Z4 | 31 | 38 | 3.72 | 2.2 | Good | Fair | No | No | Short Term 5-15 | | Low | Yes |
| 68 | <i>Araucaria heterophylla</i> | 10-20 Metres | Z4 | 30 | 32 | 3.6 | 2.05 | Good | Fair | No | No | Short Term 5-15 | | Low | Yes |
| 69 | <i>Ficus benamina</i> | <5 Metres | Z4 | 20 | 25 | 2.4 | 1.85 | Good | Fair | No | No | Short Term 5-15 | Within pipe | Low | No |
| 70 | <i>Schinus terebinthifolius</i> | <5 Metres | Z4 | 10 | 15 | 2 | 1.49 | Fair | Fair | No | Yes | Limited <5 | | Low | No |
| 71 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z5 | 31.11 | 37 | 3.73 | 2.18 | Good | Fair | No | No | Long >40 | | Moderate | No |
| 72 | <i>Eucalyptus marginata</i> | <5 Metres | Z5 | 51 | 37 | 6.12 | 2.18 | Good | Fair | No | No | Long >40 | | Moderate | No |
| 73 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z5 | 57 | 71 | 6.84 | 2.87 | Good | Fair | No | No | Long >40 | | High | No |
| 74 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z5 | 73 | 78 | 8.76 | 2.98 | | | No | No | | Tree removed | Low | No |
| 75 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z5 | 54 | 60 | 6.48 | 2.67 | Good | Fair | No | No | Medium 15-40 | | High | No |
| 76 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z5 | 36 | 44 | 4.32 | 2.34 | Dead | Poor | No | No | | Dead tree | Moderate | No |
| 77 | <i>Banksia and E. marginata (Group)</i> | 5-10 Metres | Z5 | | | | | Good | Good | No | No | Medium 15-40 | | High | No |
| 78 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z5 | 27 | 28 | 3.24 | 1.94 | Good | Fair | No | No | Long >40 | | High | No |
| 79 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z5 | 30 | 30 | 3.6 | 2 | Good | Fair | No | No | Long >40 | | High | No |
| 80 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z5 | 77 | 84 | 9.24 | 3.08 | Good | Fair | No | No | Long >40 | | High | No |
| 81 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z5 | 48 | 54 | 5.76 | 2.55 | Good | Fair | No | No | Long >40 | | Moderate | No |
| 82 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z5 | 32 | 38 | 3.84 | 2.2 | Fair | Fair | No | No | Medium 15-40 | | Moderate | No |
| 83 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z5 | 47.55 | 55 | 5.71 | 2.57 | Dead | Poor | No | No | | Dead tree | Low | No |
| 84 | <i>Corymbia calophylla</i> | <5 Metres | Z5 | 14.14 | 25 | 2 | 1.85 | Dead | Poor | No | No | | Dead tree | Low | No |
| 85 | <i>Corymbia calophylla</i> | 5-10 Metres | Z5 | 33 | 37 | 3.96 | 2.18 | Fair | Fair | No | No | Short Term 5-15 | | Moderate | No |

| | | | | | | | | | | | | | | | |
|-----|------------------------------------|--------------|----|-------|-----|-------|------|------|------|-----|-----|-----------------|----------------|----------|-----|
| 86 | <i>Melaleuca quinquenervia</i> | 5-10 Metres | Z6 | 28 | 76 | 3.36 | 2.95 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 87 | <i>Washingtonia robusta</i> | 5-10 Metres | Z6 | 44 | 44 | 5.28 | 2.34 | Good | Good | No | No | Long >40 | | Moderate | Yes |
| 88 | <i>Ficus microcarpa var hillii</i> | 10-20 Metres | Z6 | 74.52 | 67 | 8.94 | 2.8 | Good | Fair | No | No | Long >40 | | Moderate | Yes |
| 89 | <i>Ficus microcarpa var hillii</i> | 10-20 Metres | Z6 | 55 | 55 | 6.6 | 2.57 | Good | Fair | No | No | Long >40 | | Moderate | Yes |
| 90 | <i>Ficus microcarpa var hillii</i> | 10-20 Metres | Z6 | 64 | 66 | 7.68 | 2.78 | Good | Fair | No | No | Long >40 | | Moderate | Yes |
| 91 | <i>Banksia menziesii</i> | 5-10 Metres | Z6 | 29 | 32 | 3.48 | 2.05 | Dead | Poor | No | No | | Dead tree | Low | No |
| 92 | <i>Callistemon viminalis</i> | <5 Metres | Z6 | 14 | 21 | 2 | 1.72 | Dead | Poor | No | No | | Dead tree | Low | No |
| 93 | <i>Ficus microcarpa var hillii</i> | 10-20 Metres | Z6 | 47 | 52 | 5.64 | 2.51 | Good | Fair | No | No | Long >40 | | High | No |
| 94 | <i>Eucalyptus spathulata</i> | <5 Metres | Z6 | 26 | 30 | 3.12 | 2 | Fair | Poor | No | No | Short Term 5-15 | | Low | No |
| 95 | <i>Ficus microcarpa var hillii</i> | 10-20 Metres | Z6 | 78 | 78 | 9.36 | 2.98 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 96 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z6 | 91 | 108 | 10.92 | 3.42 | Good | Good | No | No | Medium 15-40 | | High | No |
| 97 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z6 | 52.04 | 65 | 6.24 | 2.76 | Fair | Fair | No | No | Medium 15-40 | | Moderate | No |
| 98 | <i>Eucalyptus spathulata</i> | <5 Metres | Z6 | 37 | 51 | 4.44 | 2.49 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 99 | <i>Melia azedarach</i> | <5 Metres | Z6 | 9 | 10 | 2 | 1.26 | Good | Poor | No | Yes | Limited <5 | | Low | No |
| 100 | <i>Eucalyptus spathulata</i> | 5-10 Metres | Z6 | 23 | 37 | 2.76 | 2.18 | | | No | No | | Tree Removed | Low | No |
| 101 | <i>Melia azedarach</i> | 10-20 Metres | Z6 | 50.22 | 62 | 6.03 | 2.71 | Good | Fair | No | Yes | Medium 15-40 | | Moderate | No |
| 102 | <i>Araucaria columnaris</i> | 5-10 Metres | Z6 | 20 | 23 | 2.4 | 1.79 | Fair | Fair | No | No | Short Term 5-15 | | Low | No |
| 103 | <i>Ficus rubiginosa</i> | 10-20 Metres | Z6 | 32 | 29 | 3.84 | 1.97 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 104 | <i>Eucalyptus spathulata</i> | 5-10 Metres | Z6 | 35 | 35 | 4.2 | 2.13 | Fair | Poor | Yes | No | Short Term 5-15 | Fungal Bracket | Low | No |
| 105 | <i>Callistemon viminalis</i> | <5 Metres | Z6 | 9 | 15 | 2 | 1.49 | Fair | Fair | No | No | Limited <5 | | Low | No |
| 106 | <i>Callistemon viminalis</i> | <5 Metres | Z6 | 11 | 19 | 2 | 1.65 | Fair | Fair | No | No | Limited <5 | | Low | No |
| 107 | <i>Callistemon viminalis</i> | <5 Metres | Z6 | 12 | 29 | 2 | 1.97 | Fair | Fair | No | No | Limited <5 | | Low | No |
| 108 | <i>Eucalyptus spathulata</i> | 5-10 Metres | Z6 | 41 | 45 | 4.92 | 2.37 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 109 | <i>Dyopsis decaryi</i> | <5 Metres | Z7 | 37 | 37 | 4.44 | 2.18 | Good | Good | No | No | Medium 15-40 | | Low | Yes |
| 110 | <i>Dyopsis decaryi</i> | <5 Metres | Z7 | 34 | 34 | 4.08 | 2.1 | Good | Good | No | No | Medium 15-40 | | Low | Yes |
| 111 | <i>Araucaria columnaris</i> | 5-10 Metres | Z7 | 22 | 27 | 2.64 | 1.91 | Good | Good | No | No | Medium 15-40 | | Low | Yes |
| 112 | <i>Washingtonia robusta</i> | 5-10 Metres | Z7 | 44 | 44 | 5.28 | 2.34 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 113 | <i>Corymbia calophylla</i> | 5-10 Metres | Z7 | 47.01 | 47 | 5.64 | 2.41 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 114 | <i>Corymbia calophylla</i> | 10-20 Metres | Z7 | 62 | 78 | 7.44 | 2.98 | Good | Fair | Yes | No | Medium 15-40 | Canker | Moderate | No |
| 115 | <i>Callistemon viminalis</i> | <5 Metres | Z7 | 19.85 | 45 | 2.38 | 2.37 | Good | Fair | No | No | Short Term 5-15 | | Low | No |
| 116 | <i>Eucalyptus leucoxyton</i> | <5 Metres | Z7 | 18 | 23 | 2.16 | 1.79 | Good | Fair | No | No | Medium 15-40 | | Low | No |
| 117 | <i>Eucalyptus leucoxyton</i> | 5-10 Metres | Z7 | 46.65 | 53 | 5.6 | 2.53 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 118 | <i>Corymbia calophylla</i> | 10-20 Metres | Z7 | 57.74 | 57 | 6.93 | 2.61 | Good | Good | Yes | No | Short Term 5-15 | Canker | Moderate | No |
| 119 | <i>Eucalyptus erythrocorys</i> | <5 Metres | Z7 | 17 | 24 | 2.04 | 1.82 | Good | Poor | No | No | Short Term 5-15 | | Low | No |
| 120 | <i>Eucalyptus erythrocorys</i> | <5 Metres | Z7 | 22 | 29 | 2.64 | 1.97 | Good | Poor | No | No | Short Term 5-15 | | Low | No |
| 121 | <i>Callistemon viminalis</i> | <5 Metres | Z7 | 19 | 28 | 2.28 | 1.94 | Good | Good | No | No | Short Term 5-15 | | Low | No |
| 122 | <i>Callistemon viminalis</i> | <5 Metres | Z7 | 41.18 | 46 | 4.94 | 2.39 | Good | Good | No | No | Short Term 5-15 | | Low | No |
| 123 | <i>Callistemon viminalis</i> | <5 Metres | Z7 | 44 | 44 | 5.28 | 2.34 | Fair | Fair | No | No | Limited <5 | | Low | No |
| 124 | <i>Araucaria columnaris</i> | 5-10 Metres | Z7 | 28 | 36 | 3.36 | 2.15 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 125 | <i>Washingtonia robusta</i> | <5 Metres | Z7 | 40 | 40 | 4.8 | 2.25 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 126 | <i>Phoenix canariensis</i> | <5 Metres | Z7 | 50 | 50 | 6 | 2.47 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 127 | <i>Phoenix canariensis</i> | <5 Metres | Z7 | 50 | 50 | 6 | 2.47 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 128 | <i>Phoenix canariensis</i> | 5-10 Metres | Z7 | 50 | 50 | 6 | 2.47 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 129 | <i>Phoenix canariensis</i> | 5-10 Metres | Z7 | 50 | 50 | 6 | 2.47 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 130 | <i>Phoenix canariensis</i> | 5-10 Metres | Z7 | 50 | 50 | 6 | 2.47 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 131 | <i>Butia capitata</i> | <5 Metres | Z7 | 40 | 40 | 4.8 | 2.25 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |

| | | | | | | | | | | | | | | | |
|-----|-------------------------------|--------------|----|-------|----|------|------|------|------|----|----|-----------------|-----------|-----------|-----|
| 132 | <i>Phoenix canariensis</i> | <5 Metres | Z7 | 50 | 50 | 6 | 2.47 | Good | Good | No | No | Medium 15-40 | | Moderate | Yes |
| 133 | <i>Corymbia maculata</i> | 5-10 Metres | Z8 | 18 | 25 | 2.16 | 1.85 | Good | Fair | No | No | Medium 15-40 | | Low | No |
| 134 | <i>Araucaria heterophylla</i> | <5 Metres | Z8 | 6 | 80 | 2 | 3.01 | Good | Good | No | No | Short Term 5-15 | | Low | Yes |
| 135 | <i>Araucaria heterophylla</i> | <5 Metres | Z8 | 7 | 80 | 2 | 3.01 | Good | Good | No | No | Short Term 5-15 | | Low | Yes |
| 136 | <i>Washingtonia filifera</i> | <5 Metres | Z8 | 40 | 40 | 4.8 | 2.25 | Good | Fair | No | No | Short Term 5-15 | | Low | Yes |
| 137 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z8 | 79.04 | 96 | 9.48 | 3.25 | Poor | Poor | No | No | Short Term 5-15 | | High | No |
| 138 | <i>Ficus benjamina</i> | 5-10 Metres | Z8 | 24 | 26 | 2.88 | 1.88 | Good | Fair | No | No | Medium 15-40 | | Moderate | Yes |
| 139 | <i>Callistemon viminalis</i> | 5-10 Metres | Z8 | 36.07 | 42 | 4.33 | 2.3 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 140 | <i>Eucalyptus utilis</i> | <5 Metres | Z8 | 34 | 37 | 4.08 | 2.18 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 141 | <i>Callistemon viminalis</i> | <5 Metres | Z8 | 17 | 36 | 2.04 | 2.15 | Good | Fair | No | No | Short Term 5-15 | | Moderate | No |
| 142 | <i>Eucalyptus utilis</i> | 5-10 Metres | Z9 | 31 | 43 | 3.72 | 2.32 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 143 | <i>Callistemon viminalis</i> | <5 Metres | Z9 | 15.56 | 23 | 2 | 1.79 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 144 | <i>Callistemon viminalis</i> | 5-10 Metres | Z9 | 19.31 | 45 | 2.32 | 2.37 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 145 | <i>Callistemon viminalis</i> | <5 Metres | Z9 | 18.03 | 28 | 2.16 | 1.94 | Good | Good | No | No | Medium 15-40 | | Moderate | No |
| 146 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 19 | 24 | 2.28 | 1.82 | Good | Good | No | No | Long >40 | | High | No |
| 147 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 27 | 31 | 3.24 | 2.02 | Good | Good | No | No | Long >40 | | High | No |
| 148 | <i>Eucalyptus marginata</i> | <5 Metres | Z9 | 12 | 15 | 2 | 1.49 | Good | Good | No | No | Long >40 | | Very High | No |
| 149 | <i>Banksia menziesii</i> | 5-10 Metres | Z9 | 24.04 | 26 | 2.88 | 1.88 | Fair | Good | No | No | Short Term 5-15 | | High | No |
| 150 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 70 | 70 | 8.4 | 2.85 | Good | Fair | No | No | Long >40 | | Very High | No |
| 151 | <i>Banksia menziesii</i> | <5 Metres | Z9 | 21 | 33 | 2.52 | 2.08 | Fair | Good | No | No | Short Term 5-15 | | Moderate | No |
| 152 | <i>Banksia menziesii</i> | <5 Metres | Z9 | 19 | 22 | 2.28 | 1.75 | Dead | Poor | No | No | | Dead tree | Low | No |
| 153 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 74.25 | 93 | 8.91 | 3.21 | Good | Fair | No | No | Long >40 | | Very High | No |
| 154 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 27 | 33 | 3.24 | 2.08 | Good | Good | No | No | Long >40 | | High | No |
| 155 | <i>Banksia menziesii</i> | 5-10 Metres | Z9 | 33 | 37 | 3.96 | 2.18 | Dead | Fair | No | No | | Dead tree | Moderate | No |
| 156 | <i>Banksia menziesii</i> | <5 Metres | Z9 | 26 | 28 | 3.12 | 1.94 | Dead | Fair | No | No | | Dead tree | Moderate | No |
| 157 | <i>Eucalyptus marginata</i> | <5 Metres | Z9 | 16 | 19 | 2 | 1.65 | Good | Good | No | No | Long >40 | | Very High | No |
| 158 | <i>Banksia menziesii</i> | <5 Metres | Z9 | 19.8 | 25 | 2.38 | 1.85 | Fair | Good | No | No | Short Term 5-15 | | Moderate | No |
| 159 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 57 | 69 | 6.84 | 2.83 | Good | Good | No | No | Long >40 | | High | No |
| 160 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 34.06 | 38 | 4.09 | 2.2 | Good | Good | No | No | Long >40 | | High | No |
| 161 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 34.9 | 42 | 4.19 | 2.3 | Good | Good | No | No | Long >40 | | High | No |
| 162 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 26 | 26 | 3.12 | 1.88 | Good | Good | No | No | Long >40 | | High | No |
| 163 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 36 | 43 | 4.32 | 2.32 | Good | Good | No | No | Long >40 | | High | No |
| 164 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 36 | 44 | 4.32 | 2.34 | Good | Good | No | No | Long >40 | | High | No |
| 165 | <i>Phoenix canariensis</i> | <5 Metres | Z9 | 50 | 50 | 6 | 2.47 | Good | Good | No | No | Medium 15-40 | | Low | No |
| 166 | <i>Phoenix canariensis</i> | <5 Metres | Z9 | 50 | 50 | 6 | 2.47 | Good | Good | No | No | Medium 15-40 | | Low | No |
| 167 | <i>Phoenix canariensis</i> | 5-10 Metres | Z9 | 50 | 50 | 6 | 2.47 | Good | Good | No | No | Medium 15-40 | | Low | No |
| 168 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 39 | 42 | 4.68 | 2.3 | Good | Good | No | No | Long >40 | | High | No |
| 169 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 37 | 43 | 4.44 | 2.32 | Good | Good | No | No | Long >40 | | High | No |
| 170 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 31.62 | 34 | 3.79 | 2.1 | Good | Good | No | No | Long >40 | | High | No |
| 171 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 53.59 | 62 | 6.43 | 2.71 | Good | Good | No | No | Long >40 | | High | No |
| 172 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 48.55 | 54 | 5.83 | 2.55 | Good | Good | No | No | Long >40 | | High | No |
| 173 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 31 | 37 | 3.72 | 2.18 | Good | Good | No | No | Long >40 | | High | No |
| 174 | <i>Corymbia calophylla</i> | 10-20 Metres | Z9 | 48 | 58 | 5.76 | 2.63 | Good | Good | No | No | Medium 15-40 | | High | No |
| 175 | <i>Corymbia calophylla</i> | 10-20 Metres | Z9 | 55 | 62 | 6.6 | 2.71 | Good | Good | No | No | Medium 15-40 | | High | No |
| 176 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 42.45 | 50 | 5.09 | 2.47 | Good | Good | No | No | Long >40 | | High | No |
| 177 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 37.64 | 43 | 4.52 | 2.32 | Good | Good | No | No | Long >40 | | High | No |

| | | | | | | | | | | | | | | | |
|-----|---|--------------|-----|--------|-----|------|------|------|------|----|-----|-----------------|----------------|-----------|----|
| 178 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 50 | 54 | 6 | 2.55 | Good | Good | No | No | Long >40 | | High | No |
| 179 | <i>Eucalyptus marginata</i> | <5 Metres | Z9 | 26 | 32 | 3.12 | 2.05 | Good | Good | No | No | Long >40 | | High | No |
| 180 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 36 | 43 | 4.32 | 2.32 | Good | Good | No | No | Long >40 | | High | No |
| 181 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 33 | 39 | 3.96 | 2.23 | Good | Good | No | No | Long >40 | | High | No |
| 182 | <i>Eucalyptus marginata</i> | 10-20 Metres | Z9 | 131.74 | 168 | 15 | 4.12 | Good | Fair | No | No | Long >40 | | Very High | No |
| 183 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 32 | 38 | 3.84 | 2.2 | Good | Good | No | No | Long >40 | | High | No |
| 184 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 36.91 | 42 | 4.43 | 2.3 | Good | Fair | No | No | Long >40 | | High | No |
| 185 | <i>Eucalyptus marginata</i> | 5-10 Metres | Z9 | 30 | 30 | 3.6 | 2 | Good | Good | No | No | Long >40 | | High | No |
| 186 | <i>Banksia menziesii</i> | <5 Metres | Z9 | 10 | 17 | 2 | 1.57 | Good | Good | No | No | Medium 15-40 | | High | No |
| 187 | <i>E. margin, C. caloph B. menziz (Group)</i> | N/A | Z9 | | | | | Good | Good | No | No | Long >40 | | Very High | No |
| 188 | <i>Eucalyptus gomphocephala</i> | 10-20 Metres | Z10 | 43 | 53 | 5.16 | 2.53 | Good | Good | No | No | Long >40 | | Very High | No |
| 189 | <i>Eucalyptus gomphocephala</i> | <5 Metres | Z10 | 24 | 33 | 2.88 | 2.08 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 190 | <i>Eucalyptus gomphocephala</i> | 20-30 Metres | Z10 | 134.09 | 56 | 15 | 2.59 | Good | Fair | No | No | Long >40 | | Very High | No |
| 191 | <i>Eucalyptus gomphocephala</i> | 20-30 Metres | Z10 | 69.03 | 82 | 8.28 | 3.04 | Good | Good | No | No | Long >40 | | Very High | No |
| 192 | <i>Eucalyptus rudis</i> | 5-10 Metres | Z10 | 26 | 31 | 3.12 | 2.02 | Good | Good | No | No | Long >40 | | Moderate | No |
| 193 | <i>Eucalyptus conferruminata</i> | 5-10 Metres | Z10 | 32 | 33 | 3.84 | 2.08 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 194 | <i>Eucalyptus conferruminata</i> | 5-10 Metres | Z10 | 44 | 33 | 5.28 | 2.08 | Good | Fair | No | No | Medium 15-40 | | Moderate | No |
| 195 | <i>Corymbia maculata</i> | 5-10 Metres | Z10 | 13 | 16 | 2 | 1.53 | Good | Fair | No | No | Short Term 5-15 | | Low | No |
| 196 | <i>Corymbia maculata</i> | 5-10 Metres | Z2 | 13 | 15 | 2 | 1.49 | Good | Good | No | No | Long >40 | | Moderate | No |
| 197 | <i>Eucalyptus camaldulensis (Group)</i> | 10-20 Metres | Z3 | 20 | 25 | 2.4 | 1.85 | Good | Fair | No | No | Long >40 | Juvenile group | Low | No |
| 198 | <i>Acacia saligna</i> | 5-10 Metres | Z3 | 25 | 30 | 3 | 2 | Good | Fair | No | Yes | Short Term 5-15 | | Low | No |
| 199 | <i>Acacia saligna</i> | 5-10 Metres | Z3 | 15 | 18 | 2 | 1.61 | Good | Good | No | Yes | Short Term 5-15 | | Low | No |
| 200 | <i>Acacia saligna</i> | 5-10 Metres | Z3 | 30 | 40 | 3.6 | 2.25 | Good | Poor | No | Yes | Short Term 5-15 | | Low | No |
| 201 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 51 | 63 | 6.12 | 2.73 | Good | Good | No | No | Medium 15-40 | | High | No |
| 202 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 38 | 46 | 4.56 | 2.39 | Good | Good | No | No | Medium 15-40 | | High | No |
| 203 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 48 | 60 | 5.76 | 2.67 | Good | Good | No | No | Medium 15-40 | | High | No |
| 204 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 42 | 51 | 5.04 | 2.49 | Good | Good | No | No | Medium 15-40 | | High | No |
| 205 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 44 | 53 | 5.28 | 2.53 | Good | Good | No | No | Medium 15-40 | | High | No |
| 206 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 47 | 57 | 5.64 | 2.61 | Good | Good | No | No | Medium 15-40 | | High | No |
| 207 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 33 | 43 | 3.96 | 2.32 | Good | Good | No | No | Medium 15-40 | | High | No |
| 208 | <i>Corymbia maculata</i> | 5-10 Metres | Z11 | 18 | 21 | 2.16 | 1.72 | Fair | Fair | No | No | Short Term 5-15 | Stem wounds | Moderate | No |
| 209 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 61 | 75 | 7.32 | 2.93 | Good | Good | No | No | Medium 15-40 | | High | No |
| 210 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 46 | 58 | 5.52 | 2.63 | Good | Good | No | No | Medium 15-40 | | High | No |
| 211 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 45 | 58 | 5.4 | 2.63 | Good | Good | No | No | Medium 15-40 | | High | No |
| 212 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 35 | 44 | 4.2 | 2.34 | Poor | Good | No | No | Limited <5 | | High | No |
| 213 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 26 | 35 | 3.12 | 2.13 | Good | Good | No | No | Medium 15-40 | | High | No |
| 214 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 56 | 67 | 6.72 | 2.8 | Good | Good | No | No | Medium 15-40 | | High | No |
| 215 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 31 | 38 | 3.72 | 2.2 | Good | Good | No | No | Medium 15-40 | | High | No |
| 216 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 36 | 44 | 4.32 | 2.34 | Good | Good | No | No | Medium 15-40 | | High | No |
| 217 | <i>Corymbia maculata</i> | 10-20 Metres | Z11 | 25 | 30 | 3 | 2 | Good | Good | No | No | Medium 15-40 | | High | No |

APPENDIX 2 - TREE IMAGES



TREE 001



TREE 002



TREE 003



TREE 004



TREE 005



TREE 006



TREE 007



TREE 008



TREE 009



TREE 010




TREE 011




TREE 012



TREE 013



TREE 014



TREE 015



TREE 016



TREE 017




TREE 018




TREE 019



TREE 020



TREE 021



TREE 022



TREE 023



TREE 024




TREE 025



TREE 026



TREE 027



TREE 028



TREE 029



TREE 030



TREE 031



TREE 032



TREE 033



TREE 034



TREE 035



TREE 036



TREE 037



TREE 038



TREE 039



TREE 040



TREE 041



TREE 042



TREE 043



TREE 044




TREE 045



TREE 046



TREE 047



TREE 048



TREE 049



TREE 050



TREE 051



TREE 052



TREE 053



TREE 054



TREE 055



TREE 056



TREE 057



TREE 058



TREE 059



TREE 060



TREE 061



TREE 062



TREE 063



TREE 064



TREE 065



TREE 066



TREE 067



TREE 068



TREE 069



TREE 070



TREE 071



TREE 072



TREE 073



TREE 074




TREE 075




TREE 076



TREE 077



TREE 078



TREE 079



TREE 080




TREE 081



TREE 082



TREE 083



TREE 084



TREE 085



TREE 086



TREE 087



TREE 088



TREE 089



TREE 090



TREE 091



TREE 092



TREE 093



TREE 094



TREE 095



TREE 096



TREE 097



TREE 098



TREE 099



TREE 100



TREE 101



TREE 102



TREE 103



TREE 104



TREE 105



TREE 106



TREE 107



TREE 108



TREE 109



TREE 110



TREE 111



TREE 112



TREE 113



TREE 114



TREE 115



TREE 116



TREE 117



TREE 118



TREE 119



TREE 120



TREE 121



TREE 122



TREE 123



TREE 124



TREE 125



TREE 126



TREE 127



TREE 128



TREE 129



TREE 130



TREE 131



TREE 132



TREE 133



TREE 134



TREE 133



TREE 136



TREE 137



TREE 138



TREE 139



TREE 140



TREE 141



TREE 142



TREE 143



TREE 144



TREE 145



TREE 146



TREE 147



TREE 148



TREE 149



TREE 150



TREE 151



TREE 152



TREE 153



TREE 154



TREE 155



TREE 156



TREE 157



TREE 158




TREE 159



TREE 160



TREE 161



TREE 162



TREE 163



TREE 164



TREE 165



TREE 166



TREE 167



TREE 168



TREE 169



TREE 170



TREE 171



TREE 172



TREE 173



TREE 174




TREE 175



TREE 176



TREE 177



TREE 178



TREE 179



TREE 180



TREE 181



TREE 182



TREE 183



TREE 184



TREE 185



TREE 186



TREE 187



TREE 188



TREE 189



TREE 190



TREE 191




TREE 192



TREE 193



TREE 194



TREE 195



TREE 196



TREE 197



TREE 198



TREE 199



TREE 200



TREE 201



TREE 202



TREE 203



TREE 204




TREE 205



TREE 206



TREE 207



TREE 208



TREE 209



TREE 210



TREE 211




TREE 212



TREE 213



TREE 214



TREE 215



TREE 216



TREE 217

Liability and Limitation

The report is to be considered in full and sections are not to be selected for legal consideration without advice and approval from CTS.
No portion of this report may be forwarded without the expressed permission of the author.