

### **Clearing Permit Decision Report**

#### Application details

1.1. Permit application details

Permit application No.: 1737/1

Permit type: Purpose Permit

1.2. Proponent details

Proponent's name: OMG Cawse Pty Ld

1.3. Property details

Property: M24/517

M24/518

Local Government Area: City Of Kalgoorlie-Boulder

Colloquial name: Cawse Nickel Operations - Faun Pit

1.4. Application

Clearing Area (ha) No. Trees Method of Clearing For the purpose of: 52.4 Mechanical Removal Mineral Production

### 2. Site Information

#### 2.1. Existing environment and information

#### 2.1.1. Description of the native vegetation under application

#### **Vegetation Description**

The vegetation located within the project area has been mapped at a 1:250,000 scale as Beard vegetation association 2901, and is described as:

Mosaic: medium woodland; *Allocasurina cristata* & Goldfields Blackbutt/Shrublands; *Acacia quadrimarginea* thicket.

The vegetation within the proposed clearing area was mapped at a scale of 1:100,000 by Mattiske (1998). The following vegetation associations were described:

2e - Shrubland of *Acacia* species over an understory of *Dodonaea*, *Eremophila* and *Allocasurina* over low shrubs of *Prostanthera* and *Dodonaea*, occasionally with *Triodia* interspersed with Woodland of *Eucalyptus* and *Casurina* on undulating rises.

1e - Very Open Woodland of *Eucalyptus* transcontinentalis and *E.salubris* over a midstory of *Eremophila*, over a herb layer dominated by *Stipa* and mixed *Asteraceae* species on broad valleys.

The application falls predominantly within 2e, which is well represented in the area (Mattiske, 1998).

#### **Clearing Description**

The proposed clearing is for the development of an open cut mining pit 'Faun Pit', a waste dump and extensions, and maintenance to the current haul road network for OMG Cawse Pty Ltd (hereafter referred to as OMG Cawse). The site is located within the existing Cawse Nickel Operations Project Area, approximately 55 kilometres North West of Kalgoorlie.

The proponent has proposed to clear a maximum area of 52.4 hectares within a permit application area totalling 52.4 hectares. Two separate clearing areas have been proposed, both located to the south of existing mining activities. The waste dump on the western side is situated partly over a Pastoral Lease area, and the eastern Faun Pit is predominantly located over a previously rehabilitated gravel pit.

No dewatering is planned for the proposed mining activity.

### Vegetation Condition

Good: Structure significantly altered by multiple disturbance; retains basic structure/ability to regenerate (Keighery, 1994).

#### Comment

The vegetation condition is based on the Keighery (1994) vegetation condition scale, from aerial photography and an assessment provided by Cawse OMG (2007).

Some of the vegetation within the proposed clearing area has been previously disturbed by mining and exploration activities. The cleared vegetation therefore comprises mainly of regrowth and adjacent uncleared native vegetation.

### 3. Assessment of application against clearing principles

#### (a) Native vegetation should not be cleared if it comprises a high level of biological diversity.

### **Comments** Proposal is not likely to be at variance to this Principle

The proposal is located within the Eastern Goldfields (COO3) Interim Biogeographic Regionalisation of Australia (IBRA) subregion (GIS Database). It is also located close to the boundary of the Eastern Murchison (MUR1) IBRA subregion (GIS Database). The biodiversity values of both subregions were assessed by Cowan (2001a & 2001b).

The predominant vegetation of the subregion is of Mallees, Acacia thickets and shrubheaths on sandplains. Diverse *Eucalyptus* woodlands occur around salt lakes, on ranges, and in valleys. Salt lakes support dwarf shrublands of samphire. Woodlands and *Dodonaea* shrubland occur on the Fraser Range. The area is rich in endemic Acacias (Cowan, 2001a).

The proposal is not located within any of the ecosystems at risk listed for both IBRA subregions (Cowan, 2001a & 2001b). The proposed clearing is located within and adjacent to an active mine site. Aerial imagery provided by the proponent as well as other aerial imagery available to the Department of Industry and Resources (DoIR) both show that the proposed clearing area has been impacted on by the existing mining activities (OMG Cawse, 2007; GIS Database).

Due to the level of disturbance that has already occurred within the proposed clearing area, and the broad representation of the vegetation type in the area (Mattiske, 1998), it is unlikely that the proposal will result in the clearing of native vegetation that has higher biodiversity attributes than that of the surrounding undisturbed vegetation.

Based on the above, the proposed clearing is not likely to be at variance to this principle.

#### Methodology Cowan (2001a)

Cowan (2001b) Mattiske (1998) OMG Cawse (2007) GIS Database:

Bardoc 1.4m Orthomosaic - DLI02

Interim Biogeographic Regionalisation of Australia (Subregions) EA 18/10/00

# (b) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.

#### Comments Proposal is not likely to be at variance to this Principle

There are no known records of fauna of conservation significance within 28 kilometres of the proposed clearing area (GIS Database). A desktop fauna survey was conducted by J & J Tucker (OMG Cawse, 2007) that found that seven species of rare fauna may occur in the Cawse area. The seven species are: Malleefowl, Peregrine Falcon, Grey Falcon, Major Mitchell's Cockatoo, Crested Shrike-tit, Carpet Python (Western subspecies) and Woma Python.

Of the seven species, Malleefowl *Leipoa ocellata* (Schedule 1, fauna that is rare or likely to become extinct, 'Wildlife Conservation (Specially Protected Fauna) Notice, 2006') is the only species known to live in the Cawse leases, however, no active or inactive Malleefowl mounds were found on or in the vicinity of the proposed clearing area (OMG Cawse, 2007).

The Peregrine Falcon *Falco peregrinus* (Schedule 4, other specially protected fauna, 'Wildlife Conservation (Specially Protected Fauna) Notice, 2006'), a wide ranging bird, has little habitat specificity apart from an affinity with cliffs, tall trees for nesting, and water (Pizzey & Kinght, 1997). Given the lack of cliffs, tall trees or perennial watercourses within the project area, the proposal is unlikely to affect this species.

The Grey Falcon *Falco hypoleucos* (listed by the Department of Environment and Conservation (DEC) as Priority 4, taxa in need of monitoring) is a wide ranging bird known to nest along watercourses in tall *Eucalyptus camaldulensis* (Garnett & Crowley, 2000). Due to the non perennial nature of the local watercourses, and the lack of *E. camaldulensis*, the Grey Falcon is not likely to be affected.

The western subspecies of Major Mitchell's Cockatoo *Cacatua leadbeateri* (Schedule 4, other specially protected fauna, 'Wildlife Conservation (Specially Protected Fauna) Notice, 2006') is classified as 'Least Concern', and its main habitat requirement is suitable nesting hollows (Garnett & Crowley, 2000). As the dominant vegetation association of the clearing area is classified as 'Shrubland of Acacia species', which does not include tree species that form hollows (*Eucalyptus salmonophloia, E. wandoo, E. camaldulensis*), the proposal is not likely to affect this species.

The proposed clearing area is at the edge of the range of the south-western Crested Shrike-tit *Falcunculus frontatus leucogaster* (listed by DEC as Priority 4, taxa in need of monitoring), and the favoured habitat (eucalyptus forest and woodland) type of the Shrike-tit is not located within the clearing area (Garnett & Crowley, 2000).

Given the predominant 'shrubland' nature of the proposed clearing area (Mattiske, 1998), it is unlikely that nesting hollows in tall trees will be affected or removed, and should therefore not affect other bird species that require tree hollows.

The Carpet Python (Western subspecies) *Morelia spilota imbricata* (Schedule 4, other specially protected fauna, 'Wildlife Conservation (Specially Protected Fauna) Notice, 2006') inhabits temperate climatic areas with good winter rains and dry summers, and has been recorded in semi-arid coastal and inland habitats, Banksia

woodlands, eucalypt woodlands and grasslands (WA Museum, 2003).

The Woma Python *Aspidites ramsayi* (listed by DEC as Priority 1, taxa with few, poorly known populations on threatened lands) is found in the arid zones of Western Australia. It tends to favour open myrtaceous heath on sandplains, and dunefields dominated by spinifex (*Triodia* spp.) (WA Museum, 2003).

While some of the vegetation proposed to be cleared may be suitable habitat for either python species, the amount being cleared is unlikely to result in significant impacts to either species. Furthermore, the Carpet Python subspecies is highly ecologically flexible and tends to adapt to whatever habitats are available (Pearson *et al.*, 2005).

The proposed clearing of 52.4 hectares of native vegetation within and bordering an active minesite, is predominantly shrubland and partly regrowth. The key habitat requirements of the seven species of conservation significance listed above are not located in the clearing area, it is unlikely that the proposed clearing will impact upon fauna of conservation significance.

Based on the above, the proposed clearing is not likely to be at variance to this principle.

#### Methodology Garnett & Crowley (2000)

Mattiske (1998)
OMG Cawse (2007)
Pearson et al. (2005)
Pizzey & Knight (1997)
GIS Database:

Threatened Fauna - CALM 30/9/05

#### (c) Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.

#### Comments Proposal is not likely to be at variance to this Principle

No Declared Rare Flora (DRF) or Threatened Plant Communities are recorded within the proposed clearing area (GIS Database).

The nearest recorded flora of conservation significance is the Priority 1 listed species *Eremophila praecox*, which is located approximately 28 kilometres to the south of the proposed clearing site (GIS Database).

Eremophila pustulata, (previously listed as Priority 3), was found in the vicinity of the application area, and Eucalyptus jutsonii, Priority 2, has been previously recorded in the vicinity of the lease area (OMG Cawse, 2007). A nearby survey of 1.5 million hectares was conducted in 2000 - 2001 by CALM (as cited in OMG Cawse, 2007) where populations of Eremophila pustulata were found covering more than 10,000 hectares and have since been removed from the DEC Priority list. No Eucalyptus jutsonii were found within the current Cawse leases (OMG Cawse, 2007), and it is unlikely that these species will be affected by the proposed clearing.

The applicant has stated that they will adhere to flora management principles of minimum initial disturbance followed by re-establishment of local flora as quickly as possible after mining (OMG Cawse, 2007).

Based on the above, the proposed clearing is not likely to be at variance to the principle.

#### Methodology OMG Cawse (2007)

GIS Database:

Declared Rare and Priority Flora list CALM 01/07/05

# (d) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community.

### Comments Proposal is not at variance to this Principle

There are no known Threatened Ecological Communities (TECs) within the Eastern Goldfields IBRA subregions (Cowan 2001a). No known TECs are located in the vicinity of the proposed clearing (GIS database).

Furthermore, the proposal is not located within any of the ecosystems at risk mentioned in Cowan (2001a & 2001b).

Based on the above, the proposed clearing is not at variance to this principle.

#### Methodology Cowan (2001a)

Cowan (2001b) GIS Database:

Threatened Ecological Communities CALM 12/04/05

# (e) Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.

#### **Comments** Proposal is not at variance to this Principle

The area proposed to be cleared does not form a significant remnant of native vegetation. The vegetation association proposed to be cleared is classified as Beard vegetation association 2901, Mosaic: medium woodland; *Allocasurina cristata* & Goldfields Blackbutt/Shrublands; *Acacia quadrimarginea* thicket (GIS database). According to Shepherd *et al.* (2001), approximately 35,471 hectares or 100 % of Beard vegetation association 2901 remains (see below).

	Pre- European	Current	Remaining	Conservation	% in
	area (ha)*	extent (ha)*	%*	Status**	reserves/CALM-
					managed land*
IBRA Region – Coolgardie	12,912,208	12,707,623	~98.4%	Least concern	~9.9%
Shire of Kalgoorlie- Boulder	No information available	No information available			
Beard vegetation associations – Mosaic: Medium Woodland - 2901	35,471	35,471	~100%	Least concern	~0.0%

<sup>\*</sup> Shepherd et al. (2001)

<sup>\*\*</sup> Department of Natural Resources and Environment (2002)

Options to select from	n: Bioregional Conservation Status of Ecological Vegetation Classes  (Department of Natural Resources and Environment 2002)		
Presumed extinct	Probably no longer present in the bioregion		
Endangered*	<10% of pre-European extent remains		
Vulnerable*	10-30% of pre-European extent exists		
Depleted*	>30% and up to 50% of pre-European extent exists		
Least concern	>50% pre-European extent exists and subject to little or no degradation over a majority of this area		
* or a combination of depletion, loss of quality, current threats and rarity gives a comparable status			

Although the percentage of land in reserves or the Department of Conservation and Land Management (CALM) managed land is very low for Beard vegetation association 2901, the regional extent is approximately 100% uncleared, and therefore does not pose a threat to the conservation of this vegetation association.

Based on the above, the proposed clearing is not at variance to this principle.

#### Methodology

Department of Natural Resources and Environment (2002)

Shepherd *et al.* (2001) GIS Database:

Pre European Vegetation DA 01/01

# (f) Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.

#### Comments Proposal is not likely to be at variance to this Principle

A minor non perennial watercourse traverses the proposed western pit (GIS Database). No riparian vegetation was identified in the vegetation survey report (OMG Cawse, 2007).

The nearest perennial wetland is located 28 kilometres west of the proposed clearing site (GIS Database; ANCA, 1996). Diversion drainage structures will be established around the pit in order to maintain existing drainage patterns downstream (OMG Cawse, 2007).

Given the lack of riparian vegetation in the clearing area, the non perennial nature of the local watercourse, the distance from the nearest perennial wetland and the establishment of diversion drainage, it is unlikely that the proposed clearing will affect environments associated with a watercourse or wetland.

Based on the above, the proposed clearing is not likely to be at variance to this principle.

#### Methodology ANCA (1996)

OMG Cawse (2007) GIS Database: Geodata, Lakes - GA 28/06/02

Hydrography, Linear - DoE 1/2/04

Rivers 250K - GA

# (g) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.

#### Comments Proposal is not likely to be at variance to this Principle

The area proposed to be cleared was surveyed by the Department of Agriculture and Food (DAFWA) and has been mapped as Helag Land System, which comprises of very gently inclined wash plains with narrow central drainage tracts (DAFWA, 2007).

The alluvial plain land unit has deep red earth soils that support chenopod shrubland and scattered tall acacia shrubs. This land unit is moderately susceptible to soil reosion if cleared. Alteration of natural flow regimes can also adversely affect native vegetation down gradient (DAFWA, 2007).

Throughout the Cawse leases, soils are highly weathered clays, gravely clays and sandy clays with neutral to slightly alkaline pH. Soil profiles vary from thin topsoil over rocky substrate on slopes to deep loamy clays on floodplains, where topsoil and subsoil are indistinguishable in structure and vary only in organic content and microbial activity (OMG Cawse, 2007).

The application area is adjacent to an active minesite and situated partly over a rehabilitated gravel pit. The soil profile of the Faun pit therefore varies from the surrounding area as it is mainly in the old gravel borrow pit, and the proposed waste dump will yield more of the rocky type of soil than the floodplain (OMG Cawse, 2007).

Erosion control has been a major factor in dump design and choice of rehabilitation techniques for OMG Cawse. The Southern waste dump has proven that establishment of good vegetation cover can be achieved and that erosion can be controlled. Practices which proved effective on the Southern Waste Dump, such as vegetative armouring, use of fresh topsoil and planting and irrigating local native species, will be employed on the Faun dump. The most erodable waste is expected to come from the top 10 metres of prestrip of the Faun pit. This material will be placed centrally in the waste dump and armoured with more blocky siliceous material from lower in the profile before final shaping, topsoiling, vegetation armouring and seeding (OMG Cawse, 2007).

The applicant will establish diversion drainage structures around the pit in order to maintain existing drainage patterns downstream (OMG Cawse, 2007).

Tailings from the Cawse process plant are neutral to slightly alkaline, fine red ferruginous mud with high calcium, magnesium and sulphate. Current disposal is to old pit(s) and has resulted in no deleterious effects on neighbouring vegetation or the local groundwater. There is no sulphidic or other content in the tailings that could lead to acid formation (OMG Cawse, 2007).

The proposed surface water management measures, waste rock dump design and rehabilitation scheme are expected are expected to minimise soil erosion and adverse impacts on native vegetation (DAFWA, 2007).

Furthermore, the proposed clearing is unlikely to exacerbate land degradation such as water logging and water erosion given the low annual rainfall and minimal surface water flow in the application area. With low average annual rainfall of approximately 257 mm, and high annual evaporation rates of approximately 2,800 mm (GIS Database), recharge to groundwater would be low, effectively minimising the risk of salinisation.

Based on the above, the proposed clearing is not likely to be at variance to this principle.

### Methodology DAFWA (2007)

OMG Cawse (2007) GIS Database:

Evaporation Isopleths - BOM 09/98

Mean Annual Rainfall Surface (1975 – 2003) DoW Topographic Contours, Statewide DOLA 19/09/02

# (h) Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.

#### **Comments** Proposal is not likely to be at variance to this Principle

The nearest conservation area to the proposed clearing site is the Clear and Muddy Lakes 'C' class Nature Reserve/ Rowles Lagoon System (ANCA, 1996), which is located approximately 28 kilometres to the west (GIS Database).

The wetlands surface inflow originates from numerous creeks up to 25 kilometres away, mainly to the southwest (ANCA, 1996). The wetland system has been classified as 'fair' condition, and the catchment area as 'moderately disturbed' with no notable threatened flora or fauna (Cowan 2001a). A potential threat facing the wetland system is siltation resulting from pollution of inflow water due to leachate from mine sites (Cowan 2001a). However, given the distance separating the clearing area and the wetland, and that the sediments are likely to end up at the bottom of the pit post clearing, the proposal is unlikely to increase siltation in the watercourse.

Based on the above, the proposed clearing is not likely to be at variance to this principle.

#### Methodology ANCA (1996)

Cowan (2001a) GIS Database:

CALM Managed Lands and Waters CALM 1/7/05

Geodata, Lakes - GA 28/06/02

# (i) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.

#### Comments Proposal is not likely to be at variance to this Principle

The proposed clearing area is not located within a Public Drinking Water Supply Area (PDWSA) (GIS Database). Although a minor non perennial watercourse traverses the proposed western pit (GIS Database), it is of minor concern. No riparian vegetation was identified in the vegetation survey report (OMG Cawse, 2007), and given the non perennial nature of the watercourse it is unlikely that the proposal will remove riparian vegetation.

Limited topsoil will be harvested from the Faun pit footprint as approximately 40% will be over the previously rehabilitated gravel pit. The topsoil will be used immediately on prepared faces of existing dumps or it will be stockpiled using long term storage strategy so as to minimise potential runoff of the topsoil and sedimentation of the watercourse (OMG Cawse, 2007).

Groundwater within the area under application is saline at between 14,000 - 35,000 milligrams per litre of Total Dissolved Solids (TDS) (GIS Database). Given the size of the proposed clearing and the already saline nature of the groundwater, the quality of the groundwater is unlikely to be impacted by the proposed clearing activity. Furthermore, diversion drainage structures will be established around the pit in order to maintain existing drainage patterns downstream (OMG Cawse, 2007).

Based on the above, the proposed clearing is not likely to be at variance to this principle.

#### Methodology

OMG Cawse (2007)

GIS Database:

Groundwater Salinity, Statewide - DoW Properties

Hydrography, Linear - DoE 1/2/04

Public Drinking Water Supply Areas DoE 7/2/06

Rivers 250K - GA

# (j) Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence or intensity of flooding.

#### Comments Proposal is not likely to be at variance to this Principle

The Kalgoorlie-Boulder region is classified as semi-desert and characterised by hot summers and cool winters, with an average rainfall of 257 mm and average annual evaporation rates of 2,800 mm (GIS Database). There are no major drainage lines within the proposed clearing site, and the nearest creekline to the proposal is a minor, non perennial watercourse that traverses the western pit (GIS Database). The catchment area of the watercourse is approximately 400 hectares based on the location of creeklines and contours available (GIS Database).

The applicant will establish diversion drainage structures around the pit in order to maintain existing drainage patterns downstream (OMG Cawse, 2007).

Based on the above, the proposed clearing is not likely to be at variance to this principle.

#### Methodology

OMG Cawse (2007)

GIS Database:

Evaporation Isopleths - BOM 09/98

Hydrographic Catchments - Catchments - DoE 23/3/05

Hydrography, Linear - DoE 1/2/04 Rainfall, Mean Annual - BOM 30/09/01

#### Planning instrument, Native Title, Previous EPA decision or other matter.

#### Comments

There are two Native Title Claims (WC 98\_027 & WC 99\_029) over the area under application (GIS Database). However, the mining leases have been granted, and the clearing is for a purpose consistent with the lease, therefore the granting of a clearing permit is not a future act under the *Native Title Act 1993*.

Five Aboriginal Sites of Significance (Ora Branda Isolated Artefacts, Cawse Mine 1, Cawse Find 08/Cawse Tank, Cawse Find 07 and Cawse Find 06) occur within two kilometres of the proposed clearing area. It is the proponent's responsibility to comply with the *Aboriginal Act 1972* and to ensure that no site of Aboriginal significance is damaged through the clearing process.

The proposed clearing is located on a Crown Reserve 16555 vested with the Waters and Rivers Commission (GIS Database). The value of 16555 is an historical water infrastructure on site (an old concrete trough/dam) that is damaged and no longer functioning. On 22 February 2007, the Department of Water (DoW) stated to OMG Cawse that it had no objection in principle to the proposal, however caution should be taken to avoid damage to historical infrastructure on reserve 16555 (DoW, 2007).

The proposed Faun Pit and waste dump for OMG Cawse Pty Ltd are subject to the *Mining Act 1978* approval process. It is the proponent's responsibility to liaise with the Department of Environment and Conservation and the Department of Water to determine whether a Works Approval, Water Licence, Bed and Banks Permit, or any other licences or approvals are required for the proposed works.

#### Methodology

DoW (2007)

GIS Database:

Native Title Claims-DLI 7/11/05 Sites of Aboriginal Significance DIA

CALM Managed Lands and Waters - CALM 1/07/05

#### 4. Assessor's recommendations

# Purpose Method Applied area (ha)/ trees Mineral Production Removal Removal Removal Removal Removal Production Purpose Method Removal Removal

The assessing officer recommends that the permit be granted subject to the following condtions

- 1. The Permit Holder shall record the following for each instance of clearing:
  - a) the location where the clearing occurred, expressed as grid coordinates using the Geocentric Datum of Australia 1994 coordinate system;
  - b) the size of the area cleared in hectares;
  - c) the method of clearing;
  - d) the purpose of clearing;
  - e) the area rehabilitated in hectares; and
  - f) the dates on which the area was cleared.
- 2. The Permit Holder shall provide a report to the Director, Environment, Department of Industry and Resources by 31 March each year for the life of the permit setting out the records required under condition 1 of this permit in relation to clearing carried out between 1st January and 31st December the previous year.

#### 5. References

- ANCA (1996) A Directory of Important Wetlands in Australia. Second Edition. Australian Nature Conservation Agency, Canberra
- Cowan M (2001a) Coolgardie 3 (COO3 Eastern Goldfields subregion) Subregional description and biodiversity values, dated August 2001. In: "A biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002". Report published by the Department of Conservation and Land Management, Perth, Western Australia.
- Cowan M (2001b) Murchison 1 (MUR 1 East Murchison subregion) Subregional description and biodiversity values, dated September 2001. In: "A biodiversity Audit of Western Australia's 53 Biogeographical Subregions in 2002". Report published by the Department of Conservation and Land Management, Perth, Western Australia.
- Department of Agriculture and Food Western Australia (2007) Soil erosion advice for land clearing application. Advice to Assessing Officer, Native Vegetation Assessment Branch, Department of Industry and Resources, received 26 April 2007. Department of Agriculture and Food Western Australia.
- Department of Conservation and Land Management (2002) A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions.

- Department of Natural Resources and Environment (2002) Biodiversity Action Planning. Action planning for native biodiversity at multiple scales; catchment bioregional, landscape, local. Department of Natural Resources and Environment, Victoria.
- Department of Water (2007) Water Reserve 16555 advice for land clearing application. Advice to Assessing Officer, Native Vegetation Assessment Branch, Department of Industry and Resources (DoIR), received 22 February 2007. Department of Water, Western Australia.

Garnett, S.T. and Crowley, G.M. (2000) The Action Plan for Australian Birds 2000. Department of the Environment and Water Resources, Canberra.

Keighery, B.J. (1994) Bushland Plant Survey: A Guide to Plant Community Survey for the Community. Wildflower Society of WA (Inc). Nedlands, Western Australia.

Mattiske Consulting (1998) Mapping of vegetation complexes in the South West forest region of Western Australia, CALM. OMG Cawse Pty Ltd Cawse Nickel Operation (2007) Mining proposal to clear and develop 'Faun Pit' on ML24/517 & ML24/518. East of Typhon Pit. Unpublished report dated January 2007.

Pearson, D., Shine, R., and Williams, A. (2005) Spatial ecology of a threatened python (*Morelia spilota imbricata*) and the effects of anthropogenic habitat change. Austral Ecology 30, 261-274.

Pizzey, G. and Knight, F. (1997) Field Guide to the Birds of Australia. Angus & Robertson, Sydney.

Shepherd, D.P., Beeston, G.R. and Hopkins, A.J.M. (2001) Native Vegetation in Western Australia, Extent, Type and Status. Resource Management Technical Report 249. Department of Agriculture, Western Australia.

WA Museum (2003) FaunaBase and WA Fauna List. Western Australian Museum, Perth.

### 6. Glossary

### **Acronyms:**

**BoM** Bureau of Meteorology, Australian Government.

**CALM** Department of Conservation and Land Management, Western Australia.

**DAFWA** Department of Agriculture and Food, Western Australia.

DA Department of Agriculture, Western Australia.

DEC Department of Environment and Conservation

**DEH** Department of Environment and Heritage (federal based in Canberra) previously Environment Australia

**DEP** Department of Environment Protection (now DoE), Western Australia.

**DIA** Department of Indigenous Affairs

Does Department of Land Information, Western Australia.

Does Department of Environment, Western Australia.

**DOLA** Department of Industry and Resources, Western Australia.

Department of Land Administration, Western Australia.

**DoW** Department of Water

**EP Act** Environment Protection Act 1986, Western Australia.

**EPBC Act** Environment Protection and Biodiversity Conservation Act 1999 (Federal Act)

**GIS** Geographical Information System.

**IBRA** Interim Biogeographic Regionalisation for Australia.

IUCN International Union for the Conservation of Nature and Natural Resources – commonly known as the World

Conservation Union

RIWI Rights in Water and Irrigation Act 1914, Western Australia.

s.17 Section 17 of the Environment Protection Act 1986, Western Australia.

**TECs** Threatened Ecological Communities.

#### **Definitions:**

{Atkins, K (2005). Declared rare and priority flora list for Western Australia, 22 February 2005. Department of Conservation and Land Management, Como, Western Australia}:-

- P1 Priority One Poorly Known taxa: taxa which are known from one or a few (generally <5) populations which are under threat, either due to small population size, or being on lands under immediate threat, e.g. road verges, urban areas, farmland, active mineral leases, etc., or the plants are under threat, e.g. from disease, grazing by feral animals, etc. May include taxa with threatened populations on protected lands. Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.
- **P2 Priority Two Poorly Known taxa**: taxa which are known from one or a few (generally <5) populations, at least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.
- **Priority Three Poorly Known taxa**: taxa which are known from several populations, at least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in need of further survey.
- P4 Priority Four Rare taxa: taxa which are considered to have been adequately surveyed and which, whilst being rare (in Australia), are not currently threatened by any identifiable factors. These taxa require monitoring every 5–10 years.
- R Declared Rare Flora Extant taxa (= Threatened Flora = Endangered + Vulnerable): taxa which have been adequately searched for, and are deemed to be in the wild either rare, in danger of extinction, or otherwise in

need of special protection, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.

X Declared Rare Flora - Presumed Extinct taxa: taxa which have not been collected, or otherwise verified, over the past 50 years despite thorough searching, or of which all known wild populations have been destroyed more recently, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.

{Wildlife Conservation (Specially Protected Fauna) Notice 2005} [Wildlife Conservation Act 1950] :-

- Schedule 1 Fauna that is rare or likely to become extinct: being fauna that is rare or likely to become extinct, are declared to be fauna that is need of special protection.
- Schedule 2 Schedule 2 Fauna that is presumed to be extinct: being fauna that is presumed to be extinct, are declared to be fauna that is need of special protection.
- Schedule 3 Birds protected under an international agreement: being birds that are subject to an agreement between the governments of Australia and Japan relating to the protection of migratory birds and birds in danger of extinction, are declared to be fauna that is need of special protection.
- Schedule 4 Other specially protected fauna: being fauna that is declared to be fauna that is in need of special protection, otherwise than for the reasons mentioned in Schedules 1, 2 or 3.

{CALM (2005). Priority Codes for Fauna. Department of Conservation and Land Management, Como, Western Australia}:-

- P1 Priority One: Taxa with few, poorly known populations on threatened lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, active mineral leases. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- Priority Two: Taxa with few, poorly known populations on conservation lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not under immediate threat of habitat destruction or degradation, e.g. national parks, conservation parks, nature reserves, State forest, vacant Crown land, water reserves, etc. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- Priority Three: Taxa with several, poorly known populations, some on conservation lands: Taxa which are known from few specimens or sight records from several localities, some of which are on lands not under immediate threat of habitat destruction or degradation. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- P4 Priority Four: Taxa in need of monitoring: Taxa which are considered to have been adequately surveyed, or for which sufficient knowledge is available, and which are considered not currently threatened or in need of special protection, but could be if present circumstances change. These taxa are usually represented on conservation lands.
- **Priority Five: Taxa in need of monitoring**: Taxa which are not considered threatened but are subject to a specific conservation program, the cessation of which would result in the species becoming threatened within five years.

#### Categories of threatened species (Environment Protection and Biodiversity Conservation Act 1999)

**EX Extinct:** A native species for which there is no reasonable doubt that the last member of the species has died.

**EX(W) Extinct in the wild:** A native species which:

- (a) is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range; or
- (b) has not been recorded in its known and/or expected habitat, at appropriate seasons, anywhere in its past range, despite exhaustive surveys over a time frame appropriate to its life cycle and form.
- **CR Critically Endangered:** A native species which is facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with the prescribed criteria.

**EN Endangered:** A native species which:

- (a) is not critically endangered; and
- (b) is facing a very high risk of extinction in the wild in the near future, as determined in accordance with the prescribed criteria.

**VU Vulnerable:** A native species which:

- (a) is not critically endangered or endangered; and
- (b) is facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with the prescribed criteria.
- **CD Conservation Dependent:** A native species which is the focus of a specific conservation program, the cessation of which would result in the species becoming vulnerable, endangered or critically endangered within a period of 5 years.