

Clearing Permit Decision Report

1. Application details

1.1. Permit application details

Permit application No.: 3259/2

Permit type: Purpose Permit

1.2. Proponent details

Proponent's name: Moly Metals Australia Pty Ltd

1.3. Property details

Property: Mining Leases 45/1095, 45/1096, 45/1097, 45/1164

Shire of East Pilbara

Miscellaneous Licences 45/184 and 45/185

Local Government Area:

Colloquial name: Spinifex Ridge Iron Ore Project

1.4. Application

Clearing Area (ha) No. Trees Method of Clearing For the purpose of:
112 Mechanical Removal Mineral Production

1.5. Decision on application

Decision on Permit Application: Grant

Decision Date: 8 November 2012

2. Site Information

2.1. Existing environment and information

2.1.1. Description of the native vegetation under application

Vegetation Description

Beard Vegetation Associations have been mapped for the whole of Western Australia and are useful to look at vegetation extent in a regional context. Two Beard Vegetation Associations are located within the application area (GIS Database):

- 1. Beard Vegetation Association 93 Hummock grasslands, shrub steppe; kanji over soft spinifex; and
- 2. Beard Vegetation Association 171 Hummock grasslands, low tree steppe; Snappy Gum over soft spinifex & Triodia brizioides.

Outback Ecology Services (2006) undertook a dual season baseline flora and vegetation survey of the Spinifex Ridge Molybdenum Project area between 25 and 30 July 2005 and 28 April and 3 May 2006. Although the Spinifex Ridge Iron Ore Project is located within the Spinifex Ridge Molybdenum Project area surveyed by Outback Ecology Services (2006), no specific vegetation quadrats were established within the area subject to this clearing permit application. Consequently, Moly Mines Limited (2009b) undertook a botanical survey in July 2009 where quadrats were established in the proposed clearing area. The purpose of the survey was to validate vegetation descriptions and conclusions made by Outback Ecology Services (2006) and where necessary, revise vegetation mapping boundaries at the local scale and identify vegetation variability within the clearing footprint area (Moly Mines Limited, 2009b).

Based on flora and vegetation surveys conducted by Outback Ecology Services (2006) and Moly Mines Limited (2009b), the following ten vegetation associations were mapped within the proposed clearing area:

Hills and Ridges (H)

- H1 Acacia inaequilatera scattered tall shrubs to high open shrubland over mixed Corchorus parviflorus I Indigofera monophylla / Tephrosia spp. / Ptilotus calostachyus low scattered shrubs to low open shrubland over Triodia epactia hummock grassland. This vegetation association covers a majority of the proposed clearing area, occurring on the flat topped Talga Range and hills.
- H2 Eucalyptus leucophloia ssp. leucophloia scattered low trees to low open woodland with occasional Corymbia hamersleyana over Acacia inaequilatera open shrubland over Triodia epactia hummock grassland. This vegetation association occurs on the southern faces of the Talga Range and hills. Some small pockets also occur on top of the range, on slopes and in minor valleys.
- H3 Ficus brachypoda / Atalaya hemiglauca low open woodland over Dodonaea viscosa ssp. mucronata scattered shrubs to open shrubland over Cymbopogon procerus / Eriachne mucronata open tussock grassland. This vegetation association occurs on very steep southern cliff faces of the Talga Range where rock faces are present.
- H4 Eucalyptus leucophloia ssp. leucophloia low woodland over Acacia inaequilatera scattered shrubs to high open shrubland over Acacia ptychophylla / Corchorus parviflorus low open shrubland over Triodia brizoides / T. epactia hummock grassland. This vegetation association occurs in sections along the lower

southern face of the Talga Range.

Plains (P)

P1 - Acacia inaequilatera high shrubland to scattered shrubs over *Triodia epactia* hummock grassland. This vegetation association occurs on plains north and south of the Talga Range, including both sandy and rocky areas.

P2 - Acacia inaequilatera high open shrubland to scattered shrubs over *Triodia wiseana* hummock grassland with some *Triodia epactia*. This vegetation association occurs on plains north of the Talga Range, often where there is a covering of quartz fragments.

Drainage Lines (D)

D1 – *Triodia longiceps* hummock grassland. This vegetation association occurs as one very shallow drainage line over flats and plains south of the Talga Range.

D5 – Corymbia hamersleyana low open woodland over Acacia turnida var. pilbarensis / A. pyrifolia open scrub to high open shrubland over Triodia epactia hummock grassland. This vegetation association occurs as two rocky drainage lines south of the Talga Range.

D6 - Eucalyptus camaldulensis open woodland over Corymbia hamersleyana low open woodland over Tephrosia rosea shrubland over Stemodia viscosa open herbs over Triodia epactia open hummock grassland. This vegetation association occurs as one rocky drainage line between the exploration camp and proposed access ramp.

D7 - Acacia tumida var. pilbarensis open scrub to high shrubland over Triodia epactia open hummock grassland along drainage lines. This vegetation association occurs as four minor drainage lines that vary from having very rocky to sandy substrates north of the Talga Range.

Clearing Description

Moly Metals Australia Pty Ltd has applied to clear up to 112 hectares of native vegetation within a boundary of approximately 266 hectares. The proposed clearing is for the establishment of the Spinifex Ridge Iron Ore Project (SRIOP), located approximately 50 kilometres north-east of Marble Bar (Moly Mines Limited, 2009a).

Clearing associated with the project will allow open cut pits to be developed on top of a banded ironstone formation ridge (Spinifex Ridge or Talga Range as it is known locally). In addition, the clearing is proposed for the purpose of constructing waste rock landforms, access ramps, a run of mine pad, crushing plant, stockpile areas, access roads and a minor expansion to an existing exploration camp (Moly Mines Limited, 2009a).

Vegetation Condition

Excellent: Vegetation structure intact; disturbance affecting individual species, weeds non-aggressive (Keighery, 1994);

to

Pristine: No obvious signs of disturbance (Keighery, 1994).

Comment

The vegetation condition rating is derived from information provided by Outback Ecology Services (2006) and Moly Mines Limited (2009a; 2009b).

An application to amend clearing permit CPS 3259/1 was received by the Department of Mines and Petroleum on 21 September 2012. The application requested an increase to the boundary of the clearing permit of 13 hectares and an increase in the area approved for clearing from 80 to 112 hectares. The increased area is required for the expansion of a waste rock landform.

3. Assessment of application against clearing principles

Comments

Moly Metals Australia Pty Ltd has applied to increase the boundary of the clearing permit by 13 hectares and increase the area cleared from 80 to 112 hectares.

The proposed amendment to the currently approved clearing footprint will impact upon vegetation associations H1, H2, H3 and H4. The majority (8 hectares) is located within vegetation association H1 which is well represented both locally and regionall. Moly Mines Limited (2012) have identified that the H3 vegetation association of the Mesic area is likkely to have limited local distribution, however, only an additional 0.01 hectares of this vegetation association will be impacted within the amended area (Moly Mines Limited, 2012).

The vegetation within the additional clearing area ranges from excellent to pristine condition (Keighery, 1994). However, Moly Mines Limited (2012) have identified no additional impacts to Threatened and Priority Flora or Ecological Communities.

Moly Mines Limited (2012) have identified Breakaway habitat of the Talga range, which is associated with the H3 vegetaion association, as a key fauna habitat within the SRIOP. However, all habitats present in the SRIOP area are well represented elsewhere in the Pilbara bioregion and the Breakaway Habitat represents less than 0.5 hectares of the additional amended application area (Moly Mines Limited, 2012). It is therefore unlikley that the amended application area represents a significant habitat for fauna.

The environmental impacts of this proposal have been reviewed and there are no significant additional environmental impacts associated with this amendment (GIS Database; Moly Mines Limited, 2012). Therefore the assessment against the clearing principles has not changed and can be found in the Clearing Permit Decision Report CPS 3259/1.

Methodology

Moly Mines Limited (2012)

Keighery (1994) GIS Database: - DEC Tenure

- Evaporation Isopleths
- Groundwater Salinity, Statewide

- Hydrography, linear

- IBRA WA (Regions - Sub Regions)

- Pre-European Vegetation

- Public Drinking Water Source Areas (PDWSAs)
- Rainfall, mean Annual
- Rangeland Land System MappingThreatened Ecological Sites Buffered
- Threatened and Priority Flora

Planning instrument, Native Title, Previous EPA decision or other matter.

Comments

There is one Native Title Claim (WC99/8) over the area under application (GIS Database). This claim has been registered with the National Native Title Tribunal on behalf of the claimant group. However, the tenure has been granted in accordance with the future act regime of the *Native Title Act 1993* and the nature of the act (i.e. the proposed clearing activity) has been provided for in that process, therefore the granting of a clearing permit is not a future act under the *Native Title Act 1993*.

There are two registered Aboriginal Sites of Significance within the application area (GIS Database). It is the proponent's responsibility to comply with the *Aboriginal Heritage Act 1972* and ensure that no Aboriginal Sites of Significance are damaged through the clearing process.

It is the proponent's responsibility to liaise with the Department of Environment and Conservation and the Department of Water, to determine whether a Works Approval, Water Licence, Bed and Banks Permit, or any other licences or approvals are required for the proposed works.

The clearing permit amendment was advertised on 5 October 2009 by the Department of Mines and Petroleum inviting submissions from the public. No submissions were received to the proposed amendment.

Methodology

GIS Database:

- Aboriginal Sites of Significance
- Native Title Claims Registered with the NNTT

4. References

Keighery, B.J. (1994) Bushland Plant Survey: A Guide to Plant Community Survey for the Community. Wildflower Society of WA (Inc). Nedlands, Western Australia.

Moly Mines Limited (2009a) Application for a Clearing Permit (Purpose Permit) under the Environmental Protection Act 1986 s 51E, July 2009.

Moly Mines Limited (2009b) Spinifex Ridge Iron Ore Project. Botanical Site Survey (Iron Ore Project). July 2009.

Moly Mines Limited (2012) Spinifex Ridge Iron Ore Project. Application for an Amendment to the Clearing Permit (Purpose Permit) No: 3259/1 under the Environmental Protection Act 1986 s51m. September 2012.

Outback Ecology Services (2006) Spinifex Ridge Molybdenum Project: Vegetation and Flora - Baseline Surveys (2005-2006). November 2006.

5. Glossary

Acronyms:

BoM Bureau of Meteorology, Australian Government

CALM Department of Conservation and Land Management (now DEC), Western Australia

DAFWA Department of Agriculture and Food, Western Australia

DEC Department of Environment and Conservation, Western Australia

DEH Department of Environment and Heritage (federal based in Canberra) previously Environment Australia

DEP Department of Environment Protection (now DEC), Western Australia

DIA Department of Indigenous Affairs

DLI Department of Land Information, Western Australia
DMP Department of Mines and Petroleum, Western Australia
DoE Department of Environment (now DEC), Western Australia

DoIR Department of Industry and Resources (now DMP), Western Australia

DOLA Department of Land Administration, Western Australia

DoW Department of Water

EP Act Environmental Protection Act 1986, Western Australia

EPBC Act Environment Protection and Biodiversity Conservation Act 1999 (Federal Act)

GIS Geographical Information System Hectare (10,000 square metres)

IBRA Interim Biogeographic Regionalisation for Australia

IUCN International Union for the Conservation of Nature and Natural Resources – commonly known as the World

Conservation Union

RIWI Act Rights in Water and Irrigation Act 1914, Western Australia

s.17 Section 17 of the Environment Protection Act 1986, Western Australia

TEC Threatened Ecological Community

Definitions:

R

X

P3

{Atkins, K (2005). Declared rare and priority flora list for Western Australia, 22 February 2005. Department of Conservation and Land Management, Como, Western Australia}:-

P1 Priority One - Poorly Known taxa: taxa which are known from one or a few (generally <5) populations which are under threat, either due to small population size, or being on lands under immediate threat, e.g. road verges, urban areas, farmland, active mineral leases, etc., or the plants are under threat, e.g. from disease, grazing by feral animals, etc. May include taxa with threatened populations on protected lands. Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.

P2 Priority Two - Poorly Known taxa: taxa which are known from one or a few (generally <5) populations, at least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.

Priority Three - Poorly Known taxa: taxa which are known from several populations, at least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in need of further survey.

P4 Priority Four – Rare taxa: taxa which are considered to have been adequately surveyed and which, whilst being rare (in Australia), are not currently threatened by any identifiable factors. These taxa require monitoring every 5–10 years.

Declared Rare Flora – Extant taxa (= Threatened Flora = Endangered + Vulnerable): taxa which have been adequately searched for, and are deemed to be in the wild either rare, in danger of extinction, or otherwise in need of special protection, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.

Declared Rare Flora - Presumed Extinct taxa: taxa which have not been collected, or otherwise verified, over the past 50 years despite thorough searching, or of which all known wild populations have been destroyed more recently, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.

{Wildlife Conservation (Specially Protected Fauna) Notice 2005} [Wildlife Conservation Act 1950] :-

Schedule 1 – Fauna that is rare or likely to become extinct: being fauna that is rare or likely to become extinct, are declared to be fauna that is need of special protection.

Schedule 2 — Fauna that is presumed to be extinct: being fauna that is presumed to be extinct, are declared to be fauna that is need of special protection.

Schedule 3 — Birds protected under an international agreement: being birds that are subject to an agreement between the governments of Australia and Japan relating to the protection of migratory birds and birds in danger of extinction, are declared to be fauna that is need of special protection.

Schedule 4 – Other specially protected fauna: being fauna that is declared to be fauna that is in need of special protection, otherwise than for the reasons mentioned in Schedules 1, 2 or 3.

{CALM (2005). Priority Codes for Fauna. Department of Conservation and Land Management, Como, Western Australia}:-

Priority One: Taxa with few, poorly known populations on threatened lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, active mineral leases. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.

Priority Two: Taxa with few, poorly known populations on conservation lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not under immediate threat of habitat destruction or degradation, e.g. national parks, conservation parks, nature reserves, State forest, vacant Crown land, water reserves, etc. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.

Priority Three: Taxa with several, poorly known populations, some on conservation lands: Taxa which are known from few specimens or sight records from several localities, some of which are on lands not under immediate threat of habitat destruction or degradation. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.

- Priority Four: Taxa in need of monitoring: Taxa which are considered to have been adequately surveyed, or for which sufficient knowledge is available, and which are considered not currently threatened or in need of special protection, but could be if present circumstances change. These taxa are usually represented on conservation lands.
- P5 Priority Five: Taxa in need of monitoring: Taxa which are not considered threatened but are subject to a specific conservation program, the cessation of which would result in the species becoming threatened within five years.

Categories of threatened species (Environment Protection and Biodiversity Conservation Act 1999)

EXExtinct: A native species for which there is no reasonable doubt that the last member of the species has died.

EX(W) Extinct in the wild: A native species which:

- (a) is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range; or
- (b) has not been recorded in its known and/or expected habitat, at appropriate seasons, anywhere in its past range, despite exhaustive surveys over a time frame appropriate to its life cycle and form.
- CR Critically Endangered: A native species which is facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with the prescribed criteria.
- EN Endangered: A native species which:
 - (a) is not critically endangered; and
 - (b) is facing a very high risk of extinction in the wild in the near future, as determined in accordance with the prescribed criteria.
- VU Vulnerable: A native species which:
 - (a) is not critically endangered or endangered; and
 - (b) is facing a high risk of extinction in the wild in the medium term future, as determined in accordance with the prescribed criteria.
- CD Conservation Dependent: A native species which is the focus of a specific conservation program, the cessation of which would result in the species becoming vulnerable, endangered or critically endangered within a period of 5 years.

Principles for clearing native vegetation:

- (a) Native vegetation should not be cleared if it comprises a high level of biological diversity.
- (b) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.
- (c) Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.
- (d) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community.
- (e) Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.
- (f) Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.
- (g) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.
- (h) Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.
- (i) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.
- (j) Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence or intensity of flooding.

