

# **Clearing Permit Decision Report**

1. Application deta				
1.1. Permit applica	ation details			
Permit application No.:	4132/8	8		
Permit type:	Purpo	se Permit		
1.2. Proponent de	tails			
Proponent's name:		ire Resources Limited		
1.3. Property deta	ils			
Property:		g Lease 52/1046		
		Miscellaneous Licence 52/122		
	Miscellaneous Licence 52/161			
Local Government Area:		of Meekatharra		
Colloquial name:	DeGrussa Copper-Gold Project			
1.4. Application				
Clearing Area (ha) 450	No. Trees	Method of Clearing Mechanical Removal	For the purpose of: Mineral Production	
1.5. Decision on a	pplication			
Decision on Permit Appl				
Decision Date:	4 Mar	ch 2021		
2 Sita Information				
2. Site Information				
2.1. Existing envir	ronment and i	nformation		
2.1.1. Description of	the native vege	etation under application		
Vegetation Description	Beard vegetation associations have been mapped for the whole of Western Australia. Two Beard vegetation associations have been mapped within the application area (GIS Database):			
•	-			
-	vegetation asso 18: Low woodla		ithin the application area (GIS Database): d	
	vegetation asso 18: Low woodla 29: Sparse low The application	ociations have been mapped w and; mulga ( <i>Acacia aneura</i> ); an woodland; mulga & <i>Acacia vic</i>	ithin the application area (GIS Database): d <i>toriae</i> in scattered groups. e Consulting (2010) over 2009 and 2010. The following seven	
	vegetation asso 18: Low woodla 29: Sparse low The application vegetation type <b>S1:</b> Open scrul <i>Eremophila ma</i>	ociations have been mapped w and; mulga ( <i>Acacia aneura</i> ); an woodland; mulga & <i>Acacia vic</i> a area was surveyed by Mattisk es were recorded in the applicat b of <i>Grevillea berryana</i> , <i>Acacia</i> argarethae, <i>Eremophila forrestii</i>	ithin the application area (GIS Database): d <i>toriae</i> in scattered groups. e Consulting (2010) over 2009 and 2010. The following seven	
	vegetation asso 18: Low woodla 29: Sparse low The application vegetation type <b>S1:</b> Open scrul <i>Eremophila ma</i> <i>Aristida contort</i> pebbles; <b>S2:</b> Low woodl	ociations have been mapped w and; mulga ( <i>Acacia aneura</i> ); an woodland; mulga & <i>Acacia vic</i> a area was surveyed by Mattisk es were recorded in the applicat b of Grevillea berryana, Acacia argarethae, Eremophila forrestii ta and Monachather paradoxus	ithin the application area (GIS Database): d toriae in scattered groups. e Consulting (2010) over 2009 and 2010. The following seven tion area: aneura var. aneura and Acacia kempeana over Eremophila incisa, subsp. forrestii, Ptilotus obovatus and Ptilotus schwartzii over on red/brown sandy loam flats with dolerite, ironstone and quartz ura and Grevillea berryana over Eremophila incisa and Ptilotus	
	vegetation asso 18: Low woodla 29: Sparse low The application vegetation type <b>S1</b> : Open scrul <i>Eremophila ma</i> <i>Aristida contort</i> pebbles; <b>S2</b> : Low woodl species on red, <b>LW1</b> : Low woo <i>berryana</i> over <i>D</i>	ociations have been mapped w and; mulga ( <i>Acacia aneura</i> ); an woodland; mulga & <i>Acacia vic</i> a area was surveyed by Mattisk so were recorded in the applicat bo of <i>Grevillea berryana</i> , <i>Acacia</i> <i>argarethae</i> , <i>Eremophila forrestii</i> ta and <i>Monachather paradoxus</i> and of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with inc dland of <i>Acacia aneura</i> var. <i>aneu</i> <i>Eremophila foliosissima</i> , <i>Eremo</i>	ithin the application area (GIS Database): d toriae in scattered groups. e Consulting (2010) over 2009 and 2010. The following seven tion area: aneura var. aneura and Acacia kempeana over Eremophila incisa, subsp. forrestii, Ptilotus obovatus and Ptilotus schwartzii over on red/brown sandy loam flats with dolerite, ironstone and quartz ura and Grevillea berryana over Eremophila incisa and Ptilotus	
	vegetation asso 18: Low woodla 29: Sparse low The application vegetation type <b>S1</b> : Open scrul <i>Eremophila ma</i> <i>Aristida contort</i> pebbles; <b>S2</b> : Low woodl species on red, <b>LW1</b> : Low woo <i>berryana</i> over <i>A</i> species and mi <b>LW2</b> : Open low <i>tetragonophylla</i>	ociations have been mapped w and; mulga ( <i>Acacia aneura</i> ); an woodland; mulga & <i>Acacia vic</i> a area was surveyed by Mattisk as were recorded in the applicat b of <i>Grevillea berryana</i> , <i>Acacia</i> <i>argarethae</i> , <i>Eremophila forrestii</i> ta and <i>Monachather paradoxus</i> and of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with irc dland of <i>Acacia aneura</i> var. <i>aneu</i> <i>Eremophila foliosissima</i> , <i>Eremo</i> ixed grasses on red/brown sand v woodland of <i>Acacia aneura</i> var.	Anthin the application area (GIS Database): d toriae in scattered groups. e Consulting (2010) over 2009 and 2010. The following seven tion area: aneura var. aneura and Acacia kempeana over Eremophila incisa, subsp. forrestii, Ptilotus obovatus and Ptilotus schwartzii over on red/brown sandy loam flats with dolerite, ironstone and quartz ura and Grevillea berryana over Eremophila incisa and Ptilotus onstone pebbles; eura, Acacia macraneura, Acacia pruinocarpa and Grevillea ophila forrestii subsp. forrestii and Eremophila galeata over Ptilotus dy loam flats on ironstone pebbles; ar. aneura, Acacia cuthbertsonii subsp. linearis and Acacia mophila margarethae over Ptilotus and Senna species on	
	<ul> <li>vegetation asso</li> <li>18: Low woodla</li> <li>29: Sparse low</li> <li>The application vegetation type</li> <li>S1: Open scrul</li> <li><i>Eremophila ma</i></li> <li><i>Aristida contort</i></li> <li>pebbles;</li> <li>S2: Low woodl</li> <li>species on red,</li> <li>LW1: Low woo</li> <li>berryana over a</li> <li>species and mi</li> <li>LW2: Open low</li> <li>tetragonophylla</li> <li>red/brown sand</li> <li>C1: Open scrul</li> <li>tetragonophylla</li> </ul>	bociations have been mapped w and; mulga ( <i>Acacia aneura</i> ); an woodland; mulga & <i>Acacia vic</i> a area was surveyed by Mattisk as were recorded in the applicat bo of <i>Grevillea berryana</i> , <i>Acacia</i> <i>argarethae</i> , <i>Eremophila forrestii</i> a and <i>Monachather paradoxus</i> and of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with irc dland of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with irc dland of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with irc dland of <i>Acacia aneura</i> var. <i>aneu</i> /woodland of <i>Acacia aneura</i> var. <i>a</i> over <i>Eremophila galeata</i> , <i>Eren</i> dy loam flats with quartz pebble bo of <i>Acacia aneura</i> var. <i>aneura</i> <i>a</i> over <i>Psydrax latifolia</i> , <i>Senna a</i> <i>asiophyllum</i> over mixed herbs a	Anthin the application area (GIS Database): d toriae in scattered groups. e Consulting (2010) over 2009 and 2010. The following seven tion area: aneura var. aneura and Acacia kempeana over Eremophila incisa, subsp. forrestii, Ptilotus obovatus and Ptilotus schwartzii over on red/brown sandy loam flats with dolerite, ironstone and quartz ura and Grevillea berryana over Eremophila incisa and Ptilotus postone pebbles; eura, Acacia macraneura, Acacia pruinocarpa and Grevillea ophila forrestii subsp. forrestii and Eremophila galeata over Ptilotus dy loam flats on ironstone pebbles; ar. aneura, Acacia cuthbertsonii subsp. linearis and Acacia mophila margarethae over Ptilotus and Senna species on s; , Acacia aneura var. conifera, Acacia kempeana and Acacia	
	<ul> <li>vegetation asso</li> <li>18: Low woodla</li> <li>29: Sparse low</li> <li>The application vegetation type</li> <li>S1: Open scrul</li> <li><i>Eremophila ma</i></li> <li><i>Aristida contort</i></li> <li>pebbles;</li> <li>S2: Low woodl</li> <li>species on red.</li> <li>LW1: Low woo</li> <li>berryana over a</li> <li>species and mi</li> <li>LW2: Open low</li> <li>tetragonophylla</li> <li>red/brown sand</li> <li>C1: Open scrul</li> <li>tetragonophylla</li> <li>red/brown clay</li> <li>C2: Low open a</li> <li>Acacia tetragoo</li> <li>grasses with open</li> </ul>	bociations have been mapped w and; mulga ( <i>Acacia aneura</i> ); an woodland; mulga & <i>Acacia vic</i> a area was surveyed by Mattisk as were recorded in the applicat bo of <i>Grevillea berryana</i> , <i>Acacia</i> <i>argarethae</i> , <i>Eremophila forrestii</i> ta and <i>Monachather paradoxus</i> and of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with irc dland of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with irc dland of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with irc dland of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with irc dland of <i>Acacia aneura</i> var. <i>aneu</i> /brown sandy loam flats with irc dy loam flats with quartz pebble b of <i>Acacia aneura</i> var. <i>aneura</i> a over <i>Psydrax latifolia</i> , <i>Senna a</i> <i>asiophyllum</i> over mixed herbs a loam; woodland of <i>Acacia aneura</i> var <i>nophylla</i> over <i>Eremophila galea</i>	A toriae in scattered groups. e Consulting (2010) over 2009 and 2010. The following seven tion area: aneura var. aneura and Acacia kempeana over Eremophila incisa, subsp. forrestii, Ptilotus obovatus and Ptilotus schwartzii over on red/brown sandy loam flats with dolerite, ironstone and quartz ura and Grevillea berryana over Eremophila incisa and Ptilotus ponstone pebbles; eura, Acacia macraneura, Acacia pruinocarpa and Grevillea ophila forrestii subsp. forrestii and Eremophila galeata over Ptilotus dy loam flats on ironstone pebbles; ar. aneura, Acacia cuthbertsonii subsp. linearis and Acacia mophila margarethae over Ptilotus and Senna species on s; , Acacia aneura var. conifera, Acacia kempeana and Acacia artemisioides subsp. helmsii, Eremophila galeata, Ptilotus obovatus	

Clearing Description	DeGrussa Copper-Gold Project. Sandfire Resources Limited (Sandfire) proposes to clear up to 450 hectares of native vegetation within a total boundary of 1,331.5 hectares for the purpose of mineral production. The project is located approximately 138 kilometres north-east of Meekatharra, in the Shire of Meekatharra.
Vegetation Condition	Very Good: Vegetation structure altered; obvious signs of disturbance (Keighery, 1994);
	to:
	Excellent: Vegetation structure intact; disturbance affecting individual species, weeds non-aggressive (Keighery, 1994).
Comment	The vegetation condition was derived from a vegetation survey conducted by Mattiske (2010).
	Clearing Permit CPS 4132/1 was granted to Sandfire by the Department of Mines and Petroleum (now the Department of Mines, Industry Regulation and Safety) on 17 February 2011 and authorised the clearing of 242 hectares of native vegetation within a boundary of 1,324.5 hectares, for the purpose of mineral production.
	CPS 4132/2 was granted on 14 July 2011 to increase the amount of clearing authorised to 302 hectares.
	CPS 4132/3 was granted on 26 July 2012 to increase the amount of clearing authorised to 412 hectares.
	CPS 4132/4 was granted on 22 November 2012 to increase the amount of clearing authorised to 418 hectares.
	CPS 4132/5 was granted on 16 May 2013 to amend the permit reporting date and reporting period.
	CPS 4132/6 was granted on 14 August 2014 to increase the amount of clearing authorised to 450 hectares and extend the duration of the permit to 12 March 2021.
	CPS 4132/7 was granted on 21 January 2016 to increase the clearing permit boundary and update tenure, due to a change in the access route to a water bore.
	On 4 February 2021, the Permit Holder applied to amend CPS 4132/7 to extend the permit duration by up to five years.

## 3. Assessment of application against Clearing Principles

#### Comments

The Permit Holder has applied to amend the clearing permit to extend the permit duration by five years, as the project is ongoing. The size of the area approved to clear and the permit boundaries remain unchanged. A review of current environmental information indicates that this amendment is unlikely to result in any significant change to the environmental impacts of the proposed clearing (GIS Database).

The amendment application has been assessed against the clearing principles, planning instruments and other matters in accordance with s.510 of the *Environmental Protection Act 1986*. Environmental information has been reviewed, and the assessment of the proposed clearing against the clearing principles remains consistent with the assessment contained in previous versions of the decision report.

#### Methodology

GIS Database:

- DPaW Tenure
- Hydrography, Lakes
- Hydrography, Linear
- IBRA Australia
- Imagery
- Landsystem Rangelands
- Pre-European Vegetation
- Public Drinking Water Source Areas
- Soils, Statewide
- Threatened and Priority Ecological Communities boundaries
- Threatened and Priority Ecological Communities buffers
- Threatened and Priority Flora
- Threatened Fauna

## Planning Instrument, Native Title, previous EPA decision or other matter.

#### Comments

There is one native title claim (WC2006/002) over part of the area under application (DPLH, 2021). This claim has been determined by the Federal Court on behalf of the claimant group. However, the mining tenure has been granted in accordance with the future act regime of the *Native Title Act 1993* and the nature of the act (i.e. the proposed clearing activity) has been provided for in that process, therefore, the granting of a clearing permit is not a future act under the *Native Title Act 1993*.

There are no registered Aboriginal Sites of Significance within the application area (DPLH, 2021). It is the

proponent's responsibility to comply with the *Aboriginal Heritage Act 1972* and ensure that no Aboriginal Sites of Significance are damaged through the clearing process.

It is the proponent's responsibility to liaise with the Department of Water and Environmental Regulation and the Department of Biodiversity, Conservation and Attractions, to determine whether a Works Approval, Water Licence, Bed and Banks Permit, or any other licences or approvals are required for the proposed works.

The amendment application was advertised on 15 February 2021 by the Department of Mines, Industry Regulation and Safety inviting submissions from the public. No submissions were received in relation to this application.

Methodology DPLH (2021)

# 4. References

DPLH (2021) Aboriginal Heritage Inquiry System. Department of Planning, Lands and Heritage.

https://espatial.dplh.wa.gov.au/AHIS/index.html?viewer=AHIS (Accessed 22 February 2021).

Mattiske Consulting (2010) Flora and Vegetation Survey of the Doolgunna Project. Unpublished report prepared by Mattiske Consulting Pty Ltd for Sandfire Resources NL, June 2010.

Keighery, B.J. (1994) Bushland Plant Survey: A Guide to Plant Community Survey for the Community. Wildflower Society of WA (Inc). Nedlands, Western Australia.

#### 5. Glossary

## Acronyms:

BC Act	Biodiversity Conservation Act 2016. Western Australia
BoM	Bureau of Meteorology, Australian Government
DAA	Department of Aboriginal Affairs, Western Australia (now DPLH)
DAFWA	Department of Agriculture and Food, Western Australia (now DPIRD)
DAWE	Department of Agriculture, Water and the Environment, Australian Government
DBCA	Department of Biodiversity, Conservation and Attractions, Western Australia
DER	
	Department of Environment Regulation, Western Australia (now DWER)
DMIRS	Department of Mines, Industry Regulation and Safety, Western Australia
DMP	Department of Mines and Petroleum, Western Australia (now DMIRS)
DoEE	Department of the Environment and Energy (now DAWE)
DoW	Department of Water, Western Australia (now DWER)
DPaW	Department of Parks and Wildlife, Western Australia (now DBCA)
DPIRD	Department of Primary Industries and Regional Development, Western Australia
DPLH	Department of Planning, Lands and Heritage, Western Australia
DRF	Declared Rare Flora (now known as Threatened Flora)
DWER	Department of Water and Environmental Regulation, Western Australia
EP Act	Environmental Protection Act 1986, Western Australia
EPA	Environmental Protection Authority, Western Australia
EPBC Act	Environment Protection and Biodiversity Conservation Act 1999 (Federal Act)
GIS	Geographical Information System
ha	Hectare (10,000 square metres)
IBRA	Interim Biogeographic Regionalisation for Australia
IUCN	International Union for the Conservation of Nature and Natural Resources – commonly known as the
	World Conservation Union
PEC	Priority Ecological Community, Western Australia
RIWI Act	Rights in Water and Irrigation Act 1914, Western Australia
TEC	Threatened Ecological Community

## **Definitions:**

{DBCA (2019) Conservation Codes for Western Australian Flora and Fauna. Department of Biodiversity, Conservation and Attractions, Western Australia}:-

# T <u>Threatened species:</u>

Listed by order of the Minister as Threatened in the category of critically endangered, endangered or vulnerable under section 19(1), or is a rediscovered species to be regarded as threatened species under section 26(2) of the *Biodiversity Conservation Act 2016* (BC Act).

*Threatened fauna* is that subset of 'Specially Protected Fauna' listed under schedules 1 to 3 of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018* for Threatened Fauna.

*Threatened flora* is that subset of 'Rare Flora' listed under schedules 1 to 3 of the *Wildlife Conservation (Rare Flora) Notice 2018* for Threatened Flora.

The assessment of the conservation status of these species is based on their national extent and

ranked according to their level of threat using IUCN Red List categories and criteria as detailed below.

#### CR Critically endangered species

Threatened species considered to be "facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with criteria set out in the ministerial guidelines".

Listed as critically endangered under section 19(1)(a) of the BC Act in accordance with the criteria set out in section 20 and the ministerial guidelines. Published under schedule 1 of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018* for critically endangered fauna or the *Wildlife Conservation (Rare Flora) Notice 2018* for critically endangered flora.

#### EN Endangered species

Threatened species considered to be "facing a very high risk of extinction in the wild in the near future, as determined in accordance with criteria set out in the ministerial guidelines".

Listed as endangered under section 19(1)(b) of the BC Act in accordance with the criteria set out in section 21 and the ministerial guidelines. Published under schedule 2 of the *Wildlife Conservation* (Specially Protected Fauna) Notice 2018 for endangered fauna or the *Wildlife Conservation* (Rare Flora) Notice 2018 for endangered flora.

## VU Vulnerable species

Threatened species considered to be "facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with criteria set out in the ministerial guidelines".

Listed as vulnerable under section 19(1)(c) of the BC Act in accordance with the criteria set out in section 22 and the ministerial guidelines. Published under schedule 3 of the *Wildlife Conservation* (Specially Protected Fauna) Notice 2018 for vulnerable fauna or the *Wildlife Conservation* (Rare Flora) Notice 2018 for vulnerable flora.

#### **Extinct Species:**

#### EX Extinct species

Species where "there is no reasonable doubt that the last member of the species has died", and listing is otherwise in accordance with the ministerial guidelines (section 24 of the BC Act).

Published as presumed extinct under schedule 4 of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018* for extinct fauna or the *Wildlife Conservation (Rare Flora) Notice 2018* for extinct flora.

## EW Extinct in the wild species

Species that "is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range; and it has not been recorded in its known habitat or expected habitat, at appropriate seasons, anywhere in its past range, despite surveys over a time frame appropriate to its life cycle and form", and listing is otherwise in accordance with the ministerial guidelines (section 25 of the BC Act).

Currently there are no threatened fauna or threatened flora species listed as extinct in the wild. If listing of a species as extinct in the wild occurs, then a schedule will be added to the applicable notice.

#### Specially protected species:

Listed by order of the Minister as specially protected under section 13(1) of the BC Act. Meeting one or more of the following categories: species of special conservation interest; migratory species; cetaceans; species subject to international agreement; or species otherwise in need of special protection.

Species that are listed as threatened species (critically endangered, endangered or vulnerable) or extinct species under the BC Act cannot also be listed as Specially Protected species.

## MI Migratory species

Fauna that periodically or occasionally visit Australia or an external Territory or the exclusive economic zone; or the species is subject of an international agreement that relates to the protection of migratory species and that binds the Commonwealth; and listing is otherwise in accordance with the ministerial guidelines (section 15 of the BC Act).

Includes birds that are subject to an agreement between the government of Australia and the governments of Japan (JAMBA), China (CAMBA) and The Republic of Korea (ROKAMBA), and fauna subject to the *Convention on the Conservation of Migratory Species of Wild Animals* (Bonn Convention), an environmental treaty under the United Nations Environment Program. Migratory species listed under the BC Act are a subset of the migratory animals, that are known to visit Western Australia, protected under the international agreements or treaties, excluding species that are listed as Threatened species.

Published as migratory birds protected under an international agreement under schedule 5 of the *Wildlife Conservation (Specially Protected Fauna) Notice 2018.* 

#### Species of special conservation interest (conservation dependent fauna)

Fauna of special conservation need being species dependent on ongoing conservation intervention to prevent it becoming eligible for listing as threatened, and listing is otherwise in accordance with the ministerial guidelines (section 14 of the BC Act).

Published as conservation dependent fauna under schedule 6 of the *Wildlife Conservation* (Specially Protected Fauna) Notice 2018.

## OS Other specially protected species

Fauna otherwise in need of special protection to ensure their conservation, and listing is otherwise in accordance with the ministerial guidelines (section 18 of the BC Act).

Published as other specially protected fauna under schedule 7 of the *Wildlife Conservation* (Specially Protected Fauna) Notice 2018.

#### P Priority species:

CD

Possibly threatened species that do not meet survey criteria, or are otherwise data deficient, are added to the Priority Fauna or Priority Flora Lists under Priorities 1, 2 or 3. These three categories are ranked in order of priority for survey and evaluation of conservation status so that consideration can be given to their declaration as threatened fauna or flora.

Species that are adequately known, are rare but not threatened, or meet criteria for near threatened, or that have been recently removed from the threatened species or other specially protected fauna lists for other than taxonomic reasons, are placed in Priority 4. These species require regular monitoring.

Assessment of Priority codes is based on the Western Australian distribution of the species, unless the distribution in WA is part of a contiguous population extending into adjacent States, as defined by the known spread of locations.

# P1 Priority One - Poorly-known species

Species that are known from one or a few locations (generally five or less) which are potentially at risk. All occurrences are either: very small; or on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, road and rail reserves, gravel reserves and active mineral leases; or otherwise under threat of habitat destruction or degradation. Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements and appear to be under immediate threat from known threatening processes. Such species are in urgent need of further survey.

#### P2 Priority Two - Poorly-known species

Species that are known from one or a few locations (generally five or less), some of which are on lands managed primarily for nature conservation, e.g. national parks, conservation parks, nature reserves and other lands with secure tenure being managed for conservation. Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements and appear to be under threat from known threatening processes. Such species are in urgent need of further survey.

### P3 Priority Three - Poorly-known species

Species that are known from several locations, and the species does not appear to be under imminent threat, or from few but widespread locations with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat. Species may be included if they are comparatively well known from several locations but do not meet adequacy of survey requirements and known threatening processes exist that could affect them. Such species are in need of further survey.

## P4 Priority Four - Rare, Near Threatened and other species in need of monitoring

(a) Rare. Species that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection but could be if present circumstances change. These species are usually represented on conservation lands.

(b) Near Threatened. Species that are considered to have been adequately surveyed and that are close to qualifying for vulnerable but are not listed as Conservation Dependent.

(c) Species that have been removed from the list of threatened species during the past five years for reasons other than taxonomy.

## Principles for clearing native vegetation:

(a) Native vegetation should not be cleared if it comprises a high level of biological diversity.

- (b) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.
- (c) Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.

- (d) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community.
- (e) Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.
- (f) Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.
- (g) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.
- (h) Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.
- (i) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.
- (j) Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence or intensity of flooding.