

Clearing Permit Decision Report

1. Application details

1.1. Permit application de	etails		
Permit application No.:	4244/1		
Permit type:	Purpose Permit		
1.2. Proponent details			
Proponent's name:	Anglo American Exploration (Australia) Pty Ltd		
1.3. Property details			
Property:	Exploration Licence 69/2403		
Local Government Area:	Shire of Ngaanyatjarraku		
Colloquial name:	Musgraves Project		
1.4. Application			
Clearing Area (ha) No. T	rees Method of Clearing For the purpose of:		
15	Mechanical Removal Mineral Exploration		
1.5. Decision on applicat	ion		
Decision on Permit Application:	Granted		
Decision Date:	12 May 2011		

2. Site Information

2.1. Existing environment and information

2.1.1. Description of the native vegetation under application Vegetation Description Clearing Description

Beard vegetation associations have been mapped at a 1:250,000 scale for the whole of Western Australia. One Beard vegetation association has been mapped within the application area (Shepherd, 2009; GIS Database).

19: Low woodland; mulga between sandridges.

A flora and vegetation survey was undertaken over the majority of the application area in April 2011 by Western Botanical. The final report has yet to be compiled but initial vegetation mapping of the application area has been completed. The preliminary results of the field survey have been used to identify eleven vegetation types in the area.

1) Acacia aneura, Senna spp. shrubland.

2) Acacia maitlandii, Triodia basedowii.

3) Acacia pachyacra open shrubland over *Triodia schinzii* and *T. basedowii* hummock grassland on sand sheet.

- 4) *Eragrostis setifolia* grassland.
- 5) Eucalyptus oxymitra, Triodia schinzii.
- 6) Hardpan Mulga shrubland.
- 7) Mulga Wanderrie.
- 8) Sand dune Acacia and Grevillea shrubland.
- 9) Sandplain Mulga spinifex.
- 10) Triodia basedowii.
- 11) *Triodia schinzii* hummock grassland
- (Western Botanical, 2011).

Anglo American Exploration (Australia) Pty Ltd (Anglo) has applied to clear up to 15 hectares of native vegetation within an application area totalling approximately 1,342 hectares for the purpose of mineral exploration. The clearing will comprise of drill pads and access tracks. The exploration activities are part of Anglo's exploration program in the Musgraves area, approximately 630 kilometres north-east of Laverton.

Vegetation will be cleared using either mechanical equipment with the blade raised or by being driven on by vehicles. Vegetation will be retained and disturbed areas will be rehabilitated.

Vegetation Condition

Very Good: Vegetation structure altered; obvious signs of disturbance (Keighery, 1994).

To:

Excellent: Vegetation structure intact; disturbance affecting individual species, weeds non-aggressive (Keighery, 1994).

Comment

The vegetation condition has been inferred from orthophotos, historical land uses and extrapolated vegetation survey results from nearby areas. Historical exploration activities and disturbances from feral camels may have degraded some parts of the application area to a "very good" condition. Given the remoteness of the location and the limited mining activities in the area, it is likely that some of the application area is in "excellent" condition.

8. Assessment of application against clearing principles

(a) Native vegetation should not be cleared if it comprises a high level of biological diversity.

Comments Proposal may be at variance to this Principle

The application area occurs within the Mann-Musgrave Block subregion of the Central Ranges Interim Biogeographic Regionalisation of Australia (IBRA) bioregion (GIS Database). The subregion is comprised of a high proportion of Proterozoic ranges including both volcanic and quartzites and derived soil plains, interspersed with red Quaternary sandplains with some permian exposure (CALM, 2002). The sandplains support low open woodlands of either Desert Oak or Mulga over *Triodia basedowii* hummock grasslands. Low open woodlands of Ironwood (*Acacia estrophiolata*) and Corkwoods (*Hakea* spp.) over tussock and hummock grasses often fringe the ranges. The ranges support mixed wattle scrub or *Callitris glaucophylla* woodlands over hummock and tussock grasslands (CALM, 2002).

The vegetation within the application area is broadly mapped as Beard vegetation association 19 (GIS Database). This vegetation association is common and widespread throughout the Central Ranges bioregion, with 99.99% of the pre-European vegetation extent remaining (Shepherd, 2009; GIS Database). The preliminary results of the vegetation mapping undertaken by Western Botanical (2011) identified eleven vegetation types within the application area. These vegetation types are common and widespread in the local area (Western Botanical, 2011).

According to available databases there are no known records of Declared Rare Flora (DRF), Threatened Ecological Communities (TECs) or Priority Ecological Communities (PECs) within the application area or within a 500 kilometre radius of the application area (GIS Database). Preliminary results from the flora survey undertaken in April 2011 have identified three Priority flora species within the application area, with approximately half of the specimens still to identify (Western Botanical, 2011). The level of biological knowledge of the Musgraves area is relatively low but recent surveys seem to confirm that it is an area of high floral endemism, with a significant number of known Priority species (Western Botanical, 2009). Potential impacts to Priority flora as a result of the proposed clearing may be minimised by the implementation of a flora management condition.

The presence and abundance of weeds in the application area is currently unknown. Three weed species have been recorded within a 40 kilometre radius of the application area. These are *Erodium aureum*, *Malvastrum americanum* (Spiked Malvastum) and *Tribulus terrestris* (Caltrop) (DEC, 2011b). The presence of weed species would lower the biodiversity value of the application area. Care must be taken to ensure that the proposed clearing activities do not spread or introduce weed species to non-infested areas. Potential impacts to biodiversity as a result of the proposed clearing may be minimised by the implementation of a weed management condition.

A search of the Department of Conservation and Environment's (DEC) NatureMap revealed records of 36 bird, nine mammal and 19 reptile species within a 40 kilometre radius, including one introduced species (DEC, 2011b). Due to the remote location and lack of studies there is limited information on the faunal assemblages expected in the Central Ranges region.

The deficiency in biological survey data from the area, particularly in regards to fauna, brings a level of uncertainty when assessing the level of biological diversity of the application area. However, the broad-scale vegetation types are common and widespread locally and the surrounding area is largely uncleared. Given the small area proposed to be cleared (15 hectares), it is not likely that the proposed clearing will have any significant impact on biodiversity at a regional scale.

Based on the above, the proposed clearing may be at variance to this Principle.

Methodology CALM (2002)

DEC (2011b) Shepherd (2009) Western Botanical (2009) Western Botanical (2011) GIS Database:

- Declared Rare and Priority Flora List
- IBRA WA (Regions Sub Regions)
- Pre-European Vegetation
- Threatened Ecological Sites Buffered

(b) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.

Comments Proposal may be at variance to this Principle

No targeted fauna surveys were undertaken within the application area and the fauna habitats present within the application area have not been recorded. The vegetation types of the application area have been mapped (Western Botanical, 2011) and broad fauna habitat types may be inferred from these. The major vegetation types included Mulga shrubland, *Acacia* spp. shrubland over *Triodia* hummock grassland, *Triodia* hummock grassland, sandplain with Mulga and spinifex, and sand dunes with *Acacia* and *Grevillea* shrubland (Western

Botanical, 2011). A diversity of microhabitats commonly occur within the range of habitat types described, including logs, debris, leaf litter, tree hollows, and soils suitable for digging and burrowing animals.

The described vegetation types are considered locally common and occur adjacent to the application area (Western Botanical, 2011). It could therefore be expected that the main fauna habitats are also common and occur outside of the application area. There are large areas of intact vegetation outside the application area (GIS Database) and the Central Ranges bioregion is largely uncleared, with approximately 99.97% of pre-European vegetation remaining (Shepherd, 2009; GIS Database).

There are 18 fauna species listed as Threatened Species under the *Environment Protection and Biodiversity Conservation Act 1999* or specially protected under Western Australian legislation that are known from the Mann-Musgrave Block subregion (CALM, 2002; DEC, 2010; DEC, 2011b). No systematic fauna surveys have been conducted in the Mann-Musgrave Block subregion and fauna survey data is sparse, confined to vertebrates, and mostly site specific (CALM, 2002). Therefore, data from a large search area is needed to predict the potential conservation significant fauna species occurring within the application area.

Many of the 18 conservation significant species are considered highly mobile and/or have a wide distribution so the clearing is unlikely to significantly impact on the species. Several of the species have specific habitat requirements that are not found within the application area, e.g. wetlands. Other species are known mostly from historical records (DEC, 2011b) and based on their current distribution the species are not expected to be in the application area or its surrounds. However, the Mulgara (*Dasycercus cristicauda*) and Greater Bilby (*Macrotis lagotis*) are ground-dwelling Threatened fauna with limited dispersal abilities and are more likely to be impacted on by any development. The habitat needed for the Mulgara is spinifex (*Triodia*) hummock grassland (Burbidge, 2004) and this vegetation type has been mapped within the application area (Western Botanical, 2011). Bilbies live in a variety of habitats from open woodland to desert loamy sands (Burbidge, 2004). The entrance to their burrows is often against a spinifex hummock, termite mound or shrub (Burbidge, 2004) so the application area provides potential habitat for the Bilby. Both species construct burrows that the animals live in during the day (Pavey, Cole and Woinarski, 2006; DEC, 2011a). Therefore any core habitat, such as burrows, could be considered significant and should be avoided.

The area proposed to be cleared is small (15 hectares), spread over a large application area, and there are large amounts of uncleared vegetation in the Central Ranges. However, there is also very little biological knowledge of the region. Only limited fauna information is available for the Central Ranges and Musgraves area due to a lack of fauna surveys being completed in the remote region (CALM, 2002). The conservation values of the application area in regards to fauna, in particular conservation significant species, are uncertain and cannot be fully understood until on-ground fauna surveys are conducted. Potential impacts to conservation significant fauna as a result of the proposed clearing may be minimised by the implementation of a fauna management condition.

Based on the above, the proposed clearing may be at variance to this Principle.

Methodology Burbidge (2004)

CALM (2002) DEC (2010) DEC (2011a) DEC (2011b) Pavey, Cole and Woinarski (2006) Shepherd (2009) Western Botanical (2011) GIS Database: - Finlayson 1.25 m Orthomosaic - Landgate 2002 - Holt 1.25 m Orthomosaic - Landgate 2002 - IBRA WA (Regions - Sub Regions)

- Pre-European Vegetation

(c) Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.

Comments Proposal may be at variance to this Principle

According to available databases there are no known records of Declared Rare Flora (DRF) within the application area (GIS Database). The nearest recorded DRF is located approximately 665 kilometres southwest of the application area (GIS Database).

A botanical survey was undertaken over the application area in April 2011 by Western Botanical but the identification of plant species has not been completed. Approximately half the specimens have been processed and no DRF have been identified so far (Western Botanical, 2011). There is a general lack of knowledge of flora and vegetation in the Central Ranges bioregion with no systematic surveying on a regional scale (CALM, 2002). This limited information makes it difficult to ascertain the significance of the vegetation in the application area to the continued existence of rare flora.

Based on the above, the proposed clearing may be at variance to this Principle. Potential impacts to DRF as a result of the proposed clearing may be minimised by the implementation of a flora management condition.

Methodology CALM (2002) Western Botanical (2011) GIS Database: - Declared Rare and Priority Flora List

Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the (d) maintenance of a threatened ecological community.

Comments Proposal is not likely to be at variance to this Principle

A search of available databases revealed that there are no known Threatened Ecological Communities (TECs) within the application area (GIS Database). The nearest recorded TEC is located approximately 810 kilometres south-west of the application area (GIS Database). The proposed clearing is not likely to impact on any known TEC.

Based on the above, the proposed clearing is not likely to be at variance to this Principle.

Methodology GIS Database:

- Threatened Ecological Sites Buffered

(e) Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.

Comments Proposal is not at variance to this Principle

The clearing application area falls within the Central Ranges Interim Biogeographic Regionalisation for Australia (IBRA) bioregion in which approximately 99.97% of the pre-European vegetation remains (see table) (Shepherd, 2009; GIS Database). This gives it a conservation status of "Least Concern" according to the Bioregional Conservation Status of Ecological Vegetation Classes (Department of Natural Resources and Environment, 2002).

The vegetation of the clearing application area has been mapped as Beard vegetation association 19 "Low woodland; mulga between sandridges" (GIS Database). According to Shepherd (2009), approximately 99.98% of Beard vegetation association 19 remains at a state level and 99.99% remains at a bioregional level (see table). This vegetation association would be given a conservation status of "Least Concern" at both a state and bioregional level (Department of Natural Resources and Environment, 2002).

The vegetation under application is not a remnant of vegetation in an area that has been extensively cleared.

	Pre-European Area (ha)*	Current Extent (ha)*	Remaining %*	Conservation Status**	Pre-European % in IUCN Class I-IV Reserves
IBRA Bioregion – Central Ranges	4,701,520	4,700,253	~99.97	Least Concern	-
Beard Veg Assoc. – State					
19	4,385,295	4,384,287	~99.98	Least Concern	0.11
Beard Veg Assoc. – Bioregion					
19	902,251	902,180	~99.99	Least Concern	-

* Shepherd (2009)

** Department of Natural Resources and Environment (2002)

Based on the above, the proposed clearing is not at variance to this Principle.

Methodology Department of Natural Resources and Environment (2002) Shepherd (2009)

GIS Database:

- IBRA WA (Regions - Sub Regions)

- Pre-European Vegetation

(f) Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.

Comments **Proposal is not likely to be at variance to this Principle**

According to available databases, there are no watercourses or wetlands within the application area (GIS Database). The vegetation within the application area is not considered to be growing in association with any watercourse or wetland.

Based on the above, the proposed clearing is not likely to be at variance to this Principle.

Methodology GIS Database:

- Geodata, Lakes
- Hydrography, Linear
- Finlayson 1.25 m Orthomosaic Landgate 2002
- Holt 1.25 m Orthomosaic Landgate 2002

(g) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.

Comments Proposal is not likely to be at variance to this Principle

Anglo has applied to clear up to 15 hectares within an application area totalling approximately 1,342 hectares. Disturbance will be for access tracks and drill pads using machinery with the blade up to ensure soil is not removed (Anglo, 2011). The drill pads will be rehabilitated following the completion of drilling (Anglo, 2011). The proposed clearing activities are not likely to result in large areas of disturbed or open land. Given the small size of the proposed activities, the clearing is not likely to result in appreciable land degradation.

Based on the above, the proposed clearing is not likely to be at variance to this Principle.

Methodology Anglo (2011)

(h) Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.

Comments Proposal is not likely to be at variance to this Principle

The proposed clearing is not located within a Department of Environment and Conservation (DEC) managed conservation reserve (GIS Database). The nearest conservation reserve is Gibson Desert Nature Reserve, which is located approximately 170 kilometres north-west of the application area (GIS Database). A large proportion of the vegetation in the Central Ranges bioregion remains uncleared, approximately 99.97% (Shepherd, 2009), so it is unlikely that the application area provides an important buffer or ecological linkage to the nature reserve.

The application area occurs within the Register of National Estate site Ranges of the Western Desert (GIS Database). The Ranges of the Western Desert cover approximately 8,016,568 hectares and are a system of ranges with many gorges and valleys. The site is considered significant due to its colourful and spectacular scenery, Aboriginal paintings in Walter James Range, and endemic and rare flora species (Australian Heritage Database, 2011). Despite the area being on the Register of National Estate for natural values, it is considered that the proposed clearing is low impact and of a small scale and will not significantly impact on the environmental values of the area.

Based on the above, the proposed clearing is not likely to be at variance to this Principle.

- Methodology Australian Heritage Database (2011) Shepherd (2009) GIS Database: - DEC Tenure
 - Register of National Estate

(i) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.

Comments Proposal is not likely to be at variance to this Principle

There are no permanent watercourses or wetlands within the application area (GIS Database). The Central Ranges has an arid climate with an average annual rainfall of 200 millimetres from both summer and winter rain (CALM, 2002) so any surface water within the application area is likely to remain for only short periods following rainfall events. The proposed clearing is not likely to cause deterioration in the quality of surface water in the local area.

According to the available databases the application area is not located within a Public Drinking Water Source Area (PDWSA) (GIS Database).

The small area of the proposed clearing is unlikely to cause deterioration in the quality of underground water.

	Based on the above, the proposed clearing is not likely to be at variance to this Principle.
Methodology	CALM (2002) GIS Database:
	- Hydrography, Linear - Public Drinking Water Source Areas (PDWSAs)
	vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the ice or intensity of flooding.
Comments	Proposal is not likely to be at variance to this Principle The application area is located within the Warburton Basin catchment area (GIS Database). Given the size of the area to be cleared (15 hectares) in relation to the size of the catchment area (17,195,990 hectares) (GIS Database), the proposed clearing is not likely to increase the potential of flooding on a local or catchment scale.
	Based on the above, the proposed clearing is not likely to be at variance to this Principle.
Methodology	GIS Database: - Hydrographic Catchments - Catchments
Planning in	strument, Native Title, Previous EPA decision or other matter.
Comments	There is one Native Title Claim (WC04/3) over the area under application (GIS Database). This claim has been registered with the National Native Title Tribunal on behalf of the claimant group. However, the mining tenure has been granted in accordance with the future act regime of the <i>Native Title Act 1993</i> and the nature of the act (i.e. the proposed clearing activity) has been provided for in that process, therefore the granting of a clearing permit is not a future act under the <i>Native Title Act 1993</i> .
	There are no registered Aboriginal Sites of Significance within the application area (GIS Database). It is the proponent's responsibility to comply with the <i>Aboriginal Heritage Act 1972</i> and ensure that no Aboriginal Sites of Significance are damaged through the clearing process.
	It is the proponent's responsibility to liaise with the Department of Environment and Conservation and the Department of Water, to determine whether a Works Approval, Water Licence, Bed and Banks Permit, or any other licences or approvals are required for the proposed works.
	The clearing permit application was advertised on 4 April 2011 by the Department of Mines and Petroleum inviting submissions from the public. No submissions were received.
Methodology	GIS Database: - Aboriginal Sites of Significance - Native Title Claims - Determined by the Federal Court
4. Referen	ces
	Musgraves Clearing Permit Application Supporting Documentation. Anglo American Exploration (Australia) Pty
Australian He	, February 2011. ritage Database (2011) Department of Sustainability, Environment, Water, Population and Communities. p://www.environment.gov.au/heritage/index.html (Accessed 6 April 2011).
	2004) Threatened Animals of Western Australia, Department of Conservation and Land Management, Perth, estern Australia.
DEC (2010) C DEC (2011a)	Current List of Threatened Fauna Rankings, 17 August 2010. Department of Environment and Conservation. NatureBase: Fauna Species Profile - Bilby. Department of Environment and Conservation, Western Australia. b://www.dec.wa.gov.au/content/view/3432/1999/1/2/ (Accessed 9 May 2011).
http	NatureMap: Mapping Western Australia's Biodiversity. Department of Environment and Conservation. p://naturemap.dec.wa.gov.au/default.aspx (Accessed 4 April 2011).
Su	f Conservation and Land Management (2002) A Biodiversity Audit of Western Australia's 53 Biogeographical bregions. f Natural Resources and Environment (2002) Biodiversity Action Planning. Action planning for native biodiversity
at r Vic	nultiple scales; catchment bioregional, landscape, local. Department of Natural Resources and Environment, toria.
WA	(1994) Bushland Plant Survey: A Guide to Plant Community Survey for the Community. Wildflower Society of (Inc). Nedlands, Western Australia.
Go Shepherd, D.I	 Ie, J. and Woinarksi, J. (2006) Crest-tailed Mulgara (Ampurta) Dasycercus cristicauda. Northern Territory vernment, Department of Natural Resources, Environment and the Arts. (2009) Adapted from: Shepherd, D.P., Beeston, G.R., and Hopkins, A.J.M. (2001), Native Vegetation in estern Australia. Technical Report 249. Department of Agriculture Western Australia, South Perth.
vve	asen Australia. Teorinoai Neport 243. Department of Aynoulture Western Australia, South Feltil.

Western Botanical (2009) Review of Flora and Vegetation of the Mt Blythe Tenements, Anglo American Exploration. Unpublished report by Western Botanical, June 2009.

Western Botanical (2011) Preliminary Advice Regarding Botanical Surveys in the West Musgraves Region. Unpublished report by Western Botanical, May 2011.

5. Glossary

Acronyms:

ВоМ	Bureau of Meteorology, Australian Government
CALM	Department of Conservation and Land Management (now DEC), Western Australia
DAFWA	Department of Agriculture and Food, Western Australia
DEC	Department of Environment and Conservation, Western Australia
DEH	Department of Environment and Heritage (federal based in Canberra) previously Environment Australia
DEP	Department of Environment Protection (now DEC), Western Australia
DIA	Department of Indigenous Affairs
DLI	Department of Land Information, Western Australia
DMP	Department of Mines and Petroleum, Western Australia
DoE	Department of Environment (now DEC), Western Australia
DoIR	Department of Industry and Resources (now DMP), Western Australia
DOLA	Department of Land Administration, Western Australia
DoW	Department of Water
EP Act	Environmental Protection Act 1986, Western Australia
EPBC Act	Environment Protection and Biodiversity Conservation Act 1999 (Federal Act)
GIS	Geographical Information System
ha	Hectare (10,000 square metres)
IBRA	Interim Biogeographic Regionalisation for Australia
IUCN	International Union for the Conservation of Nature and Natural Resources - commonly known as the World
	Conservation Union
RIWI Act	Rights in Water and Irrigation Act 1914, Western Australia
s.17	Section 17 of the Environment Protection Act 1986, Western Australia
TEC	Threatened Ecological Community

Definitions:

{Atkins, K (2005). Declared rare and priority flora list for Western Australia, 22 February 2005. Department of Conservation and Land Management, Como, Western Australia} :-

- P1 Priority One Poorly Known taxa: taxa which are known from one or a few (generally <5) populations which are under threat, either due to small population size, or being on lands under immediate threat, e.g. road verges, urban areas, farmland, active mineral leases, etc., or the plants are under threat, e.g. from disease, grazing by feral animals, etc. May include taxa with threatened populations on protected lands. Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.
- P2 Priority Two Poorly Known taxa: taxa which are known from one or a few (generally <5) populations, at least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.
- P3 Priority Three Poorly Known taxa: taxa which are known from several populations, at least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in need of further survey.
- P4 Priority Four Rare taxa: taxa which are considered to have been adequately surveyed and which, whilst being rare (in Australia), are not currently threatened by any identifiable factors. These taxa require monitoring every 5–10 years.
- R Declared Rare Flora Extant taxa (= Threatened Flora = Endangered + Vulnerable): taxa which have been adequately searched for, and are deemed to be in the wild either rare, in danger of extinction, or otherwise in need of special protection, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.
- X Declared Rare Flora Presumed Extinct taxa: taxa which have not been collected, or otherwise verified, over the past 50 years despite thorough searching, or of which all known wild populations have been destroyed more recently, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.

{Wildlife Conservation (Specially Protected Fauna) Notice 2005} [Wildlife Conservation Act 1950] :-

Schedule 1 Schedule 1 – Fauna that is rare or likely to become extinct: being fauna that is rare or likely to become Page 7

extinct, are declared to be fauna that is need of special protection.

- Schedule 2 Fauna that is presumed to be extinct: being fauna that is presumed to be extinct, are declared to be fauna that is need of special protection.
- Schedule 3 Birds protected under an international agreement: being birds that are subject to an agreement between the governments of Australia and Japan relating to the protection of migratory birds and birds in danger of extinction, are declared to be fauna that is need of special protection.
- Schedule 4 Other specially protected fauna: being fauna that is declared to be fauna that is in need of special protection, otherwise than for the reasons mentioned in Schedules 1, 2 or 3.

{CALM (2005). Priority Codes for Fauna. Department of Conservation and Land Management, Como, Western Australia} :-

- P1 Priority One: Taxa with few, poorly known populations on threatened lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, active mineral leases. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- P2 Priority Two: Taxa with few, poorly known populations on conservation lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not under immediate threat of habitat destruction or degradation, e.g. national parks, conservation parks, nature reserves, State forest, vacant Crown land, water reserves, etc. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- P3 Priority Three: Taxa with several, poorly known populations, some on conservation lands: Taxa which are known from few specimens or sight records from several localities, some of which are on lands not under immediate threat of habitat destruction or degradation. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- P4 Priority Four: Taxa in need of monitoring: Taxa which are considered to have been adequately surveyed, or for which sufficient knowledge is available, and which are considered not currently threatened or in need of special protection, but could be if present circumstances change. These taxa are usually represented on conservation lands.
- **P5 Priority Five: Taxa in need of monitoring**: Taxa which are not considered threatened but are subject to a specific conservation program, the cessation of which would result in the species becoming threatened within five years.

Categories of threatened species (Environment Protection and Biodiversity Conservation Act 1999)		
EX	Extinct: A native species for which there is no reasonable doubt that the last member of the species has died.	
EX(W)	 Extinct in the wild: A native species which: (a) is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range; or (b) has not been recorded in its known and/or expected habitat, at appropriate seasons, anywhere in its past range, despite exhaustive surveys over a time frame appropriate to its life cycle and form. 	
CR	Critically Endangered: A native species which is facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with the prescribed criteria.	
EN	 Endangered: A native species which: (a) is not critically endangered; and (b) is facing a very high risk of extinction in the wild in the near future, as determined in accordance with the prescribed criteria. 	
VU	 Vulnerable: A native species which: (a) is not critically endangered or endangered; and (b) is facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with the prescribed criteria. 	
CD	Conservation Dependent: A native species which is the focus of a specific conservation program, the cessation of which would result in the species becoming vulnerable, endangered or critically endangered	

within a period of 5 years.