

Clearing Permit Decision Report

1. Application details

1.1. Permit application details

Permit application No.: 4356/1

Permit type: Purpose Permit

1.2. Proponent details

Proponent's name: Traka Resources Limited

1.3. Property details

Property: Exploration Licence 69/2747

Local Government Area: Shire of Ngaanyatjarraku

Colloquial name: Musgraves Project

1.4. Application

Clearing Area (ha) No. Trees Method of Clearing For the purpose of:

17 Mechanical Removal Mineral Exploration

1.5. Decision on application

Decision on Permit Application: Granted
Decision Date: 23 June 2011

2. Site Information

2.1. Existing environment and information

2.1.1. Description of the native vegetation under application Vegetation Description Clearing Description

Beard vegetation associations have been mapped at a 1:250,000 scale for the whole of Western Australia. Three Beard vegetation associations have been mapped within the application area (Shepherd, 2009; GIS Database).

18: Low woodland; mulga (Acacia aneura);

19: Low woodland; mulga between

sandridges; and

39: Shrublands; mulga scrub.

No vegetation surveys have been undertaken over the application area, therefore, the vegetation communities have not been described or mapped for this area in any further detail than Beard vegetation mapping.

Clearing Description

Traka Resources Limited (Traka) has applied to clear up to 17 hectares of native vegetation within an application area totalling approximately 11,400 hectares for the purpose of mineral exploration. The clearing will comprise of drill pads and drill line tracks. The exploration activities are part of Traka's exploration drilling program in the Musgraves area, approximately 620 kilometres north-east of Laverton.

Vegetation will be cleared using mechanical equipment with the blade up or by being driven on. Vegetation will be stockpiled and respread once the exploration work is completed.

Vegetation Condition

Very Good: Vegetation structure altered; obvious signs of disturbance (Keighery, 1994).

то.

Excellent: Vegetation structure intact; disturbance affecting individual species, weeds non-aggressive (Keighery, 1994).

Comment

The vegetation condition has been inferred from orthophotos and historical land uses. Historical exploration activities and disturbance such as from feral camels may have degraded some parts of the application area to a 'very good' condition according to the Keighery (1994) scale. Given the remoteness of the location and the limited mining activities in the area, it is likely that some of the application area is in 'excellent' condition.

3. Assessment of application against clearing principles

(a) Native vegetation should not be cleared if it comprises a high level of biological diversity.

Comments Proposal may be at variance to this Principle

The application area occurs within the Mann-Musgrave Block subregion of the Central Ranges Interim Biogeographic Regionalisation of Australia (IBRA) bioregion (GIS Database). The subregion is comprised of a high proportion of Proterozoic ranges including both volcanic and quartzites and derived soil plains, interspersed with red Quaternary sandplains with some permian exposure (CALM, 2002). The sandplains support low open woodlands of either Desert Oak or Mulga over *Triodia basedowii* hummock grasslands. Low open woodlands of Ironwood (*Acacia estrophiolata*) and Corkwoods (*Hakea* spp.) over tussock and hummock grasses often fringe ranges. The ranges support mixed wattle scrub or *Callitris glaucophylla* woodlands over hummock and tussock grasslands (CALM, 2002).

The vegetation within the application area is broadly mapped as Beard vegetation associations 18, 19 and 39

(GIS Database). These vegetation associations are common and widespread throughout the Central Ranges bioregion, with over 99% of the pre-European vegetation extent remaining for each association (Shepherd, 2009; GIS Database). No on-ground flora or vegetation surveys have been undertaken over the application area and it is likely that a greater number of vegetation types would occur if the area was mapped at a local scale (ENV Australia, 2011).

According to available databases there are no known records of Declared Rare Flora (DRF), Threatened Ecological Communities (TECs) or Priority Ecological Communities (PECs) within the application area or within a 500 kilometre radius of the application area (GIS Database). No Priority Flora species have been recorded within the application area (GIS Database) but on-ground flora surveys have not been undertaken. Twenty five Priority Flora species are known from the Mann-Musgrave Block subregion and four Priority Flora species have known populations within a 40 kilometre radius of the application area (DEC, 2011b). Potential impacts to Priority Flora as a result of the proposed clearing may be minimised by the implementation of a flora management condition.

The presence and abundance of weeds in the application area is unknown. Three weed species have been recorded within a 40 kilometre radius of the application area. These are *Erodium aureum*, *Malvastrum americanum* (Spiked Malvastrum) and *Tribulus terrestris* (Caltrop) (DEC, 2011b). The presence of weed species would lower the biodiversity value of the application area. Care must be taken to ensure that the proposed clearing activities do not spread or introduce weed species to non-infested areas. Potential impacts to biodiversity as a result of the proposed clearing may be minimised by the implementation of a weed management condition.

A search of the Department of Environment and Conservation's (DEC) NatureMap revealed records of 35 bird, nine mammal and 20 reptile species within a 40 kilometre radius, including one introduced species (DEC, 2011b). Due to the remote location and lack of studies there is limited information on the faunal assemblages expected in the Central Ranges region (ENV Australia, 2011).

The deficiency in biological survey data from the area, both supplied by the applicant and available from other sources, brings a level of uncertainty when assessing the level of biological diversity of the application area. However, the broad-scale vegetation types and fauna habitat types are common and widespread both locally and regionally. Given the small area proposed to be cleared (17 hectares), it is not likely that the proposed clearing will have any significant impact on biodiversity at a regional scale.

Based on the above, the proposed clearing may be at variance to this Principle.

Methodology

CALM (2002)

DEC (2011b)

ENV Australia (2011)

Shepherd (2009)

GIS Database:

- Declared Rare and Priority Flora List
- IBRA WA (Regions Subregions)
- Pre-European Vegetation
- Threatened Ecological Sites Buffered

(b) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.

Comments Proposal may be at variance to this Principle

No targeted fauna surveys were undertaken within the application area and the fauna habitats present within the application area have not been recorded. ENV Australia (2011) conducted a fauna database and literature review of nearby Musgraves areas and predicted the fauna habitats within four neighbouring tenements using aerial photographs and Beard vegetation mapping. One of these neighbouring tenements contains the same Beard vegetation associations as the application area, several minor non-perennial watercourses as found in the application area and similar orthophotographs (GIS Database). It is expected that the broad habitat types found within the application area would be similar to those predicted in the adjacent tenement.

Four main fauna habitats were identified as having the potential to occur within the similar neighbouring tenement, and therefore could be expected within the application area. These were:

- Minor Drainage Line: Generally consists of open shrubland of mixed Acacia species and mallees over Triodia basedowii. A moderate diversity of microhabitats is expected with logs, debris and tree hollows:
- Mulga Plain: Consists of low open woodlands of Mulga (Acacia aneura) over Triodia basedowii, occurring in low lying areas. A moderate diversity of microhabitats is expected, with tree hollows, logs, leaf litter, debris, and soils suitable for digging and burrowing animals;
- Sand Dune/Sandplain: Consists of low shrublands of Mulga (Acacia aneura) and Marble Gum (Eucalyptus gongylocarpa) over Triodia basedowii. Microhabitat diversity is expected to be low, with logs, debris and litter being sparse; and
- Rocky Hill: Comprises rocky landforms that are elevated from the surrounding plains and likely to be characterised by stony soils with simple vegetation structure. The vegetation of this habitat consists

of low shrublands of mixed *Acacia* over *Triodia basedowii*. The microhabitats are reliant on substrate rather than vegetation structure as few vegetation associated niches are available and hard pebbly soil is unsuitable for most burrowing fauna. The rocky substrate provides numerous microhabitats in the form of breakaways, cracks, crevices and possibly caves, and supports a large assemblage of terrestrial fauna (ENV Australia, 2011).

These vegetation communities and associated fauna habitats are considered common and are predicted to occur in other tenements in the Musgraves area (ENV Australia, 2011). There are large areas of intact vegetation outside the application area (GIS Database) and the Central Ranges bioregion is largely uncleared, with approximately 99.97% of pre-European vegetation remaining (Shepherd, 2009; GIS Database).

There are 18 fauna species listed as Threatened Species under the *Environment Protection and Biodiversity Conservation Act 1999* or specially protected under Western Australian legislation that are known from the Mann-Musgrave Block subregion (CALM, 2002; DEC, 2010; DEC, 2011b). No systematic fauna surveys have been conducted in the Mann-Musgrave Block subregion and fauna survey data is sparse, confined to vertebrates, and mostly site specific (CALM, 2002). Therefore, data from a large search area is needed to predict the potential conservation significant fauna species occurring within the application area.

Many of the 18 conservation significant species are considered highly mobile and/or have a wide distribution so the clearing is unlikely to significantly impact on the species. Several of the species have specific habitat requirements that are not found within the application area, e.g. wetlands. Other species are known mostly from historical records (DEC, 2011b) and based on their current distribution the species are not expected to be in the application area or its surrounds. However, the Crest-tailed Mulgara (Dasycercus cristicauda) and Greater Bilby (Macrotis lagotis) are ground-dwelling Threatened fauna with limited dispersal abilities and are more likely to be impacted on by any development. The Brush-tailed Mulgara (Dasycercus blythi) is a DEC Priority listed fauna species that may be impacted by the disturbance. The habitat needed for the Brush-tailed Mulgara is spinifex (Triodia) hummock grassland (Pavey, Cole and Woinarski, 2006a) and this habitat type is expected to occur in tenements in the Musgraves area (ENV Australia, 2011). The habitat requirements of the Crest-tailed Mulgara are less well known but it may prefer sand dune habitat with Triodia basedowii (Pavey, Cole and Woinarski, 2006b) and this habitat type is expected within the Musgraves area (ENV Australia, 2011). Bilbies live in a variety of habitats from open woodland to desert loamy sands (Burbidge, 2004). The entrance to their burrows is often against a spinifex hummock, termite mound or shrub (Burbidge, 2004) so the application area provides potential habitat for the Bilby. All three species construct burrows that the animals live in during the day (Pavey, Cole and Woinarski, 2006a, 2006b; DEC, 2011a). Therefore any core habitat, such as burrows, could be considered significant and should be avoided.

The area proposed to be cleared is small (17 hectares), spread over a large application area, and there are large amounts of uncleared vegetation in the Central Ranges. However, there is also very little biological knowledge of the region. Only limited fauna information is available for the Central Ranges and Musgraves area due to a lack of fauna surveys being completed in the remote region (CALM, 2002). The conservation values of the application area in regards to fauna, in particular conservation significant species, are uncertain and cannot be fully understood until on-ground fauna surveys are conducted. Potential impacts to conservation significant fauna as a result of the proposed clearing may be minimised by the implementation of a fauna management condition.

Based on the above, the proposed clearing may be at variance to this Principle.

Methodology Burbidge (2004)

CALM (2002)

DEC (2010)

DEC (2011a)

DEC (2011b)

ENV Australia (2011)

Pavey, Cole and Woinarski (2006a)

Pavey, Cole and Woinarski (2006b)

Shepherd (2009)

GIS Database:

- Finlayson 1.25 m Orthomosaic Landgate 2002
- Holt 1.25 m Orthomosaic Landgate 2002
- IBRA WA (Regions Subregions)
- Pre-European Vegetation

(c) Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.

Comments Proposal may be at variance to this Principle

According to available databases there are no known records of Declared Rare Flora (DRF) within the application area (GIS Database). The nearest recorded DRF is located approximately 645 kilometres southwest of the application area (GIS Database).

There is a general lack of knowledge of flora and vegetation in the Central Ranges bioregion with no systematic surveying on a regional scale (CALM, 2002; ENV Australia, 2011). There was no additional

surveying of the application area by the applicant and the desktop analysis of Traka's adjacent tenements in the Musgraves area is based on the limited number of previous biological surveys that have been conducted in the region (ENV Australia, 2011). This limited information makes it difficult to ascertain the significance of the vegetation in the application area to the continued existence of rare flora.

Based on the above, the proposed clearing may be at variance to this Principle. Potential impacts to DRF as a result of the proposed clearing may be minimised by the implementation of a flora management condition.

Methodology CALM (2002)

ENV Australia (2011)

GIS Database:

- Declared Rare and Priority Flora List

(d) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community.

Comments Proposal is not likely to be at variance to this Principle

A search of available databases revealed that there are no known Threatened Ecological Communities (TECs) within the application area (GIS Database). The nearest recorded TEC is located approximately 795 kilometres south-west of the application area (GIS Database). The proposed clearing is not likely to impact on any known TEC.

Based on the above, the proposed clearing is not likely to be at variance to this Principle.

Methodology GIS

GIS Database:

- Threatened Ecological Sites Buffered

(e) Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.

Comments Proposal is not at variance to this Principle

The clearing application area falls within the Central Ranges Interim Biogeographic Regionalisation for Australia (IBRA) bioregion in which approximately 99.97% of the pre-European vegetation remains (see table) (Shepherd, 2009; GIS Database). This gives it a conservation status of "Least Concern" according to the Bioregional Conservation Status of Ecological Vegetation Classes (Department of Natural Resources and Environment, 2002).

The vegetation of the clearing application area has been mapped as Beard vegetation associations:

18: Low woodland; mulga (Acacia aneura);

19: Low woodland; mulga between sandridges; and

39: Shrublands; mulga scrub (Shepherd, 2009; GIS Database).

	Pre-European Area (ha)*	Current Extent (ha)*	Remaining %*	Conservation Status**	Pre-European % in IUCN Class I-IV Reserves
IBRA Bioregion – Central Ranges	4,701,520	4,700,253	~99.97	Least Concern	-
Beard Veg Assoc. – State					
18	19,892,305	19,890,275	~99.99	Least Concern	2.13
19	4,385,295	4,384,287	~99.98	Least Concern	0.11
39	6,613,569	6,613,469	~100	Least Concern	7.25
Beard Veg Assoc. – Bioregion					
18	1,075,927	1,075,180	~99.93	Least Concern	-
19	902,251	902,180	~99.99	Least Concern	-
39	404,691	404,691	~100	Least Concern	-

^{*} Shepherd (2009)

^{**} Department of Natural Resources and Environment (2002)

According to Shepherd (2009), over 99% of all these vegetation associations remain at a state and bioregional level (see table). These vegetation associations would be given a conservation status of "Least Concern" at both a state and bioregional level (Department of Natural Resources and Environment, 2002).

The vegetation under application is not a remnant of vegetation in an area that has been extensively cleared.

Based on the above, the proposed clearing is not at variance to this Principle.

Methodology

Department of Natural Resources and Environment (2002)

Shepherd (2009) GIS Database:

- IBRA WA (Regions Subregions)
- Pre-European Vegetation

(f) Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.

Comments

Proposal is at variance to this Principle

There are no permanent watercourses or wetlands within the application area, however, there is one minor non-perennial watercourse (GIS Database). This minor watercourse flows downslope from the Finlay Range (GIS Database). Minor flowlines are common throughout the ranges in the region (GIS Database).

ENV Australia (2011) have predicted the fauna habitats in areas adjacent to the application area using aerial photography and Beard (1974) vegetation mapping. ENV Australia (2011) have predicted the habitat 'Minor Drainage Line' will occur within the Musgraves area and this is associated with minor watercourses. The vegetation in the 'Minor Drainage Line' habitat generally consists of open shrubland of mixed *Acacia* spp. and mallees over *Triodia basedowii* (Beard, 1974 as cited in ENV Australia, 2011). This habitat type was predicted to occur in neighbouring tenements (ENV Australia, 2011) and this is likely to be associated with the minor non-perennial watercourse occurring within the application area.

Based on the above, the proposed clearing is at variance to this Principle. However, the vegetation types associated with the minor watercourses are common in the local and regional area, and the small area of the proposed clearing is unlikely to have any significant impact on any watercourse or wetland.

Methodology

ENV Australia (2011)

GIS Database:

- Geodata, Lakes
- Hydrography, Linear
- Natmap 250K Series Mapping

(g) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.

Comments

Proposal is not likely to be at variance to this Principle

Traka has applied to clear up to 17 hectares within an application area totalling approximately 11,400 hectares. Disturbance will be for access tracks and drill pads using machinery with the blade up to ensure soil is not removed or by driving over the vegetation (Traka, 2011). The proposed clearing activities are not likely to result in large areas of disturbed or open land. Given the small size of the proposed activities, the clearing is not likely to result in appreciable land degradation.

Based on the above, the proposed clearing is not likely to be at variance to this Principle.

Methodology Traka (2011)

(h) Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.

Comments

Proposal is not likely to be at variance to this Principle

The proposed clearing is not located within a Department of Environment and Conservation (DEC) managed conservation reserve (GIS Database). The nearest conservation reserve is Gibson Desert Nature Reserve, which is located approximately 165 kilometres north-west of the application area (GIS Database). A large proportion of the vegetation in the Central Ranges bioregion remains uncleared, approximately 99.97% (Shepherd, 2009), so it is unlikely that the application area provides an important buffer or ecological linkage to the nature reserve.

The application area occurs within the Register of National Estate site Ranges of the Western Desert (GIS Database). The Ranges of the Western Desert cover approximately 8,016,568 hectares and are a system of ranges with many gorges and valleys. The site is considered significant due to its colourful and spectacular scenery, Aboriginal paintings in Walter James Range, and endemic and rare flora species (Australian Heritage Database, 2011). Despite the area being on the Register of National Estate for natural values, it is considered that the proposed clearing is low impact and of a small scale and will not significantly impact on the

environmental values of the area.

Based on the above, the proposed clearing is not likely to be at variance to this Principle.

Methodology

Australian Heritage Database (2011)

Shepherd (2009)

GIS Database:

- DEC Tenure
- Register of National Estate

(i) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.

Comments

Proposal is not likely to be at variance to this Principle

There are no permanent watercourses or wetlands within the application area (GIS Database). The Central Ranges has an arid climate with an average annual rainfall of 200 millimetres from both summer and winter rain (CALM, 2002) so any surface water within the application area is likely to remain for only short periods following rainfall events. The proposed clearing is not likely to cause deterioration in the quality of surface water in the local area.

According to the available databases the application area is not located within a Public Drinking Water Source Area (PDWSA) (GIS Database).

The small area of the proposed clearing is unlikely to cause deterioration in the quality of underground water.

Based on the above, the proposed clearing is not likely to be at variance to this Principle.

Methodology

CALM (2002)

GIS Database:

- Geodata, Lakes
- Hydrography, Linear
- Public Drinking Water Source Areas (PDWSAs)

(j) Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence or intensity of flooding.

Comments

Proposal is not likely to be at variance to this Principle

The application area is located within the Warburton Basin catchment area (GIS Database). Given the size of the area to be cleared (17 hectares) in relation to the size of the catchment area (17,195,990 hectares) (GIS Database), the proposed clearing is not likely to increase the potential of flooding on a local or catchment scale

Based on the above, the proposed clearing is not likely to be at variance to this Principle.

Methodology

GIS Database:

- Hydrographic Catchments - Catchments

Planning instrument, Native Title, Previous EPA decision or other matter.

Comments

There is one Native Title Claim (WC04/3) over the area under application (GIS Database). This claim has been registered with the National Native Title Tribunal on behalf of the claimant group. However, the mining tenure has been granted in accordance with the future act regime of the *Native Title Act 1993* and the nature of the act (i.e. the proposed clearing activity) has been provided for in that process, therefore the granting of a clearing permit is not a future act under the *Native Title Act 1993*.

There are no registered Aboriginal Sites of Significance within the application area (GIS Database). It is the proponent's responsibility to comply with the *Aboriginal Heritage Act 1972* and ensure that no Aboriginal Sites of Significance are damaged through the clearing process.

It is the proponent's responsibility to liaise with the Department of Environment and Conservation and the Department of Water, to determine whether a Works Approval, Water Licence, Bed and Banks Permit, or any other licences or approvals are required for the proposed works.

The clearing permit application was advertised on 30 May 2011 by the Department of Mines and Petroleum inviting submissions from the public. No submissions were received.

Methodology

GIS Database:

- Aboriginal Sites of Significance
- Native Title Claims Determined by the Federal Court

4. References

Australian Heritage Database (2011) Department of Sustainability, Environment, Water, Population and Communities. http://www.environment.gov.au/heritage/index.html (Accessed 1 March 2011).

Burbidge, A. (2004) Threatened Animals of Western Australia. Department of Conservation and Land Management, Perth, Western Australia.

CALM (2002) A Biodiversity Audit of Western Australia's 53 Biogeographical Subregions. Central Ranges 1 (CR 1 - Mann-Musgrave Block Subregion). Department of Conservation and Land Management, Western Australia.

DEC (2010) Current List of Threatened Fauna Rankings, 17 August 2010. Department of Environment and Conservation.

DEC (2011a) NatureBase: Fauna Species Profile - Bilby. Department of Environment and Conservation, Western Australia. http://www.dec.wa.gov.au/content/view/3432/1999/1/2/ (Accessed 9 May 2011).

DEC (2011b) NatureMap: Mapping Western Australia's Biodiversity. Department of Environment and Conservation. http://naturemap.dec.wa.gov.au/default.aspx (Accessed 4 April 2011).

Department of Natural Resources and Environment (2002) Biodiversity Action Planning. Action planning for native biodiversity at multiple scales; catchment bioregional, landscape, local. Department of Natural Resources and Environment, Victoria.

ENV Australia (2011) Musgraves Flora and Fauna Desktop Review. Unpublished report for Traka Resources Limited, Prepared by ENV Australia Pty Ltd, January 2011.

Keighery, B.J. (1994) Bushland Plant Survey: A Guide to Plant Community Survey for the Community. Wildflower Society of WA (Inc). Nedlands, Western Australia.

Pavey, C., Cole, J. and Woinarksi, J. (2006a) Brush-tailed Mulgara (Mulgara) *Dasycercus blythi*. Northern Territory Government, Department of Natural Resources, Environment and the Arts.

Pavey, C., Cole, J. and Woinarksi, J. (2006b) Crest-tailed Mulgara (Ampurta) *Dasycercus cristicauda*. Northern Territory Government, Department of Natural Resources, Environment and the Arts.

Shepherd, D.P. (2009) Adapted from: Shepherd, D.P., Beeston, G.R., and Hopkins, A.J.M. (2001), Native Vegetation in Western Australia. Technical Report 249. Department of Agriculture Western Australia, South Perth.

Traka (2011) Additional Information to Accompany the Application for a Clearing Permit on E69/2747. Unpublished report by Traka Resources Limited.

5. Glossary

Acronyms:

BoM Bureau of Meteorology, Australian Government

CALM Department of Conservation and Land Management (now DEC), Western Australia

DAFWA Department of Agriculture and Food, Western Australia

DEC Department of Environment and Conservation, Western Australia

DEH Department of Environment and Heritage (federal based in Canberra) previously Environment Australia

DEP Department of Environment Protection (now DEC), Western Australia

DIA Department of Indigenous Affairs

DLI Department of Land Information, Western Australia
 DMP Department of Mines and Petroleum, Western Australia
 DoE Department of Environment (now DEC), Western Australia

DolR Department of Industry and Resources (now DMP), Western Australia

DOLA Department of Land Administration, Western Australia

DoW Department of Water

EP Act Environmental Protection Act 1986, Western Australia

EPBC Act Environment Protection and Biodiversity Conservation Act 1999 (Federal Act)

GIS Geographical Information System ha Hectare (10,000 square metres)

IBRA Interim Biogeographic Regionalisation for Australia

IUCN International Union for the Conservation of Nature and Natural Resources – commonly known as the World

Conservation Union

RIWI Act Rights in Water and Irrigation Act 1914, Western Australia

s.17 Section 17 of the Environment Protection Act 1986, Western Australia

TEC Threatened Ecological Community

Definitions:

{Atkins, K (2005). Declared rare and priority flora list for Western Australia, 22 February 2005. Department of Conservation and Land Management, Como, Western Australia}:-

P1 Priority One - Poorly Known taxa: taxa which are known from one or a few (generally <5) populations which are under threat, either due to small population size, or being on lands under immediate threat, e.g. road verges, urban areas, farmland, active mineral leases, etc., or the plants are under threat, e.g. from disease, grazing by feral animals, etc. May include taxa with threatened populations on protected lands. Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.

P2 Priority Two - Poorly Known taxa: taxa which are known from one or a few (generally <5) populations, at

least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.

- P3 Priority Three Poorly Known taxa: taxa which are known from several populations, at least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in need of further survey.
- P4 Priority Four Rare taxa: taxa which are considered to have been adequately surveyed and which, whilst being rare (in Australia), are not currently threatened by any identifiable factors. These taxa require monitoring every 5–10 years.
- R Declared Rare Flora Extant taxa (= Threatened Flora = Endangered + Vulnerable): taxa which have been adequately searched for, and are deemed to be in the wild either rare, in danger of extinction, or otherwise in need of special protection, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.
- X Declared Rare Flora Presumed Extinct taxa: taxa which have not been collected, or otherwise verified, over the past 50 years despite thorough searching, or of which all known wild populations have been destroyed more recently, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.

{Wildlife Conservation (Specially Protected Fauna) Notice 2005} [Wildlife Conservation Act 1950]:-

- Schedule 1 Fauna that is rare or likely to become extinct: being fauna that is rare or likely to become extinct, are declared to be fauna that is need of special protection.
- Schedule 2 Fauna that is presumed to be extinct: being fauna that is presumed to be extinct, are declared to be fauna that is need of special protection.
- Schedule 3 Birds protected under an international agreement: being birds that are subject to an agreement between the governments of Australia and Japan relating to the protection of migratory birds and birds in danger of extinction, are declared to be fauna that is need of special protection.
- Schedule 4 Other specially protected fauna: being fauna that is declared to be fauna that is in need of special protection, otherwise than for the reasons mentioned in Schedules 1, 2 or 3.

{CALM (2005). Priority Codes for Fauna. Department of Conservation and Land Management, Como, Western Australia}:-

- P1 Priority One: Taxa with few, poorly known populations on threatened lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, active mineral leases. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- Priority Two: Taxa with few, poorly known populations on conservation lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not under immediate threat of habitat destruction or degradation, e.g. national parks, conservation parks, nature reserves, State forest, vacant Crown land, water reserves, etc. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- Priority Three: Taxa with several, poorly known populations, some on conservation lands: Taxa which are known from few specimens or sight records from several localities, some of which are on lands not under immediate threat of habitat destruction or degradation. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- P4 Priority Four: Taxa in need of monitoring: Taxa which are considered to have been adequately surveyed, or for which sufficient knowledge is available, and which are considered not currently threatened or in need of special protection, but could be if present circumstances change. These taxa are usually represented on conservation lands.
- P5 Priority Five: Taxa in need of monitoring: Taxa which are not considered threatened but are subject to a specific conservation program, the cessation of which would result in the species becoming threatened within five years.

Categories of threatened species (Environment Protection and Biodiversity Conservation Act 1999)

- **EX Extinct:** A native species for which there is no reasonable doubt that the last member of the species has died.
- **EX(W)** Extinct in the wild: A native species which:
 - (a) is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range: or
 - (b) has not been recorded in its known and/or expected habitat, at appropriate seasons, anywhere in its past range, despite exhaustive surveys over a time frame appropriate to its life cycle and form.
- **CR Critically Endangered:** A native species which is facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with the prescribed criteria.
- **EN Endangered:** A native species which:
 - (a) is not critically endangered; and
 - (b) is facing a very high risk of extinction in the wild in the near future, as determined in accordance with the prescribed criteria.

- **VU Vulnerable:** A native species which:
 - (a) is not critically endangered or endangered; and
 - b) is facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with the prescribed criteria.
- **Conservation Dependent:** A native species which is the focus of a specific conservation program, the cessation of which would result in the species becoming vulnerable, endangered or critically endangered within a period of 5 years.