

| 1. Application details                             |   |  |   |  |  |  |
|--|---|--|---|--|--|--|
|  |   |  |   |  |  |  |
| 1.1. Permit application<br>Permit application No.: |   | 2  |   |  |  |  |
| Permit type:                                       |   | 5185/3<br>Purpose  |   |  |  |  |
| 1.2. Proponent details                             |   |  |   |  |  |  |
| Proponent's name:                                  | Robe  | Robe River Mining Co Pty Ltd   |   |  |  |  |
| 1.3. Property details                              |   |  |   |  |  |  |
| Property:  | Miscel<br>Miscel<br>Miscel<br>Miscel<br>Pipelir   | Iron Ore (Robe River) Agreement Act 1964, Mineral Lease 248SA (AML 70/248)<br>Miscellaneous Licence 47/53<br>Miscellaneous Licence 52/75<br>Miscellaneous Licence 52/148<br>Miscellaneous Licence 52/153<br>Pipeline Licence 97<br>Shire of Ashburton, Shire of East Pilbara |   |  |  |  |
| Colloquial name:                                   |   | Western Angelas Pipeline and Stations Project  |   |  |  |  |
|  |   |  |   |  |  |  |
| 1.4. Application<br>Clearing Area (ha) No          | . Trees   | Method of Clearing   | For the purpose of:   |  |  |  |
| 525  |   | Mechanical Removal   | Gas Pipeline, Gas Stations and Associated Works   |  |  |  |
| 1.5. Decision on applica                           | ation   |  |   |  |  |  |
| Decision on Permit Application                     |   |  |   |  |  |  |
| Decision Date:                                     | 28 Ma   | 28 March 2013  |   |  |  |  |
| 2. Site Information                                |   |  |   |  |  |  |
| 2.1. Existing environme                            | ent and i   | nformation   |   |  |  |  |
| -  | <i>tive vegetation under application</i><br>Beard vegetation associations have been mapped for the whole of Western Australia. Three Beard vegetation associations have been mapped within the application area (Government of Western Australia, 2011; GIS Database):  |  |   |  |  |  |
|  | 18: Low woodland; mulga ( <i>Acacia aneura</i> );<br>82: Hummock grasslands, low tree steppe; snappy gum over <i>Triodia wiseana</i> ;<br>169: Shrublands; mulga & Minnie ritchie scrub.  |  |   |  |  |  |
|  | Two flora and vegetation surveys of the amended application area have been conducted by ENV<br>Australia (2011; 2012) in July 2011 and March 2012. These surveys identified the following 26<br>vegetation communities across three major landforms within the application area (ENV Australia, 2011;<br>2012): |  |   |  |  |  |
|  | <u>Foothills, Rocky Hill Slopes and Crests</u><br>AanAbTsh: <i>Acacia aneura</i> low open woodland over <i>A. bivenosa</i> scattered shrubs over <i>Triodia</i> sp.<br>Shovelanna Hill (S. van Leeuwen 3835) hummock grassland;   |  |   |  |  |  |
|  | AanEpITeARc: Acacia aneura low open woodland over Eremophila platycalyx subsp. pardolata scattered shrubs over Triodia epactia very open hummock grassland over Aristida contorta very open tussock grassland;  |  |   |  |  |  |
|  | AiTshTw: <i>Acacia inaequilatera</i> tall shrubland over <i>Triodia</i> sp. Shovelanna Hill (S. van Leeuwen 3835) and <i>T. wiseana</i> hummock grassland;  |  |   |  |  |  |
|  | AprAciApyTp: <i>Acacia pruinocarpa, A. citrinoviridis, A. pyrifolia</i> open shrubland over <i>Triodia pungens</i> hummock grassland;   |  |   |  |  |  |
|  |   | ArAprTeTsh: <i>Acacia rhodophloia</i> and <i>A. pruinocarpa</i> open shrubland over <i>Triodia epactia</i> and <i>T.</i> sp. Shovellana Hill (S. van Leeuwen 3835) hummock grassland;  |   |  |  |  |
|  | CdEsTsh<br>Shovelar   | Tp: <i>Corymbia deserticola, Euca</i><br>nna Hill (S. van Leeuwen 3835)  | alyptus socialis scattered low trees/mallee over <i>Triodia</i> sp.<br>and <i>T. pungens</i> hummock grassland; |  |  |  |

CdTsh: Corymbia deserticola scattered low trees over Triodia sp. Shovelanna Hill (S. van Leeuwen

3835) hummock grassland;

ElAanTeTlo: *Eucalyptus leucophloia* and *Acacia aneura* open woodland over *Triodia epactia* and *T. longiceps* hummock grassland; and

EITshTp: *Eucalyptus leucophloia* scattered low trees over *Triodia s*p. Shovelanna Hill (S. van Leeuwen 3835) and *T. pungens* hummock grassland

#### Plains

AanAprTshTp: Acacia aneura, A. pruinocarpa tall open shrubland over Triodia sp. Shovelanna Hill (S. van Leeuwen 3835) and T. pungens hummock grassland;

AanArGbERfoERpCAsTp: Acacia aneura low woodland over A. rhodophloia, Grevillea berryana scattered tall shrubs over Eremophila forrestii, E. phyllopoda, Cassia stricta low open shrubland over Triodia pungens very open hummock grassland;

AanAwERfpTp: Acacia aneura high open shrubland over A. wanyu and Ptilotus obovatus open shrubland over Eremophila forrestii subsp. Pingandy (M.E. Trudgen 2662) low scattered shrubs over Triodia pungens open hummock grassland;

AanTp/BareGround: Acacia aneura low closed forest over Triodia pungens hummock grassland – groving mulga;

AprAanAwTp: *Acacia pruinocarpa, A. aneura* tall open scrub over *A. wanyu* scattered shrubs over *Triodia pungens* hummock grassland;

AprAanTeBb: Acacia pruinocarpa and A. aneura low open woodland over mixed scattered shrubs over Triodia epactia hummock grassland over \*Bidens bipinnata very open herbland;

ChAanAkTe: *Corymbia hamersleyana* scattered low trees over *Acacia aneura* high open shrubland over *A. kempeana* scattered shrubs over *Triodia epactia* hummock grassland;

EgApERfoSsTe: *Eucalyptus gamophylla* scattered mallees over *Acacia pruinocarpa, A. bivenosa* and *A. aneura* high open shrubland over *Eremophila forrestii* subsp. *forrestii* and *Senna stricta* scattered shrubs over *Triodia epactia* open hummock grassland; and

Tlo; Triodia longiceps hummock grassland.

#### Major and Minor Creeklines

AciApAanSaTe: Acacia citrinoviridis, A. pruinocarpa and A. Aneura high open shrubland over Senna artemisioides subsp. x artemisioides scattered shrubs over Triodia epactia very open hummock grassland;

ApyAciTp: Acacia pyrifolia, A. citrinoviridis tall shrubland over Triodia pungens open hummock grassland;

CfDOpERITp: *Corymbia ferriticola* low woodland over *Dodonaea pachyneura, Eremophila latrobei* subsp. *Filiformis* shrubland over *Triodia pungens* open hummock Grassland;

ChApyAmoGOrTHtERtTp: Corymbia hamersleyana scattered low trees over Acacia pyrifolia, A. monticola, Gossypium robinsonii tall shrubland over Themeda triandra, Eriachne tenuiculmis tussock grassland and Triodia pungens open hummock grassland;

ChEgGwTeTHt: *Corymbia hamersleyana* low open woodland over *Eucalyptus gamophylla* very open mallee over *Grevillea wickhamii, Acacia bivenosa* and *A. pruinocarpa* high open shrubland over *Triodia epactia* hummock grassland over *Themeda triandra* tussock grassland;

ChEITeTHt: Corymbia hamersleyana and Eucalyptus leucophloia low open woodland over Triodia epactia hummock grassland over Themeda triandra open tussock grassland;

EvAciApyTe: *Eucalyptus victrix* scattered low trees over *Acacia citrinoviridis* and *A. pyrifolia* open shrubland over *Triodia epactia* very open hummock grassland over *Cymbopogon ambiguus* and *Enneapogon lindleyanus* very open tussock grassland; and

EvAciTHtEUaCYaTp: *Eucalyptus victrix, Acacia citrinoviridis* low woodland over *Triodia pungens* hummock grassland over *Themeda triandra, Eulalia aurea* and *Cymbopogon ambiguus* open tussock grassland.

**Clearing Description** Robe River Mining Co Pty Ltd has applied to clear approximately 525 hectares of native vegetation within an approximate 1,556 hectare boundary for the purpose of installing and maintaining a gas pipeline, gas stations and associated works and infrastructure.

Clearing will be conducted using a dozer with blade down techniques and vegetation will be stockpiled and used in rehabilitation.

Vegetation Condition

Very Good: Vegetation structure altered; obvious signs of disturbance (Keighery, 1994);

То

Excellent: Vegetation structure intact; disturbance affecting individual species, weeds non-aggressive (Keighery, 1994).

Comment

The application area is located in the Pilbara and Gascoyne regions of Western Australia and is situated approximately 80 kilometres east of Paraburdoo. CPS 5185/2 was granted by the Department of Mines and Petroleum (DMP) on 14 February 2013. On 28 February 2013, Robe River Mining Co Pty Ltd applied to amend CPS 5185/2 for the purpose of adding Miscellaneous Licence 52/153 and Pipeline Licence PL 97 to the clearing permit.

### 3. Assessment of application against clearing principles

#### Comments

Robe River Mining Co Pty Ltd has applied to amend CPS 5185/2 to include Miscellaneous Licence 52/153 and Pipeline Licence PL97 to the clearing permit.

As the amendment is only for administrative purposes, the environmental impacts will not change and the assessment of the clearing principles is consistent with the assessment in clearing permit decision report CPS 5185/2.

### Planning instrument, Native Title, Previous EPA decision or other matter.

#### Comments

There are two Native Title Claims (WC10/11 and WC99/13) over the area under application (GIS Database). WC10/11 has been registered with the National Native Title Tribunal on behalf of the claimant group and WW99/13 has been determined by the Federal Court. However, the tenure has been granted in accordance with the future act regime of the *Native Title Act 1993* and the nature of the act (i.e. the proposed clearing activity) has been provided for in that process, therefore the granting of a clearing permit is not a future act under the *Native Title Act 1993*.

There are two registered Aboriginal Sites of Significance within the application area (GIS Database). It is the proponent's responsibility to comply with the *Aboriginal Heritage Act 1972* and ensure that no Aboriginal Sites of Significance are damaged through the clearing process.

It is the proponent's responsibility to liaise with the Department of Environment and Conservation and the Department of Water, to determine whether a Works Approval, Water Licence, Bed and Banks Permit, or any other licences or approvals are required for the proposed works.

# Methodology GIS Database

- Aboriginal Sites of Significance
- Native Title Claims Registered with NNTT
- Native Title Claims Determined by the Federal Court

### 4. References

ENV Australia (2011) Flora, Vegetation and Fauna Assessment of the West Angelas Gas Pipeline Deviation. Unpublished report prepared for Rio Tinto Iron Ore Pty Ltd dated November 2011.

ENV Australia (2012) Flora, Vegetation and Fauna Assessment of the Re-Aligned Gas Pipeline Corridor at West Angelas. Unpublished report prepared for Rio Tinto Iron Ore Pty Ltd dated August 2012.

Government of Western Australia (2011) 2011 Statewide Vegetation Statistics incorporating the CAR Reserve Analysis (Full Report). WA Department of Environment and Conservation, Perth.

Keighery, B.J. (1994) Bushland Plant Survey: A Guide to Plant Community Survey for the Community. Wildflower Society of WA (Inc). Nedlands, Western Australia

## 5. Glossary

# Acronyms:

| ВоМ    | Bureau of Meteorology, Australian Government  |
|--------|---|
| CALM   | Department of Conservation and Land Management (now DEC), Western Australia                         |
| DAFWA  | Department of Agriculture and Food, Western Australia   |
| DEC    | Department of Environment and Conservation, Western Australia                                       |
| DEH    | Department of Environment and Heritage (federal based in Canberra) previously Environment Australia |
| DEP    | Department of Environment Protection (now DEC), Western Australia                                   |
| DIA    | Department of Indigenous Affairs  |
| DLI    | Department of Land Information, Western Australia   |
| DMP    | Department of Mines and Petroleum, Western Australia  |
| DoE    | Department of Environment (now DEC), Western Australia  |
| DolR   | Department of Industry and Resources (now DMP), Western Australia                                   |
| DOLA   | Department of Land Administration, Western Australia  |
| DoW    | Department of Water   |
| EP Act | Environmental Protection Act 1986, Western Australia  |

| EPBC Act<br>GIS | Environment Protection and Biodiversity Conservation Act 1999 (Federal Act)<br>Geographical Information System            |
|-----------------|---|
| ha              | Hectare (10,000 square metres)  |
| IBRA            | Interim Biogeographic Regionalisation for Australia   |
| IUCN            | International Union for the Conservation of Nature and Natural Resources – commonly known as the World Conservation Union |
| RIWI Act        | Rights in Water and Irrigation Act 1914, Western Australia  |
| s.17            | Section 17 of the Environment Protection Act 1986, Western Australia  |
| TEC             | Threatened Ecological Community   |

# **Definitions:**

{Atkins, K (2005). Declared rare and priority flora list for Western Australia, 22 February 2005. Department of Conservation and Land Management, Como, Western Australia} :-

- P1 Priority One Poorly Known taxa: taxa which are known from one or a few (generally <5) populations which are under threat, either due to small population size, or being on lands under immediate threat, e.g. road verges, urban areas, farmland, active mineral leases, etc., or the plants are under threat, e.g. from disease, grazing by feral animals, etc. May include taxa with threatened populations on protected lands. Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.
- P2 Priority Two Poorly Known taxa: taxa which are known from one or a few (generally <5) populations, at least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.
- **P3 Priority Three Poorly Known taxa**: taxa which are known from several populations, at least some of which are not believed to be under immediate threat (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in need of further survey.
- P4 Priority Four Rare taxa: taxa which are considered to have been adequately surveyed and which, whilst being rare (in Australia), are not currently threatened by any identifiable factors. These taxa require monitoring every 5–10 years.
- **R Declared Rare Flora Extant taxa** (*= Threatened Flora = Endangered + Vulnerable*): taxa which have been adequately searched for, and are deemed to be in the wild either rare, in danger of extinction, or otherwise in need of special protection, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.
- X Declared Rare Flora Presumed Extinct taxa: taxa which have not been collected, or otherwise verified, over the past 50 years despite thorough searching, or of which all known wild populations have been destroyed more recently, and have been gazetted as such, following approval by the Minister for the Environment, after recommendation by the State's Endangered Flora Consultative Committee.

{Wildlife Conservation (Specially Protected Fauna) Notice 2005} [Wildlife Conservation Act 1950] :-

- Schedule 1 Fauna that is rare or likely to become extinct: being fauna that is rare or likely to become extinct, are declared to be fauna that is need of special protection.
- Schedule 2 Fauna that is presumed to be extinct: being fauna that is presumed to be extinct, are declared to be fauna that is need of special protection.
- Schedule 3 Birds protected under an international agreement: being birds that are subject to an agreement between the governments of Australia and Japan relating to the protection of migratory birds and birds in danger of extinction, are declared to be fauna that is need of special protection.
- Schedule 4 Other specially protected fauna: being fauna that is declared to be fauna that is in need of special protection, otherwise than for the reasons mentioned in Schedules 1, 2 or 3.

{CALM (2005). Priority Codes for Fauna. Department of Conservation and Land Management, Como, Western Australia} :-

- P1 Priority One: Taxa with few, poorly known populations on threatened lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, active mineral leases. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- P2 Priority Two: Taxa with few, poorly known populations on conservation lands: Taxa which are known from few specimens or sight records from one or a few localities on lands not under immediate threat of habitat destruction or degradation, e.g. national parks, conservation parks, nature reserves, State forest, vacant Crown land, water reserves, etc. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- P3 Priority Three: Taxa with several, poorly known populations, some on conservation lands: Taxa which are known from few specimens or sight records from several localities, some of which are on lands not under immediate threat of habitat destruction or degradation. The taxon needs urgent survey and evaluation of conservation status before consideration can be given to declaration as threatened fauna.
- P4 Priority Four: Taxa in need of monitoring: Taxa which are considered to have been adequately surveyed, or for which sufficient knowledge is available, and which are considered not currently threatened or in need of special protection, but could be if present circumstances change. These taxa are usually represented on Page 4

conservation lands.

**P5 Priority Five: Taxa in need of monitoring**: Taxa which are not considered threatened but are subject to a specific conservation program, the cessation of which would result in the species becoming threatened within five years.

## Categories of threatened species (Environment Protection and Biodiversity Conservation Act 1999)

**EX Extinct:** A native species for which there is no reasonable doubt that the last member of the species has died.

**EX(W)** Extinct in the wild: A native species which:

- (a) is known only to survive in cultivation, in captivity or as a naturalised population well outside its past range; or
- (b) has not been recorded in its known and/or expected habitat, at appropriate seasons, anywhere in its past range, despite exhaustive surveys over a time frame appropriate to its life cycle and form.
- **CR Critically Endangered:** A native species which is facing an extremely high risk of extinction in the wild in the immediate future, as determined in accordance with the prescribed criteria.
- EN Endangered: A native species which:
  - (a) is not critically endangered; and
  - (b) is facing a very high risk of extinction in the wild in the near future, as determined in accordance with the prescribed criteria.

VU Vulnerable: A native species which:

- (a) is not critically endangered or endangered; and
- (b) is facing a high risk of extinction in the wild in the medium-term future, as determined in accordance with the prescribed criteria.
- CD Conservation Dependent: A native species which is the focus of a specific conservation program, the cessation of which would result in the species becoming vulnerable, endangered or critically endangered within a period of 5 years.

## Principles for clearing native vegetation:

- (a) Native vegetation should not be cleared if it comprises a high level of biological diversity.
- (b) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.
- (c) Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.
- (d) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community.
- (e) Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.
- (f) Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.
- (g) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.
- (h) Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.
- (i) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.
- (j) Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence or intensity of flooding.