

# **Clearing Permit Decision Report**

### 1. Application details

1.1. Permit application details

Permit application No.: 5617/4

Permit type: Purpose Permit

1.2. Proponent details

Proponent's name: BHP Billiton Iron Ore Pty Ltd

1.3. Property details

Property: Iron Ore (Mount Newman) Agreement Act 1964, Mineral Lease 244SA (AML 70/244)

Iron Ore (McCameys Monster) Agreement Act 1972, Mining Lease 266SA (AM 70/266) Iron Ore (Mount Newman) Agreement Act 1964, Special Lease for Mining Operations 3116/3687 (Document I 154279 L), Lease Extension K846790, Lot 19 on Deposited Plan

48921

Iron Ore (Mount Newman) Agreement Act 1964, Special Lease for Mining Operations

3116/3685, (Lease K858923), Lot 17 on Deposited Plan 241430 General Purpose Leases 52/19 – 52/274, 52/276, 52/277, 52/279

Miscellaneous Licence 47/92 Miscellaneous Licence 52/99

Local Government Area: Shire of East Pilbara

Colloquial name: Mount Whaleback Project

1.4. Application

Clearing Area (ha) No. Trees Method of Clearing For the purpose of:

2,010.3 Mechanical Removal Mineral Production, Mineral Exploration, Construction

and Maintenance of Infrastructure and Associated

Activities

1.5. Decision on application

**Decision on Permit Application:** Grant

Decision Date: 28 June 2018

### 2. Site Information

### 2.1. Existing environment and information

### 2.1.1. Description of the native vegetation under application

**Vegetation Description** 

Beard vegetation associations have been mapped for the whole of Western Australia and are useful to look at vegetation in a regional context. Two Beard vegetation associations have been mapped within the application area (GIS Database):

- 18: Low woodland; mulga (Acacia aneura); and
- 82: Hummock grasslands, low tree steppe; snappy gum over Triodia wiseana.

There have been numerous flora and vegetation surveys undertaken over the Mt Whaleback and surrounding areas since 1984. Based on those surveys the following 29 vegetation associations have been identified within the application area (Onshore Environmental, 2013):

- 1. Low Open Forest of Acacia aptaneura, Acacia citrinoviridis and Corymbia hamersleyana over Tussock Grassland of Themeda triandra, Aristida inaequiglumis and \*Cenchrus ciliaris with High Open Shrubland of Acacia pyrifolia, Petalostylis labicheoides and Rulingia luteiflora in brown sandy loam on tributaries of major drainage lines and adjacent floodplains;
- 2. Low Open Forest of Acacia aptaneura, Acacia pruinocarpa and Eucalyptus xerothermica (Acacia ayersiana) over Open Hummock Grassland of Triodia pungens with Open Shrubland of Acacia bivenosa, Rhagodia eremaea and Psydrax latifolia in red loamy sand on hardpan plains;
- 3. Low Open Forest of Acacia catenulata subsp. occidentalis, Acacia aptaneura and Grevillea berryana over Open Shrubland of Eremophila latrobei, Acacia sibirica and Senna glutinosa subsp. luerssenii over Open Hummock Grassland of Triodia pungens and Triodia wiseana in red sandy loam on valley floors and along incised drainage lines:
- 4. Low Woodland of Acacia aptaneura and Acacia pruinocarpa over Open Hummock Grassland of Triodia brizoides with Low Open Woodland of Eucalyptus xerothermica and Eucalyptus leucophloia subsp. leucophloia in red brown loam on hardpan plains;

- 5. Low Woodland of Acacia catenulata subsp. occidentalis, Corymbia ferriticola and Ficus brachypoda over Shrubland of Eremophila tietkensii, Dodonaea pachyneura and Acacia hamersleyensis over Open Hummock Grassland of Triodia pungens in red loamy sand in rocky gullies and small gorges;
- 6. Hummock Grassland of *Triodia angusta* and *Triodia wiseana* with Open Mallee of *Eucalyptus gamophylla* and/or *Eucalyptus socialis* subsp. *eucentrica* and Open *Shrubland* of *Acacia bivenosa* in light brown loamy sand on calcrete rises and plains;
- 7. Hummock Grassland of *Triodia basedowii* with High Open Shrubland of *Acacia inaequilatera*, *Acacia pruinocarpa* and *Hakea chordophylla* and Open Shrubland of *Eremophila fraseri* and *Eremophila platycalyx* subsp. *pardalota* in red loamy sand on hill slopes;
- 8. Hummock Grassland of *Triodia pungens* with Open Mallee of *Eucalyptus trivalvis* and/or *Eucalyptus gamophylla* and Shrubland of *Acacia bivenosa* and *Petalostylis labicheiodes* in red loamy sand on plains;
- 9. Hummock Grassland of *Triodia pungens*, *Triodia epactia* and *Triodia brizoides* with Open Shrubland of *Acacia bivenosa*, *Eremophila jucunda* subsp. *pulcherrima* and *Ptilotus obovatus* and Scattered Low Trees of *Eucalyptus leucophloia* subsp. *leucophloia and Corymbia hamersleyana* in red loamy sand on flood plains adjacent to tributaries of major drainage lines;
- 10. Hummock Grassland of *Triodia* sp. Shovelanna Hill (S. Van Leeuwen 3835) with Low Open Woodland of *Acacia pruinocarpa* and *Acacia aptaneura* and High Open Shrubland of *Acacia aptaneura*, *Acacia inaequilatera* and *Senna glutinosa* subsp. *glutinosa* in red loamy sand on hill crests and upper hill slopes;
- 11. Hummock Grassland of *Triodia wiseana* and *Triodia brizoides* with Low Open Woodland of *Eucalyptus leucophloia* subsp. *leucophloia* and Open Shrubland of *Acacia synchronicia*, *Acacia bivenosa* and *Acacia tenuissima* in red loamy sand on lower hill slopes and plains;
- 12. Hummock Grassland of *Triodia wiseana*, *Triodia brizoides* and *Triodia pungens* with Open Shrubland of *Acacia inaequilatera*, *Acacia maitlandii* and *Senna glutinosa* subsp. *luerssenii* with Scattered Low Trees of *Eucalyptus leucophloia* subsp. *leucophloia*, *Corymbia hamersleyana* and *Hakea lorea* subsp. *lorea* in brown sandy loam on undulating hills:
- 13. Hummock Grassland of *Triodia wiseana*, *Triodia pungens* and *Triodia brizoides* with High Open Shrubland *Acacia dictyophleba*, *Acacia bivenosa* and *Acacia adsurgens* in red brown sand loam on hill crests and upper hill slopes;
- 14. Hummock Grassland of *Triodia wiseana*, *Triodia pungens* and *Triodia brizoides* with Open Shrubland of *Acacia bivenosa*, *Acacia inaequilatera* and *Acacia maitlandii* and Scattered Low Trees of *Eucalyptus leucophloia* subsp. *leucophloia* and *Corymbia hamersleyana* in red loamy sand on undulating hill slopes;
- 15. Open Hummock Grassland of *Triodia pungens* with Low Open Woodland of *Acacia aptaneura* and *Acacia paraneura* and Open Shrubland of *Acacia synchronicia*, *Acacia bivenosa* and *Acacia tetragonophylla* in red loamy sand on plains;
- 16. Open Hummock Grassland of *Triodia* sp. Shovelanna Hill (S. van Leeuwen 3835) with High Open Shrubland of *Acacia rhodophloia* and *Hakea chordophylla* and Open Shrubland of *Acacia acradenia*;
- 17. Open Hummock Grassland of *Triodia* sp. Shovelanna Hill (S. van Leeuwen 3835) with Low Open Woodland of *Eucalyptus leucophloia* subsp. *leucophloia* and Low Open Shrubland of *Acacia adoxa* var. *adoxa* and *Gompholobium oreophilum* in red loamy sand on hill slopes;
- 18. Tussock Grassland of *Themeda triandra* and \*Cenchrus ciliaris with Shrubland of Acacia bivenosa, Senna glutinosa subsp. glutinosa and Eremophila longifolia and Low Open Woodland of Acacia aptaneura and Corymbia hamersleyana in brown loamy sand on levee banks of major drainage lines;
- 19. Tussock Grassland of Themeda *triandra*, \*Cenchrus ciliaris and Eriachne tenuiculmis with Open Woodland of Eucalyptus victrix or Eucalyptus camaldulensis subsp. refulgens, Corymbia hamersleyana and Acacia citrinoviridis over High Open Shrubland of Santalum lanceolatum, Eremophila longifolia and Acacia pyrifolia var. pyrifolia in brown loamy sand on incised channels of major drainage lines;
- 20. Open Tussock Grassland of \*Cenchrus ciliaris with High Open Shrubland of Grevillea wickhamii, Acacia pruinocarpa and Acacia aptaneura in red loamy sand on rehabilitated waste dump batters;
- 21. Scattered Low trees of *Eucalyptus leucophloia* subsp. *leucophloia* over a Low Open Shrubland of *Petalostylis labicheoides Acacia catenulata* subsp. *occidentalis* and *Acacia monticola* over Very Open Hummock Grassland of *Triodia pungens* and Very Open Tussock Grassland of *Themeda triandra* and *Eriachne mucronata*:
- 22. Scattered Low Trees of Eucalyptus gamophylla over Low Open Forest of Acacia aneura var. tenuis, Acacia pruinocarpa and Hibiscus sturtii var. campylochlamys over Open Tussock Grassland of Enneapogon caerulescens and Eriachne mucronata with Very Open Hummock Grass of Triodia epactia and Triodia pungens;
- 23. Low Woodland of Acacia aneura var ?pilbarana, Acacia catenulata subsp. occidentalis and Acacia pruinocarpa over Open shrubland of Eremophila exilifolia, Eremophila forrestii subsp. forrestii, and Eremophila latrobei over Open Hummock Grassland of Triodia brizoides and Triodia pungens;
- 24. Low Woodland of Acacia pruinocarpa, Acacia aneura var ?pilbarana and Eucalyptus gamophylla over Low Scattered Shrubs of Anthobolus leptomerioides over Hummock Grassland of Triodia brizoides and Triodia pungens with Scattered Herbs of Goodenia stobbsiana;

- 25. Low Woodland of Acacia pruinocarpa and Acacia aneura var. tenuis over Scattered Shrubs of Acacia inaequilatera, Acacia bivenosa and Ptilotus calostachyus over Open Hummock Grassland of Triodia brizoides with Very Open Tussock Grassland of Themeda sp. and Paraneurachne muelleri.
- 26. Low Open Woodland of Eucalyptus xerothermica, Corymbia ferriticola and Corymbia hamersleyana over Shrubland of Acacia aneura var. tenuis, Acacia tenuissima and Acacia tetragonophylla over Open Hummock grassland of Triodia pungens and Triodia angusta;
- 27. Low Woodland of Eucalyptus leucophloia subsp. leucophloia, Corymbia ferriticola and Corymbia hamersleyana over High Open Shrubland of Acacia catenulata subsp. occidentalis, Acacia rhodophloia and Acacia pruinocarpa over Hummock Grassland of Triodia brizoides and Triodia pungens;
- 28. Scattered Low Trees of Eucalyptus leucophloia subsp. leucophloia over Open Shrubland of Acacia ancistrocarpa, Acacia bivenosa and Acacia dictyophleba over Hummock Grassland of Triodia brizoides;
- 29. Low Open Woodland of Eucalyptus gamophylla, Eucalyptus kingsmillii subsp. kingsmillii and Eucalyptus leucophloia subsp. leucophloia over Scattered Shrubs of Acacia pruinocarpa, Senna glutinosa subsp. glutinosa and Ptilotus obovatus over Hummock Grasslands of Triodia pungens, Triodia epactia and Triodia brizoides and Very Open Tussock Grass of Eriachne mucronata and Cymbopogon ambiguous.

#### **Clearing Description**

Mt Whaleback Project.

BHP Billiton Iron Ore Pty Ltd (BHP Billiton) proposes to clear up to 2,010.3 hectares within an application area of approximately 8,885 hectares for the purposes of mineral production, mineral exploration, construction and maintenance of infrastructure and associated activities. The project is located in Newman within the Shire of East Pilhara

#### **Vegetation Condition**

Excellent: Vegetation structure intact; disturbance affecting individual species, weeds non-aggressive (Keighery, 1994).

To:

Completely Degraded: No longer intact; completely/almost completely without native species (Keighery, 1994).

#### Comment

The vegetation condition was derived from a summary of vegetation surveys undertaken over the application area prepared by Onshore Environmental (2013).

The proposed clearing is for a wide range of purposes including mineral production, mineral exploration, maintenance of infrastructure, borrow areas, laydown areas, stockpiles, tailings storage facilities, ore processing and benefaction activities (BHP Billiton, 2018). The permit area covers 13 clearing permits that were previously granted over the area. These permits were revoked on 7 August 2014.

Clearing permit CPS 5617/1 was granted by the Department of Mines and Petroleum on 31 October 2013 and authorised the clearing of 2,100 hectares within a boundary of 8,800 hectares. CPS 5617/1 was amended on 14 August 2014 to increase the permit boundary to 8,875 hectares and reduce the amount of clearing authorised to 2,010.3 hectares. CPS 5617/3 was granted on 7 April 2016, amending the permit to remove conditions 7 and 8 on the permit and extend the permit duration from 23 November 2030 to 30 November 2030.

On 3 May 2018, the Permit Holder applied to amend CPS 5617/3 to increase the permit boundary by 10 hectares, from 8,875 hectares to 8,885 hectares. The amount of clearing authorised will remain the same.

#### 3. Assessment of application against Clearing Principles

#### Comments

BHP Billiton has applied increase the permit boundary by 10 hectares, from 8,875 hectares to 8,885 hectares. This amendment is to install a new transmission line between Yarnima Power Station and Mining Area C (BHP Billiton, 2018). The amount of clearing authorised will remain as 2,010.3 hectares.

The additional area is located directly adjacent to the Mt Whaleback mine site. The vegetation within the addition boundary is similar to the vegetation within the previous permit area (GIS Database).

No Threatened flora, Threatened Ecological Communities, Priority flora, Priority Ecological Communities or significant fauna have been identified within the amended boundary area (GIS Database). Due to its proximity to the existing mine site, the additional area is not likely to represent significant fauna habitat (GIS Database).

There are no watercourses within the additional area (GIS Database). The proposed amendment is not likely to have an impact on either the surface or groundwater quality in the local region, or will exacerbate the incidence or intensity of flooding in the area.

The amendment application has been assessed against the clearing principles, planning instruments and other matters in accordance with s.51O of the *Environmental Protection Act 1986*. Environmental information has been reviewed, and the assessment of the proposed clearing against the clearing principles remains consistent with the assessment contained in decision reports CPS 5617/1, 5617/2, and 5617/3.

### Methodology

BHP Billiton (2018)

GIS Database:

- DPaW Tenure
- Hydrography, Lakes
- Hydrography, Linear
- Imagery
- Pre-European Vegetation
- Public Drinking Water Source Areas
- Threatened and Priority Ecological Communities boundaries
- Threatened and Priority Ecological Communities buffers
- Threatened and Priority Flora
- Threatened Fauna

### Planning Instrument, Native Title, previous EPA decision or other matter.

#### Comments

There is one native title claim (WC2005/006) over the application area (DPLH, 2018). This claim has been registered with the National Native Title Tribunal on behalf of the claimant groups. However, the tenure has been granted in accordance with the future act regime of the *Native Title Act 1993* and the nature of the act (i.e. the proposed clearing activity) has been provided for in that process, therefore, the granting of a clearing permit is not a future act under the *Native Title Act 1993*.

There are several registered Aboriginal Sites of Significance within the application area (DPLH, 2018). It is the proponent's responsibility to comply with the *Aboriginal Heritage Act 1972* and ensure that no Aboriginal Sites of Significance are damaged through the clearing process.

It is the proponent's responsibility to liaise with the Department of Water and Environmental Regulation and the Department of Biodiversity Conservation and Attractions, to determine whether a Works Approval, Water Licence, Bed and Banks Permit, or any other licences or approvals are required for the proposed works.

It is noted that the proposed clearing may impact on a protected matter under the *Environment Protection and Biodiversity Conservation Act 1999* (the EPBC Act). The proponent may be required to refer the project to the (Federal) Department of the Environment for environmental impact assessment under the *EPBC Act*. The proponent is advised to contact the Department of the Environment for further information regarding notification and referral responsibilities under the EPBC Act.

The amendment application was advertised on 21 May 2018 by the the Department of Mines, Industry Regulation and Safety inviting submissions from the public. No submissions were received in relation to this application.

Methodology DPLH (2018)

### 4. References

BHP Billiton (2018) BHP Billiton Iron Ore Mining Operations: Amendment Application to increase permit boundary of BHP Billiton Iron Ore Pty Ltd - Mount Whaleback Project (CPS 5617/3), May 2018.

DPLH (2018) Aboriginal Heritage Enquiry System. Department of Planning, Lands and Heritage. http://maps.daa.wa.gov.au/AHIS/ (Accessed 12 June 2018).

Keighery, B.J. (1994) Bushland Plant Survey: A Guide to Plant Community Survey for the Community. Wildflower Society of WA (Inc). Nedlands, Western Australia.

Onshore Environmental (2013) Flora and Vegetation and Vertebrate Fauna Review - Mt Whaleback AML 7/244. Report prepared for BHP Billiton Iron Ore Pty Ltd, by Onshore Environmental, April 2013.

# 5. Glossary

### **Acronyms:**

**BoM** Bureau of Meteorology, Australian Government

DAADepartment of Aboriginal Affairs, Western Australia (now DPLH)DAFWADepartment of Agriculture and Food, Western Australia (now DPIRD)DBCADepartment of Biodiversity Conservation and Attractions, Western Australia

DEC Department of Environment and Conservation, Western Australia (now DBCA and DWER)

DEE Department of the Environment and Energy, Australian Government
DER Department of Environment Regulation, Western Australia (now DWER)
DMIRS Department of Mines, Industry Regulation and Safety, Western Australia
DMP Department of Mines and Petroleum, Western Australia (now DMIRS)

**DPIRD** Department of Primary Industries and Regional Development, Western Australia

**DPLH** Department of Planning, Lands and Heritage, Western Australia

**DRF** Declared Rare Flora

**DoE** Department of the Environment, Australian Government (now DEE)

**DoW** Department of Water, Western Australia (now DWER)

**DPaW** Department of Parks and Wildlife, Western Australia (now DBCA)

**DSEWPaC** Department of Sustainability, Environment, Water, Population and Communities (now DEE)

**DWER** Department of Water and Environmental Regulation, Western Australia

EPA Environmental Protection Authority, Western Australia
EP Act Environmental Protection Act 1986, Western Australia

EPBC Act Environment Protection and Biodiversity Conservation Act 1999 (Federal Act)

GIS Geographical Information System
ha Hectare (10,000 square metres)

IBRA Interim Biogeographic Regionalisation for Australia

IUCN International Union for the Conservation of Nature and Natural Resources – commonly known as the

World Conservation Union

PEC Priority Ecological Community, Western Australia

RIWI Act Rights in Water and Irrigation Act 1914, Western Australia

**TEC** Threatened Ecological Community

### **Definitions:**

{DPaW (2017) Conservation Codes for Western Australian Flora and Fauna. Department of Parks and Wildlife, Western Australia}:-

### T Threatened species:

Published as Specially Protected under the *Wildlife Conservation Act 1950*, listed under Schedules 1 to 4 of the Wildlife Conservation (Specially Protected Fauna) Notice for Threatened Fauna and Wildlife Conservation (Rare Flora) Notice for Threatened Flora (which may also be referred to as Declared Rare Flora).

**Threatened fauna** is that subset of 'Specially Protected Fauna' declared to be 'likely to become extinct' pursuant to section 14(4) of the *Wildlife Conservation Act 1950*.

**Threatened flora** is flora that has been declared to be 'likely to become extinct or is rare, or otherwise in need of special protection', pursuant to section 23F(2) of the *Wildlife Conservation Act 1950*.

The assessment of the conservation status of these species is based on their national extent and ranked according to their level of threat using IUCN Red List categories and criteria as detailed below.

#### CR Critically endangered species

Threatened species considered to be facing an extremely high risk of extinction in the wild. Published as Specially Protected under the *Wildlife Conservation Act 1950*, in Schedule 1 of the Wildlife Conservation (Specially Protected Fauna) Notice for Threatened Fauna and Wildlife Conservation (Rare Flora) Notice for Threatened Flora.

### **EN** Endangered species

Threatened species considered to be facing a very high risk of extinction in the wild. Published as Specially Protected under the *Wildlife Conservation Act 1950*, in Schedule 2 of the Wildlife Conservation (Specially Protected Fauna) Notice for Threatened Fauna and Wildlife Conservation (Rare Flora) Notice for Threatened Flora.

#### VU Vulnerable species

Threatened species considered to be facing a high risk of extinction in the wild. Published as Specially Protected under the *Wildlife Conservation Act 1950*, in Schedule 3 of the Wildlife Conservation (Specially Protected Fauna) Notice for Threatened Fauna and Wildlife Conservation (Rare Flora) Notice for Threatened Flora.

### EX Presumed extinct species

Species which have been adequately searched for and there is no reasonable doubt that the last individual has died. Published as Specially Protected under the *Wildlife Conservation Act 1950*, in Schedule 4 of the Wildlife Conservation (Specially Protected Fauna) Notice for Presumed Extinct Fauna and Wildlife Conservation (Rare Flora) Notice for Presumed Extinct Flora.

### IA Migratory birds protected under an international agreement

Birds that are subject to an agreement between the government of Australia and the governments of Japan (JAMBA), China (CAMBA) and The Republic of Korea (ROKAMBA), and the Bonn Convention, relating to the protection of migratory birds. Published as Specially Protected under the *Wildlife Conservation Act 1950*, in Schedule 5 of the Wildlife Conservation (Specially Protected Fauna) Notice.

#### CD Conservation dependent fauna

Fauna of special conservation need being species dependent on ongoing conservation intervention to prevent it becoming eligible for listing as threatened. Published as Specially Protected under the *Wildlife Conservation Act 1950*, in Schedule 6 of the Wildlife Conservation (Specially Protected Fauna) Notice.

### OS Other specially protected fauna

Fauna otherwise in need of special protection to ensure their conservation. Published as Specially Protected under the *Wildlife Conservation Act 1950*, in Schedule 7 of the Wildlife Conservation (Specially Protected Fauna) Notice.

#### P Priority species

Species which are poorly known; or

Species that are adequately known, are rare but not threatened, and require regular monitoring. Assessment of Priority codes is based on the Western Australian distribution of the species, unless the distribution in WA is part of a contiguous population extending into adjacent States, as defined by the known spread of locations.

#### P1 Priority One - Poorly-known species:

Species that are known from one or a few locations (generally five or less) which are potentially at risk. All occurrences are either: very small; or on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, road and rail reserves, gravel reserves and active mineral leases; or otherwise under threat of habitat destruction or degradation. Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements and appear to be under immediate threat from known threatening processes. Such species are in urgent need of further survey.

#### P2 Priority Two - Poorly-known species:

Species that are known from one or a few locations (generally five or less), some of which are on lands managed primarily for nature conservation, e.g. national parks, conservation parks, nature reserves and other lands with secure tenure being managed for conservation. Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements and appear to be under threat from known threatening processes. Such species are in urgent need of further survey.

### P3 Priority Three - Poorly-known species:

Species that are known from several locations, and the species does not appear to be under imminent threat, or from few but widespread locations with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat. Species may be included if they are comparatively well known from several locations but do not meet adequacy of survey requirements and known threatening processes exist that could affect them. Such species are in need of further survey.

# P4 Priority Four - Rare, Near Threatened and other species in need of monitoring:

- (a) Rare. Species that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection, but could be if present circumstances change. These species are usually represented on conservation lands
- (b) Near Threatened. Species that are considered to have been adequately surveyed and that are close to qualifying for Vulnerable, but are not listed as Conservation Dependent.
- (c) Species that have been removed from the list of threatened species during the past five years for reasons other than taxonomy.

### Principles for clearing native vegetation:

- (a) Native vegetation should not be cleared if it comprises a high level of biological diversity.
- (b) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.
- (c) Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.
- (d) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community.
- (e) Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.
- (f) Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.
- (g) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.
- (h) Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.
- (i) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.
- (j) Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence or intensity of flooding.