



## CLEARING PERMIT

*Granted under section 51E of the Environmental Protection Act 1986*

<b>Purpose Permit number:</b>	CPS 7678/2
<b>Permit Holder:</b>	Shire of Cuballing
<b>Duration of Permit:</b>	3 August 2018 – 31 August 2033

The Permit Holder is authorised to clear native vegetation subject to the following conditions of this Permit.

### PART I – CLEARING AUTHORISED

**1. Purpose for which clearing may be done**

Clearing for the purpose of road upgrades and road safety.

**2. Land on which clearing is to be done**

Popanyinning Road reserve (PIN 11374624), West Popanyinning

**3. Area of Clearing**

The Permit Holder must not clear more than 0.8 hectares of native vegetation within the area shaded yellow on attached Plan 7678/2a.

**4. Period within which clearing is authorised**

The Permit Holder shall not clear any native vegetation after 31 May 2023.

**5. Application**

This Permit allows the Permit Holder to authorise persons, including employees, contractors and agents of the Permit Holder, to clear native vegetation for the purposes of this Permit subject to compliance with the conditions of this Permit and approval from the Permit Holder.

**6. Type of clearing authorised**

This Permit authorises the Permit Holder to clear native vegetation for the activities described in condition 1 of this Permit to the extent that the Permit Holder has the power to carry out works involving clearing for those activities under the *Local Government Act 1995* or any other written law.

### PART II – MANAGEMENT CONDITIONS

**7. Avoid, minimise and reduce the impacts and extent of clearing**

In determining the amount of native vegetation to be cleared authorised under this Permit, the Permit Holder must have regard to the following principles, set out in order of preference:

- (a) avoid the clearing of native vegetation;
- (b) minimise the amount of native vegetation to be cleared; and
- (c) reduce the impact of clearing on any environmental value.

## 8. Fauna management – Carnaby’s cockatoo

- (a) Prior to undertaking any clearing authorised under this Permit:
- (i) the area shaded yellow on attached Plan 7678/2a shall be inspected by a *fauna specialist* who shall identify *black cockatoo breeding trees*; and
  - (ii) each *black cockatoo breeding tree* identified shall be inspected by a *fauna specialist* for evidence of current or past breeding use by Carnaby’s cockatoo (*Calyptorhynchus latirostris*).
- (b) Where a *black cockatoo breeding tree(s)* with evidence of current breeding use by Carnaby’s cockatoo is identified and cannot be avoided in accordance with condition 7(a) of this Permit, that tree(s) shall be monitored by a *fauna specialist* to determine when it is no longer in use for that breeding season.
- (c) Any *black cockatoo breeding tree(s)* with evidence of current breeding use by Carnaby’s cockatoo shall not be cleared whilst it is in use for that breeding season as determined by the *fauna specialist* under condition 8(b) of this Permit.
- (d) Where a *black cockatoo breeding tree(s)* with evidence of past breeding use by Carnaby’s cockatoo is identified and cannot be avoided in accordance with condition 7(a) of this Permit, that tree(s) shall only be cleared:
- (i) outside the *Carnaby’s cockatoo breeding season*; or
  - (ii) later the same day of the inspection required by condition 8(a)(ii) of this Permit; or
  - (iii) later the same day of a repeat inspection undertaken by a *fauna specialist* if that inspection does not identify evidence of current breeding use.
- (e) For each *black cockatoo breeding tree* with evidence of current or past breeding use by Carnaby’s cockatoo identified, that cannot be avoided in accordance with condition 7(a) of this Permit, the Permit Holder shall install an artificial black cockatoo nest hollow.
- (f) Each artificial black cockatoo nest hollow required by condition 8(e) of this Permit must be installed prior to commencement of the next *Carnaby’s cockatoo breeding season* following clearing of the related *black cockatoo breeding tree*.
- (g) The artificial black cockatoo nest hollow(s) required by condition 8(e) of this Permit must:
- (i) be installed within the area hatched red on attached Plan 7678/2c being the Napping Pool Road reserve (PIN 11368114), West Popanyinning;
  - (ii) be designed and placed in accordance with the guidelines provided in Schedule 1 to this Permit; and
  - (iii) be monitored and maintained in accordance with the guidelines provided in Schedule 2 to this Permit, for a period of at least ten years.

## 9. Fauna management – red-tailed phascogale

- (a) Prior to undertaking any clearing authorised under this Permit:
- (i) the area shaded yellow on attached Plan 7678/2a shall be inspected by a *fauna specialist* who shall identify *red-tailed phascogale habitat trees*; and
  - (ii) each *red-tailed phascogale habitat tree* identified shall be inspected by a *fauna specialist* for evidence of use by red-tailed phascogale (*Phascogale calura*).
- (b) Where a *red-tailed phascogale habitat tree(s)* occupied by red-tailed phascogale is identified and cannot be avoided in accordance with condition 7(a) of this Permit, that tree(s) shall only be cleared:
- (i) immediately after relocation of the red-tailed phascogale individual(s) by a *fauna specialist* in accordance with a fauna licence issued pursuant to Regulation 15 of the *Wildlife Conservation Regulations 1970*; or
  - (ii) immediately after a repeat inspection undertaken by a *fauna specialist* if that inspection confirms it is not occupied by red-tailed phascogale.

- (c) Where a *red-tailed phascogale habitat tree(s)* with evidence of use (but not occupied) by red-tailed phascogale is identified and cannot be avoided in accordance with condition 7(a) of this Permit, that tree(s) shall only be cleared:
  - (iii) immediately after the inspection; or
  - (iv) immediately after a repeat inspection undertaken by a *fauna specialist* if that inspection confirms it is not occupied by red-tailed phascogale.

**10. Offset – Lot 434 on Deposited Plan 84296 (being Crown Reserve 2556)**

- (a) By 16 June 2019, the Permit Holder shall provide to the *CEO* a copy of the executed change in purpose of the area cross-hatched red on attached Plan 7678/2b within Lot 434 on Deposited Plan 84296 (being Crown Reserve 2556) from ‘Gravel’ to ‘Conservation’.
- (b) In the event that the change in purpose of Lot 434 on Deposited Plan 84296 (being Crown Reserve 2556) is not achieved in accordance with condition 10(a):
  - (i) submit a new offset proposal for the *CEO*’s approval by 16 September 2019; and
  - (ii) in preparing an offset proposal in accordance with condition 10(b)(i), the Permit Holder must comply with the principles in the Government of Western Australia’s *WA Environmental Offsets Policy* (September 2011) and have regard to the *WA Environmental Offsets Guidelines* (August 2014).

**PART III – RECORD KEEPING AND REPORTING**

**11. Record keeping**

The Permit Holder must maintain the following records for activities done pursuant to this Permit:

- (a) In relation to the clearing of native vegetation authorised under this Permit:
  - (i) the location where the clearing occurred, recorded using a Global Positioning System (GPS) unit set to Geocentric Datum Australia 1994 (GDA94), expressing the geographical coordinates in Eastings and Northings or decimal degrees;
  - (ii) the date(s) that the area was cleared;
  - (iii) the size of the area cleared (in hectares); and
  - (iv) actions taken to avoid, minimise and reduce the impacts and extent of clearing in accordance with condition 7 of this Permit.
- (b) In relation to fauna management pursuant to condition 8 of this Permit:
  - (i) the time(s) and date(s) of inspection(s) by the *fauna specialist*;
  - (ii) a description of the *fauna specialist* inspection methodology employed;
  - (iii) the location of each *black cockatoo breeding tree* identified, recorded using a GPS unit set to GDA94, expressing the geographical coordinates in Eastings and Northings or decimal degrees;
  - (iv) a description of the evidence of current or past breeding use observed for each *black cockatoo breeding tree* identified;
  - (v) a photo of each *black cockatoo breeding tree* with evidence of current or past breeding use identified;
  - (vi) for each *black cockatoo breeding tree* with evidence of current breeding use:
    - (1) the time and date it was determined to no longer be in use for that breeding season; and
    - (2) the evidence by which it was determined to no longer be in use for that breeding season.
  - (vii) the time and date each *black cockatoo breeding tree* with evidence of current or past breeding use was cleared;
  - (viii) the date each artificial black cockatoo nest hollow was installed;
  - (ix) the location of each artificial black cockatoo nest hollow installed, recorded using a GPS unit set to GDA94, expressing the geographical coordinates in Eastings and Northings or decimal degrees;
  - (x) a photo of each artificial black cockatoo nest hollow installed;
  - (xi) the dates each artificial black cockatoo nest hollow installed was monitored;
  - (xii) a description of the monitoring methodology employed for each artificial black cockatoo nest hollow installed;
  - (xiii) a description of the monitoring observations for each artificial black cockatoo nest hollow installed;

- (xiv) the date(s) each artificial black cockatoo nest hollow installed was maintained; and
  - (xv) a description of the maintenance activities undertaken for each artificial black cockatoo nest hollow installed.
- (c) In relation to fauna management pursuant to condition 9 of this Permit:
- (i) the time(s) and date(s) of inspection(s) by the *fauna specialist*;
  - (ii) a description of the *fauna specialist* inspection methodology employed;
  - (iii) the location of each *red-tailed phascogale habitat tree* identified, recorded using a GPS unit set to GDA94, expressing the geographical coordinates in Eastings and Northings or decimal degrees;
  - (iv) a description of the evidence of use by red-tailed phascogale observed for each *red-tailed phascogale habitat tree* identified;
  - (v) a photo of each *red-tailed phascogale habitat tree* with evidence of use identified;
  - (vi) the time and date each red-tailed phascogale individual was relocated by a *fauna specialist*;
  - (vii) the location where each red-tailed phascogale individual was relocated to, recorded using a GPS unit set to GDA94, expressing the geographical coordinates in Eastings and Northings or decimal degrees; and
  - (viii) the time and date each *red-tailed phascogale habitat tree* with evidence of use was cleared.

## 12. Reporting

- (a) At least 48 hours prior to commencing clearing authorised under this Permit, the Permit Holder shall advise the *CEO* in writing of the date that clearing is scheduled to commence.
- (b) On or before 30 June of each year following the commencement of clearing authorised under this Permit, the Permit Holder must provide to the *CEO* a written report of records required under condition 11 of this Permit.
- (c) The Permit Holder must produce the records required under condition 11 of this Permit when required by the *CEO*.

## DEFINITIONS

The following meanings are given to terms used in this Permit:

**black cockatoo breeding tree/s:** means trees that have a diameter, measured at 1.5 metres from the base of the tree, of 50 centimetres or greater (or 30 centimetres or greater for *Eucalyptus salmonophloia* or *Eucalyptus wandoo*) that contain hollows suitable for breeding by Carnaby's cockatoo (*Calyptorhynchus latirostris*);

**Carnaby's cockatoo breeding season** means the period from 1 June to 29 February of any given year;

**CEO** means the Chief Executive Officer of the Department responsible for the administration of the clearing provisions under the *Environmental Protection Act 1986*;

**fauna specialist:** means a person who holds a tertiary qualification specializing in environmental science or equivalent, and has a minimum of 2 years work experience in fauna identification and surveys of fauna native to the region being inspected or surveyed, or who is approved by the *CEO* as a suitable fauna specialist for the bioregion, and who holds a valid fauna licence issued under the *Wildlife Conservation Act 1950*; and

**red-tailed phascogale habitat tree(s)** means a tree of the *Eucalyptus* genus that contains a hollow(s) suitable to be used by red-tailed phascogale (*Phascogale calura*).

  
 \_\_\_\_\_  
 Samara Rogers  
 MANAGER  
 NATIVE VEGETATION REGULATION

Officer delegated under section 20  
 of the *Environmental Protection Act 1986*

3 August 2018

## **SCHEDULE 1**

**How to design and place artificial hollows for Carnaby's cockatoo**



## Artificial hollows for Carnaby's cockatoo



## How to design and place artificial hollows for Carnaby's cockatoo

Artificial hollows can be used to help conserve the threatened Carnaby's cockatoo by enabling the cockatoos to breed in areas where natural hollows are limited.

A wide variety of artificial hollow designs have been used with mixed success. Evidence suggests that, while the hollow must meet some basic requirements, other factors such as proximity to existing breeding areas may be more important in determining the success of artificial hollows. Before using this information sheet to construct or install an artificial hollow, you should refer to the criteria listed in the separate information sheet; *When to use artificial hollows for Carnaby's cockatoo*.

This information sheet contains broad guidelines for the design and placement of artificial hollows for Carnaby's cockatoo.

Below are three examples of successful artificial hollows used by Carnaby's cockatoo for nesting. Artificial hollows made from a natural log with cut side entrance (left), white industrial pipe with top entrance (centre) and natural log with natural side entrance (right).



Photos by Christine Groom (left and right) and Rick Dawson (centre)

## Walls

The walls of the artificial hollow need to be constructed from a material that is;

- Durable enough to withstand exposure to elements for an extended period of time (i.e. 20+ years).
- Able to simulate the thermal properties of a natural tree hollow.
- Not less than 380 mm in internal diameter.
- Preferably 1.2 m deep overall and 1m deep to top of substrate/nesting material.

Successful artificial hollows have been constructed from sections of salvaged natural hollow, black and white industrial pipe. When using non-natural materials care must be taken to ensure there are no toxic residues and that the materials are safe to ingest.

---

## Base

The base of the artificial hollow must be;

- Able to support the adult and nestling(s).
- Durable enough to last the life of the nest.
- Free draining.
- At least 380 mm in diameter.
- Covered with 200 mm of sterile, dry, free draining material such as charcoal, hardwood woodchips or wood debris.

### Do not use:

- Saw dust or fibre products that will retain moisture.

Example materials that could be used for artificial hollow bases include heavy duty stainless steel, galvanised or treated metal (e.g. Zinalume ®), thick hardwood timber slab or marine ply (not chipboard or MDF). The base material must be cut to size to fit internally with sharp or rough edges ground away or curled inwards and fixed securely to the walls.



Carnaby's cockatoo eggs in an artificial hollow.  
*Photo by Rick Dawson*

---

## Entrance

The entrance of the artificial hollow must;

- Have a diameter of at least 270 mm).
- Preferably be top entry which will minimise use by non-target species.

Top entry hollows are unattractive to nest competitors such as feral bees, galahs and corellas. Side entry hollows have been successful in areas where feral bees are not a problem and where galahs and corellas are deterred.

## Ladder

For artificial hollows made of non-natural materials, or of processed boards, it is necessary to provide a ladder to enable the birds to climb in and out of the hollow easily.

The ladder must be;

- Securely mounted to the inside of the hollow.
- Made from an open heavy wire mesh such as WeldMesh™ with mesh size of 30 - 50 mm, or heavy chain.

### Do not use:

- A material that the birds can chew.
- Galvanized because the birds may grip or chew the ladder and ingest harmful compounds.

If using mesh for the ladder, the width will depend on the curvature of the nest walls. A minimum width of about 60 - 100 mm is recommended.

---

## Sacrificial chewing posts

For artificial hollows made of non-natural materials, or of processed boards, it is necessary to provide sacrificial chewing posts. The birds chew material to prepare a dry base on which to lay their egg(s).

The sacrificial chewing posts must:

- Be made of untreated hardwood such as jarrah, marri or wandoo
- Be thick enough to satisfy the birds' needs between maintenance visits.
- Extend beyond the top of the hollow as an aid to see whether the nest is being used.
- Be placed on the inside of the hollow.
- Be attached in such a way that they are easy to replace e.g. hook over the top of hollow or can slide in/out of a pair of U bolts fitted to the side of the hollow.

It is recommended that at least two posts are provided. Posts 70 x 50 mm have been used, but require replacing at least every second breeding season when the nest is active. Birds do vary in their chewing habits and therefore the frequency at which the chewing posts require replacement will also vary.



Bottom of an artificial hollow showing ladder that is fixed to the wall and a chewed sacrificial post which is 200 mm from the floor.

*Photo by Rick Dawson*

## Mountings

The artificial hollows must be mounted such that:

- The fixings used will last the duration of the nest e.g. galvanized bracket or chain fixed with galvanized coach screws.
  - It is secured by more than one anchor for security and stability.
  - It is positioned vertically or near vertically.
-



## Placement

Sites should be chosen within current breeding areas and where they can be monitored, but preferably not conspicuous to the general public. It is important that artificial hollows are placed where they will be accessible for future monitoring and maintenance. For more detail refer to the separate information sheet; *When to use artificial hollows for Carnaby's cockatoo*.

The height at which artificial hollows should be placed is variable. The average height of natural hollows in dominant tree species in the area is a good guide. Natural hollows used by Carnaby's cockatoos have been recorded as low as 2 m above the ground. If located on private property the hollows can be placed lower to the ground so they are accessible by ladder or a rope and pulley system can be used. Where public access is possible artificial hollows should be placed at least 7 m high (i.e. higher than most ladders) and on the side of the tree away from public view to reduce the chance of interference or poaching.

Carnaby's cockatoo show no preference for aspect of natural hollows, however, it may still be beneficial to place artificial hollows facing away from prevailing weather and where they receive the most shade and protection.

Artificial hollows to be placed in trees require:

- Accessibility of the tree for a vehicle, elevated work platform or cherry picker.
- A section of trunk 2-3 m long suitable for attaching the hollow

If necessary, artificial hollows may be placed on poles, but this may result in excessive exposure to sun during very hot weather. When erected on poles there should be"

- A hinge at the bottom of the pole that can be secured when the pole is in the upright position.
- Access for a vehicle to assist raising the pole.

---

## Safety

Care needs to be taken when placing artificial hollows to ensure safety is considered at all times. Artificial hollows are heavy and require lifting and manoeuvring into position up to 7 m above the ground.

---

## Maintenance and monitoring

Once artificial hollows have been placed they require monitoring and maintenance to ensure they continue to be useful for nesting by Carnaby's cockatoo. It is important to monitor artificial hollows to determine use by Carnaby's cockatoo, other native species as well as pest species. By undertaking monitoring the success of the design and placement of artificial hollows can be determined and areas for improvement identified for future placement of artificial hollows.

Monitoring can also assess whether any maintenance is required. Without regular maintenance artificial hollows are unlikely to achieve their objective (that is, they will fail to provide nesting opportunities for threatened cockatoos). Therefore it is important to continue a regime of regular maintenance while the artificial hollow is required. It may be several (to many) decades until a natural replacement hollow is available.

For further advice on monitoring and maintenance of artificial hollows please refer to the separate information sheet; *How to monitor and maintain artificial hollows for Carnaby's cockatoo*.



Carnaby's cockatoo female prospecting an artificial hollow.  
Photo by Rick Dawson



Example fixing for artificial hollow  
Photo by Christine Groom

### Acknowledgements

This information sheet is a joint initiative of Birdlife Australia, the Western Australian Museum and the Department of Parks and Wildlife. Many individuals have contributed to its preparation. Special acknowledgement is made for the contributions of Ron Johnstone from the WA Museum, Alan Elliott from the Serpentine-Jarrahdale Land care Centre and Denis Saunders. This updated version was compiled by Rick Dawson Department of Parks and Wildlife).

### Other information sheets in the series: Artificial hollows for Carnaby's cockatoo

- *How to design and place artificial hollows for Carnaby's cockatoo*
- *How to monitor and maintain artificial hollows for Carnaby's cockatoo*

Information sheets available on the *Saving Carnaby's cockatoo* webpage:

<http://www.dpaw.wa.gov.au/plants-and-animals/threatened-species-and-communities/threatened-animals/208-saving-carnaby-s-cockatoo>

#### Further information

Last updated 28/04/2015

Contact [fauna@dpaw.wa.gov.au](mailto:fauna@dpaw.wa.gov.au) or your local office of the Department of Parks and Wildlife

See the department's website for the latest information: [www.dpaw.wa.gov.au](http://www.dpaw.wa.gov.au)

*Disclaimer: This publication may be of assistance to you but the Government of Western Australia and its officers do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication*

## **SCHEDULE 2**

**How to monitor and maintain artificial hollows for Carnaby's cockatoo**



## Artificial hollows for Carnaby's cockatoo



## How to monitor and maintain artificial hollows for Carnaby's cockatoo

It is important to monitor and maintain artificial hollows after they have been erected. Monitoring ensures that the effectiveness of the artificial hollow can be determined. It also means that problems with pest species or any maintenance requirements can be identified and resolved.

Without regular maintenance, artificial hollows are likely to fail to achieve their objective (that is, they will fail to provide nesting opportunities for threatened cockatoos). Therefore it is important to continue a regime of regular maintenance while the artificial hollow is required. It may be several (to many) decades until a natural replacement hollow is available.

Monitoring should be undertaken in order to detect:

- Use by Carnaby's cockatoo
- Maintenance requirements
- Use by other native species
- Use by pest species (e.g. feral bees, galahs, corellas etc.)



Carnaby's cockatoo female prospecting an artificial hollow.  
*Photo by Rick Dawson*

### *How do I monitor artificial hollows?*

Before undertaking monitoring of artificial hollows for Carnaby's cockatoo it is recommended that you seek advice from BirdLife Australia, the WA Museum or the Department of Parks and Wildlife. It is also important to contact Parks and Wildlife, Wildlife Licensing Section, to determine if a scientific licence is required ([wildlifelicencing@dpaw.wa.gov.au](mailto:wildlifelicencing@dpaw.wa.gov.au)).

Monitoring artificial hollows requires keen observation and naturalist skills. It is often not possible to observe evidence of breeding directly (i.e. nestlings or eggs) and inferences must be made based on observation. There are many techniques available to monitor artificial hollows. A combination of several is likely to achieve the best results.

### Looking for signs of use

Cobwebs covering the entrance to the hollow will indicate that the hollow has not been used recently. This would also apply to other light debris that may have fallen to cover the opening partially. Signs of recent use or interest in the hollow include evidence of chewing.

---

### Observing parent behaviour around the hollow

The behaviour of parent birds around a hollow will indicate an approximate age of young in the nest.

Parent behaviour	Approximate age/stage of young
Prospecting for hollow	Unborn
Male only seen out of hollow	Egg or very young nestling (< 3 - 4 weeks)
Both parents seen entering/exiting the hollow	Nestling(s) have hatched (> 3 - 4 weeks)

---

### Observing feeding flocks

Flocks of all male birds indicate that the females are incubating eggs. When flocks are mixed it suggests the birds have either not laid yet or that the nestlings have hatched and no longer require brooding (approximately 3 - 4 weeks old).

---

### Tapping

When females are sitting on eggs they will usually respond to tapping at the base of their tree (or pole) by appearing at the entrance or flying from the hollow opening. This is not a guarantee of breeding activity, but an indication that it is possibly occurring in the hollow.

---

### Observing insect activity around nest

The faecal matter produced by nestlings in a nest attracts insects, especially flies and ants. The type and number of these insects will help indicate how old any nestlings present may be. Factors such as temperature and humidity will also affect insect activity and so observations of insect activity should only be used as supporting evidence for other indications of age/use. Blowflies around a nest usually indicate that a death has occurred.

---

### Listening for nestlings

With experience it is possible to determine if one or two nestlings are present and a broad estimate of age based on the type and loudness of noises they make.

### **Looking inside the nest**

This can be achieved either with the aid of a telescopic pole and camera or mirror, or with the use of a ladder or other climbing equipment. This method can obtain the most detailed monitoring information for artificial hollows. However it is also the most time consuming and difficult to organise. Special equipment is likely to be needed depending on the height and positioning of artificial hollows. There are also safety issues associated with ladder or rope climbing options to reach nests to undertake observations.

---

### **How often should I monitor artificial hollows?**

The minimum frequency of monitoring and the techniques used will be determined by the aims of the monitoring and the resources available. It is important to limit disturbance to breeding birds and this should be considered when determining the techniques used and frequency.

---

### **How do I maintain artificial hollows?**

Artificial hollows require maintenance to ensure they continue to have the greatest chance of them being used by Carnaby's cockatoos. Periodic maintenance checks should be undertaken at least every two years, preferably annually. These checks should be undertaken prior to the breeding season which is between July and January with breeding occurring later in this period in southern areas. It is important to maintain a regime of regular maintenance as long as the artificial hollow is required. It may take several (to many) decades until a natural replacement hollow is available.

Maintenance checks should assess the following as a minimum:

- Condition of chewing posts (if present)
- Condition of attachment points
- Condition of hollow bases
- Stability of tree or pole used to mount the artificial hollow



Artificial hollow base needing repair.  
*Photo by Christine Groom*

### **Repairing hollows**

Any problems identified during maintenance checks should be addressed, and any repairs required done, as soon as possible. If breeding is currently occurring, maintenance may need to be delayed if it is likely to disturb the parents or nestling. Likely maintenance needs include replacement of chewing posts (frequently) or nest bases (occasionally) and repairing of any cracks (infrequently). Maintenance concerns regarding the security of attachment points or the stability of the tree or pole should be addressed as a priority for safety reasons.

For artificial hollows known to be used, spare chewing posts should be taken into the field when undertaking maintenance checks.

---

**Monitoring of artificial hollows:**

Monitoring aim	Frequency of visits	Monitoring techniques
To determine possible use by Carnaby's cockatoo	At least once during peak breeding season (i.e. between September and December)	<ul style="list-style-type: none"> <li>• Observing behaviour of adults around hollow</li> <li>• Tapping to see if female will flush from hollow (best undertaken between 10am and 3pm when females most likely to be sitting)</li> <li>• Listening for nestlings</li> <li>• Looking for evidence of chewing</li> <li>• Looking inside nest</li> </ul>
To confirm use by Carnaby's cockatoo	At least two visits during peak breeding season (i.e. between September and December)	<p>To observe at least two of the following:</p> <ul style="list-style-type: none"> <li>• Breeding behaviour of adults around hollow or evidence of chewing</li> <li>• Female flushed from hollow</li> <li>• Noises from nestlings in hollow</li> </ul> <p>Or to observe:</p> <ul style="list-style-type: none"> <li>• Nestlings or eggs in nest</li> </ul>
To determine nesting success by Carnaby's cockatoo	The more visits, the better. Preferably fortnightly visits between July and December. As a minimum, at least 3 visits spread throughout breeding season.	<ul style="list-style-type: none"> <li>• Looking inside nest to observe eggs or nestlings.</li> </ul>
To determine use by any species	As often as possible.	<ul style="list-style-type: none"> <li>• Inspection from ground as a minimum.</li> <li>• Looking inside nest for detailed observations.</li> </ul>
To determine maintenance requirements	At least every two years and preferably annually if hollow fitted with sacrificial chewing posts, can be longer if without.	<ul style="list-style-type: none"> <li>• A basic maintenance check can be undertaken from the ground. A ladder or elevated work platform will be required for a comprehensive check and to replace sacrificial chewing posts</li> </ul>

**Acknowledgements**

This information sheet is a joint initiative of Birdlife Australia, the Western Australian Museum and the Department of Parks and Wildlife. Many individuals have contributed to its preparation. The updated version was compiled by Rick Dawson (Department of Parks and Wildlife) with assistance from Denis Saunders.


**Other information sheets in the series: Artificial hollows for Carnaby's cockatoo**

- *How to design and place artificial hollows for Carnaby's cockatoo*
- *How to monitor and maintain artificial hollows for Carnaby's cockatoo*

Information sheets available on the *Saving Carnaby's cockatoo* webpage:

<http://www.dpaw.wa.gov.au/plants-and-animals/threatened-species-and-communities/threatened-animals/208-saving-carnaby-s-cockatoo>

# Plan 7678/2a



## Legend

- Areas approved to clear
- Cadastre
- Roads
- Local Government Authorities

## Landgate\_Subscription\_Imagery\WANow


### RGB

- Red: Band\_1
- Green: Band\_2
- Blue: Band\_3

*S. P. P.*  
*Sahana Piyas*

Date *3/8/2018*

Officer with delegated authority under section 20 of the Environmental Protection Act 1986



1:14,000







GOVERNMENT OF  
 WESTERN AUSTRALIA  
 WA Crown Copyright 2018



# Plan 7678/2b



## Legend

-  Areas subject to conditions
-  Cadastre
-  Roads
-  Local Government Authorities


## Landgate\_Subscription\_Imagery/WANow

### RGB

-  Red: Band\_1
-  Green: Band\_2
-  Blue: Band\_3

*Samara Pefer*  
 Date 3/8/2018

Officer with delegated authority under section 20 of the Environmental Protection Act 1986



1:5,000






GOVERNMENT OF  
 WESTERN AUSTRALIA  
 WA Crown Copyright 2018

# Plan 7678/2c



## Legend

-  Areas subject to conditions
-  Roads
-  Local Government Authorities

## Landgate\_Subscription\_ImageryWANow


### RGB

-  Red: Band\_1
-  Green: Band\_2
-  Blue: Band\_3

*Signature*  
.....  
*Shirley Rogers*

Date 3/8/2018

Officer with delegated authority under section 20 of the Environmental Protection Act 1986



1:20,000



GOVERNMENT OF  
WESTERN AUSTRALIA  
WA Crown Copyright 2018



## 1. Application details

### 1.1. Permit application details

Permit application No.: CPS 7678/2  
Permit type: Purpose Permit

### 1.2. Applicant details

Applicant's name: Shire of Cuballing

### 1.3. Property details

Property: ROAD RESERVE - 11374624, WEST POPANYINNING  
Colloquial name: Popanyinning Road  
Local Government Authority: CUBALLING, SHIRE OF  
Localities: WEST POPANYINNING

### 1.4. Application

Clearing Area (ha)	No. Trees	Method of Clearing	For the purpose of:
0.8		Mechanical Removal	Road construction or upgrades

### 1.5. Decision on application

Decision on Permit Application: Amended  
Decision Date: 3 August 2018

Reasons for Decision: This clearing permit amendment gives effect to the determination of the Minister for Environment (Minister) to partly allow appeal C022 of 2017. The Minister has requested the Department of Water and Environmental Regulation (DWER) amend Clearing Permit CPS 7678/1 to require the permit holder to:

- avoid and minimise clearing, where possible;
- identify and inspect potential habitat trees for Carnaby's cockatoo and red-tailed phascogale and where occupied, delay clearing until no longer in use, and install artificial hollows to replace any hollows that are required to be removed, that had been utilised by Carnaby's cockatoo; and
- keep records in relation to the implementation of management conditions and make records available at DWER's request.

Conditions 4, 7, 8, 9, 11 and 12 have been added to the permit. The precise wording of the conditions was determined by the DWER Delegated Officer.

Condition 8(g) requires the installation of artificial black cockatoo nest hollows within Napping Pool Road reserve. No suitable Crown Reserves occur within 5 kilometres of the clearing area. Therefore the road reserve was chosen as it is land managed by the Shire and is located immediately adjacent to the clearing area, meaning any impacted fauna would not have to travel far to find the intended replacement habitat. Napping Pool Road reserve was chosen over Popanyinning Road reserve based on the assumption that it carries less traffic and has suitable stems for installation.

## 2. Site Information

**Clearing Description** The application is for the clearing of 0.8 hectares of native vegetation within Popanyinning Road reserve (PIN 11374624), West Popanyinning, for the purpose of road upgrades and road safety.


**Vegetation Description** The application area is mapped as: Beard vegetation association 1023, described as Medium woodland; York gum (*Eucalyptus loxophleba*), wandoo (*Eucalyptus wandoo*) and salmon gum (*Eucalyptus salmonophloia*) (Shepherd et al., 2001).

**Vegetation Condition** The vegetation within the application area is considered to be in the following condition:

- Very Good: Vegetation structure altered; obvious signs of disturbance; to
- Good: Vegetation structure significantly altered by very obvious signs of multiple disturbance; retains basic structure or ability to regenerate; to
- Degraded: Basic vegetation structure severely impacted by disturbance; scope for regeneration but not to a state approaching Good condition without intensive management; to
- Completely Degraded: The structure of the vegetation is no longer intact and the area is completely or almost completely without native species (Keighery, 1994).

**Comment** The condition and description of the vegetation within the application area was determined by a site inspection undertaken by officers of the former Department of Environment Regulation (DER site inspection) on 17 May 2017 (DER, 2017).

**Figure 1: Map of application area (indicated by blue shading)**



**3. Assessment of application against clearing principles**

The assessment against the 10 clearing principles outlined in Schedule 5 of the *Environmental Protection Act 1986* has not changed and can be found in the Decision Report for application CPS 7678/1.

**Planning instruments and other relevant matters.**

The assessment against planning instruments and other relevant matters has not changed and can be found in the Decision Report for application CPS 7678/1.

**4. References**

Department of Environment Regulation (DER) (2017) Site Inspection Report for CPS 7678/1. Department of Environment Regulation. Western Australia (DWER Ref: A1542906).  
 Keighery, B.J. (1994) Bushland Plant Survey: A Guide to Plant Community Survey for the Community. Wildflower Society of WA (Inc). Nedlands, Western Australia.  
 Shepherd, D.P., Beeston, G.R. and Hopkins, A.J.M. (2001) Native Vegetation in Western Australia, Extent, Type and Status. Resource Management Technical Report 249. Department of Agriculture, Western Australia.