

## Artificial hollows for Carnaby's cockatoo




## How to design and place artificial hollows for Carnaby's cockatoo

Artificial hollows can be used to help conserve the threatened Carnaby's cockatoo by enabling the cockatoos to breed in areas where natural hollows are limited.

A wide variety of artificial hollow designs have been used with mixed success. Evidence suggests that, while the hollow must meet some basic requirements, other factors such as proximity to existing breeding areas may be more important in determining the success of artificial hollows. Before using this information sheet to construct or install an artificial hollow, you should refer to the criteria listed in the separate information sheet; *When to use artificial hollows for Carnaby's cockatoo*.

This information sheet contains broad guidelines for the design and placement of artificial hollows for Carnaby's cockatoo.

Below are three examples of successful artificial hollows used by Carnaby's cockatoo for nesting. Artificial hollows made from a natural log with cut side entrance (left), white industrial pipe with top entrance (centre) and natural log with natural side entrance (right).



Photos by Christine Groom (left and right) and Rick Dawson (centre)

## Walls

The walls of the artificial hollow need to be constructed from a material that is;

- Durable enough to withstand exposure to elements for an extended period of time (i.e. 20+ years).
- Able to simulate the thermal properties of a natural tree hollow.
- Not less than 380 mm in internal diameter.
- Preferably 1.2 m deep overall and 1m deep to top of substrate/nesting material.

Successful artificial hollows have been constructed from sections of salvaged natural hollow, black and white industrial pipe. When using non-natural materials care must be taken to ensure there are no toxic residues and that the materials are safe to ingest.

---

## Base

The base of the artificial hollow must be;

- Able to support the adult and nestling(s).
- Durable enough to last the life of the nest.
- Free draining.
- At least 380 mm in diameter.
- Covered with 200 mm of sterile, dry, free draining material such as charcoal, hardwood woodchips or wood debris.

### **Do not use:**

- Saw dust or fibre products that will retain moisture.

Example materials that could be used for artificial hollow bases include heavy duty stainless steel, galvanised or treated metal (e.g. Zinalume ®), thick hardwood timber slab or marine ply (not chipboard or MDF). The base material must be cut to size to fit internally with sharp or rough edges ground away or curled inwards and fixed securely to the walls.



Carnaby's cockatoo eggs in an artificial hollow.  
*Photo by Rick Dawson*

---

## Entrance

The entrance of the artificial hollow must;

- Have a diameter of at least 270 mm).
- Preferably be top entry which will minimise use by non-target species.

Top entry hollows are unattractive to nest competitors such as feral bees, galahs and corellas. Side entry hollows have been successful in areas where feral bees are not a problem and where galahs and corellas are deterred.



## Ladder

For artificial hollows made of non-natural materials, or of processed boards, it is necessary to provide a ladder to enable the birds to climb in and out of the hollow easily.

The ladder must be;

- Securely mounted to the inside of the hollow.
- Made from an open heavy wire mesh such as WeldMesh™ with mesh size of 30 - 50 mm, or heavy chain.

### Do not use:

- A material that the birds can chew.
- Galvanized because the birds may grip or chew the ladder and ingest harmful compounds.

If using mesh for the ladder, the width will depend on the curvature of the nest walls. A minimum width of about 60 - 100 mm is recommended.

---

## Sacrificial chewing posts

For artificial hollows made of non-natural materials, or of processed boards, it is necessary to provide sacrificial chewing posts. The birds chew material to prepare a dry base on which to lay their egg(s).

The sacrificial chewing posts must:

- Be made of untreated hardwood such as jarrah, marri or wandoo
- Be thick enough to satisfy the birds' needs between maintenance visits.
- Extend beyond the top of the hollow as an aid to see whether the nest is being used.
- Be placed on the inside of the hollow.
- Be attached in such a way that they are easy to replace e.g. hook over the top of hollow or can slide in/out of a pair of U bolts fitted to the side of the hollow.

It is recommended that at least two posts are provided. Posts 70 x 50 mm have been used, but require replacing at least every second breeding season when the nest is active. Birds do vary in their chewing habits and therefore the frequency at which the chewing posts require replacement will also vary.



Bottom of an artificial hollow showing ladder that is fixed to the wall and a chewed sacrificial post which is 200 mm from the floor.

*Photo by Rick Dawson*

---

## Mountings

The artificial hollows must be mounted such that:

- The fixings used will last the duration of the nest e.g. galvanized bracket or chain fixed with galvanized coach screws.
- It is secured by more than one anchor for security and stability.
- It is positioned vertically or near vertically.

## Placement

Sites should be chosen within current breeding areas and where they can be monitored, but preferably not conspicuous to the general public. It is important that artificial hollows are placed where they will be accessible for future monitoring and maintenance. For more detail refer to the separate information sheet; *When to use artificial hollows for Carnaby's cockatoo*.

The height at which artificial hollows should be placed is variable. The average height of natural hollows in dominant tree species in the area is a good guide. Natural hollows used by Carnaby's cockatoos have been recorded as low as 2 m above the ground. If located on private property the hollows can be placed lower to the ground so they are accessible by ladder or a rope and pulley system can be used. Where public access is possible artificial hollows should be placed at least 7 m high (i.e. higher than most ladders) and on the side of the tree away from public view to reduce the chance of interference or poaching.

Carnaby's cockatoo show no preference for aspect of natural hollows, however, it may still be beneficial to place artificial hollows facing away from prevailing weather and where they receive the most shade and protection.

Artificial hollows to be placed in trees require:

- Accessibility of the tree for a vehicle, elevated work platform or cherry picker.
- A section of trunk 2-3 m long suitable for attaching the hollow

If necessary, artificial hollows may be placed on poles, but this may result in excessive exposure to sun during very hot weather. When erected on poles there should be:

- A hinge at the bottom of the pole that can be secured when the pole is in the upright position.
- Access for a vehicle to assist raising the pole.

---

## Safety

Care needs to be taken when placing artificial hollows to ensure safety is considered at all times. Artificial hollows are heavy and require lifting and manoeuvring into position up to 7 m above the ground.

---

## Maintenance and monitoring

Once artificial hollows have been placed they require monitoring and maintenance to ensure they continue to be useful for nesting by Carnaby's cockatoo. It is important to monitor artificial hollows to determine use by Carnaby's cockatoo, other native species as well as pest species. By undertaking monitoring the success of the design and placement of artificial hollows can be determined and areas for improvement identified for future placement of artificial hollows.

Monitoring can also assess whether any maintenance is required. Without regular maintenance artificial hollows are unlikely to achieve their objective (that is, they will fail to provide nesting opportunities for threatened cockatoos). Therefore it is important to continue a regime of regular maintenance while the artificial hollow is required. It may be several (to many) decades until a natural replacement hollow is available.

For further advice on monitoring and maintenance of artificial hollows please refer to the separate information sheet; *How to monitor and maintain artificial hollows for Carnaby's cockatoo*.





Carnaby's cockatoo female prospecting an artificial hollow.  
Photo by Rick Dawson



Example fixing for artificial hollow  
Photo by Christine Groom

### Acknowledgements

This information sheet is a joint initiative of Birdlife Australia, the Western Australian Museum and the Department of Parks and Wildlife. Many individuals have contributed to its preparation. Special acknowledgement is made for the contributions of Ron Johnstone from the WA Museum, Alan Elliott from the Serpentine-Jarrahdale Land care Centre and Denis Saunders. This updated version was compiled by Rick Dawson Department of Parks and Wildlife).

### Other information sheets in the series: Artificial hollows for Carnaby's cockatoo

- *How to design and place artificial hollows for Carnaby's cockatoo*
- *How to monitor and maintain artificial hollows for Carnaby's cockatoo*

Information sheets available on the *Saving Carnaby's cockatoo* webpage:

<http://www.dpaw.wa.gov.au/plants-and-animals/threatened-species-and-communities/threatened-animals/208-saving-carnaby-s-cockatoo>