

WPT	Location Data (MGA 94)	544307 mE	6377027 mN	SLK	18.85	Species	Salmon Gum	Survey Date	27/02/2019
59	Comments	This large salmon gum contains one upward facing spout and a knot hole both of which appear to provide entry into the same hollow. This hollow has previously been occupied by Galahs (Shire of Wickepin). Scarring of bark on the tree trunk confirms use by galahs activity. Hollow appears too small internally for a black cockatoo when examined with a pole mounted camera.						Classification	Hollow unsuitable for black cockatoos



WPT	Location Data (MGA 94)	544307 mE	6377109 mN	SLK	18.77	Species	Wandoo	Survey Date	27/02/2019
60	Comments	This wandoo contains one upward facing spout and a knot hole. No evidence of use by any species. Large pellets under the indicate that branches used as a night roost for a barn owl. Both hollows appear too small internally for a black cockatoo when examined with a pole mounted camera.						Classification	Hollows unsuitable for black cockatoos



WPT	Location Data (MGA 94)	544310 mE	6377699 mN	SLK	18.17	Species	Wandoo	Survey Date	27/02/2019
61	Comments	This large wandoo contains several possible small to medium sized hollows none of which would be of a size suitable for black cockatoos. All the potential hollows appear too shallow or small internally. No hollows showed evidence of use by any species.						Classification	Hollows unsuitable for black cockatoos

