
Appendix A. Targeted Flora Survey (WoodGIS, 2020)



MOUNT SINGLETON TARGETED FLORA SURVEY



FINAL

05 August 2020

PREPARED FOR

PREPARED BY







DISCLAIMER

This document was prepared in accordance with the scope of services set out in the contract, or as otherwise agreed, between Woodgis and the client, in a professional manner and in accordance with generally accepted practices, using the skill and care ordinarily exercised by reputable environmental consultants under similar circumstances. No other warranty, expressed or implied, is made, and Woodgis is not responsible for the application of its recommended strategies.

Any discussions regarding government legislation and policy are intended to provide context for recommendations and are for guidance only. They should not be relied upon to address every aspect of the relevant legislation or policy. Clients are advised to consult the actual legislation and seek legal advice, where and when necessary.

All of the information, interpretations, conclusions and recommendations included in this report were based on the site characteristics, and information available to Woodgis, at the time. Woodgis makes no claims as to the applicability or appropriateness of this report to any entities other than the client that commissioned this report, or in circumstances or at locations other than that specified in the contract. Any third parties that rely on or uses this document do so entirely at their own risk and Woodgis denies all liability in tort, contract or otherwise for any loss, damage or injury of any kind whatsoever (whether in negligence or otherwise) that may be suffered as a consequence. Instead, Woodgis can be contacted to provide services or advice specifically related to their needs.

This document is subject to copyright.

DOCUMENT STATUS

Document Number:FinalCirculation Date:05/08/2020Documents Superseded:Draft B - 03/08/2020Draft A - 28/07/2020

Other Related Documents:

RECOMMENDED REFERENCE

The recommended reference for this document is:

Woodgis (2020) *Mount Singleton Targeted Flora Survey*, unpublished report by Woodgis Environmental Assessment and Management for GoldNet.

ACRONYMS AND ABBREVIATIONS

The following acronyms are used in this report for succinctness:

AHD	Australian Height Datum (height above mean sea level)
DBCA	(WA) Department of Biodiversity, Conservation and Attractions
DMIRS	Department of Mines, Industry Regulation and Safety
ha	hectares
km	kilometres
m	metres
Mt	Mount
PEC	Priority Ecological Community
TEC	Threatened Ecological Community
WA	Western Australia/n

CONFIDENTIALITY

The conditions for supply of datasets by the Department of Environment and Conservation, for Threatened and Priority Ecological Communities, and Rare Flora are similar and included:

- The data supplied may not be supplied to other organisations, nor be used for any purpose other than for the project for which they have been provided, without the prior written consent of the Director General, Department of Environment and Conservation; and
- Specific locality information for Declared Rare Flora is regarded as confidential, and should be treated as such by receiving organisations. Specific locality information for Threatened Flora (Declared Rare Flora – Extant) may not be used in public reports without the written permission of the Director General, Department of Environment and Conservation.

EXECUTIVE SUMMARY

This report provides the results of a targeted flora survey to facilitate the construction of a telecommunications tower (including the antenna/tower, solar panels and fencing) on the summit of Mount Singleton by GoldNet.

Mount Singleton peaks at 679 m AHD, more than 200 m above its surrounds. Mount Singleton is located on Ninghan Station in the Shire of Yalgoo, approximately:

- 300 km northeast of Perth and 270 km east-southeast of Geraldton;
- 100 km northeast of Wubin and 40 km west-southwest of Paynes Find;
- 30 km south of Karara Rangeland Park and 80 km northwest of Karroun Hill Nature Reserve; and
- 5 km south of Ninghan Station Homestead.

The targeted flora survey identified two threatened species (*Acacia imitans* T and *Acacia unguicula* T) and four priority species (*Allocasuarina tessellata* P1, *Grevillea scabrida* P1, *Micromyrtus mucronulata* P1 and *Micromyrtus ninghanensis* P1) in the immediate vicinity.

The proposal was reconfigured in view of the survey results. The finalised proposal is for an 18 metre high free-standing tower and solar panels with footings in an area of approximately 6 metres x 6 metres, and associated fencing approximately 11 metres long, in a previously cleared area.

This proposal requires **no** clearing of native vegetation, or threatened or priority flora. Whilst the finalised proposal will **not** require clearing of native flora, it will be in close proximity to threatened plants, including one *Acacia imitans* T seedling in a previously cleared area.

In addition to obtaining any required approvals, it is recommended that:

- GoldNet obtain Threatened Flora Authorisation for inadvertent or accidental impact to Threatened Flora, given:
 - Acacia imitans T is in the immediate vicinity and is listed under both the WA Biodiversity Conservation Act 2016 and Commonwealth Environment Protection and Biodiversity Conservation Act 1999
 - The need to periodically access/maintain the infrastructure
 - The potential for incidental damage to *Acacia imitans* T seedlings that germinate over time in cleared areas, including along tracks. Germination rates of 96.3% have been recorded and germination is likely triggered by natural disturbance events (physical or fire), which may explain why many plants are located in disturbed areas (DEC, 2009a)
- An appropriately qualified person be onsite during construction to ensure *Acacia imitans* T plants in close proximity are correctly identified and flagged to avoid damaging them;
- Surface hydrology is not altered by the construction of the proposed infrastructure (with the exception of removing/reducing bunding caused by pre-existing pushed up soil/vegetation); and
- When brought to site, machinery and vehicles are free of soil and vegetation debris to limit the introduction of weeds and pathogens to the site.

CONTENTS

RECOMMENDED REFERENCE					
ACRONYMS AND ABBREVIATIONS					
CONFIDENTIALITY					
XECUTIVE SUMMARY					
1. INTRODUCTION	7				
1.1. Background and Objectives	7				
1.2. Location	8				
2. FIELD SURVEY	9				
2.1. Timing	9				
2.2. Personnel	9				
2.3. Targeted Flora Species	10				
2.4. Consultation	12				
2.5. Survey Site	12				
3. RESULTS	14				
3.1. Threatened and Priority Flora	. Threatened and Priority Flora14				
4. DISCUSSION	DISCUSSION				
4.1. Survey Adequacy	. Survey Adequacy15				
. Regional Context16					
4.2. Regional Context	16				
4.2. Regional Context4.3. Potential Impacts					
.	19				
4.3. Potential Impacts	19 22				
4.3. Potential Impacts5. CONCLUSIONS AND RECOMMENDATIONS	19 22 23				
 4.3. Potential Impacts	19 22 23 24				
 4.3. Potential Impacts 5. CONCLUSIONS AND RECOMMENDATIONS REFERENCES APPENDIX 1: DBCA CONSERVATION CATEGORIES 	19 22 23 24 27				
 4.3. Potential Impacts 5. CONCLUSIONS AND RECOMMENDATIONS REFERENCES APPENDIX 1: DBCA CONSERVATION CATEGORIES APPENDIX 2: PRIORITY FLORA PHOTOGRAPHS 	19 22 23 24 27 31				

TABLES

Table 1: Project Team	9
Table 2: Targeted Flora Lifeforms and Habitats	
Table 3: Threatened and Priority Flora Counts	14
Table 4: NatureMap Records of Significant Flora in Census Area	16
Table 5: TEC and PEC Categories	24
Table 6: Threatened and Priority Flora Categories	26

FIGURES

Figure 1: Infrastructure Diagrams	7
Figure 2: Infrastructure Footprint	7
Figure 3: Location of Mount Singleton	8
Figure 4: Threatened Flora Records on Mt Singleton	10
Figure 5: Priority 1 Flora Records on Mt Singleton	11
Figure 6: Priority 3 Flora Records on Mt Singleton	11
Figure 7: Boundaries of Survey Areas	13
Figure 8: Boundaries of Priority Flora Census Area	13
Figure 9: Threatened Species in Census Area	14
Figure 10: Approximate Location of Acacia imitans T seedling in Cleared Area	19

PHOTOGRAPHS

Photo 1: Size of Acacia imitans T seedling in clearing	19
Photo 2: Acacia imitans T seedling (yellow flag) in clearing viewed from West	20
Photo 3: Acacia imitans T seedling (yellow flag) in clearing viewed from South	20
Photo 4: Acacia imitans T seedling (yellow flag) in clearing viewed from Northeast	21
Photo 5: Acacia imitans T (yellow flag) near NW corner of clearing (orange pole)	21
Photo 6: Acacia imitans T	27
Photo 7: <i>Acacia unguicula</i> T	27
Photo 8: Allocasuarina tessellata P1	
Photo 9: Grevillea scabrida P1	28
Photo 10: Grevillea subtiliflora P3	29
Photo 11: Hybanthus cymulosus T	
Photo 12: Micromyrtus mucronulata P1	30
Photo 13: Micromyrtus ninghanensis P1	30
Photo 14: Sparser Vegetation in Threatened Flora Census Area	31
Photo 15: Denser Vegetation in Threatened Flora Census Area	31
Photo 16: Priority Flora Census Area (NW corner looking SW corner)	32
Photo 17: Priority Flora Census Area (NW corner looking NE corner)	32
Photo 18: Priority Flora Census Area (NE corner looking NW corner)	33
Photo 19: Priority Flora Census Area (NE corner looking to SE corner)	33
Photo 20: Priority Flora Census Area (SE corner looking to NE corner)	34
Photo 21: Priority Flora Census Area (SE corner looking to SW corner)	34
Photo 22: Priority Flora Census Area (SW corner looking to SE corner)	35
Photo 23: Priority Flora Census Area (SW corner looking to NW corner)	35

1.1. Background and Objectives

GoldNet engaged Woodgis to undertake a targeted flora survey to facilitate impact assessments for several options of a telecommunications tower on Mount Singleton. The finalised proposal is for the an 18 metre high free-standing tower and solar panels with footings in an area of approximately 6 metres x 6 metres, and associated fencing approximately 11 metres long (Figure 1), in a previously cleared area (Figure 2).




Figure 1: Infrastructure Diagrams



Figure 2: Infrastructure Footprint

1.2. Location

Mount Singleton peaks at 679 m AHD, more than 200 m above its surrounds. Mount Singleton is located on Ninghan Station in the Shire of Yalgoo, approximately:

- 300 km northeast of Perth and 270 km east-southeast of Geraldton;
- 100 km northeast of Wubin and 40 km west-southwest of Paynes Find;
- 30 km south of Karara Rangeland Park and 80 km northwest of Karroun Hill Nature Reserve; and
- 5 km south of Ninghan Station Homestead.

The location of Mount Singleton is shown in Figure 3.




Figure 3: Location of Mount Singleton

Mount Singleton is **not** within a recorded Threatened or Priority Ecological Community (DBCA Database Ref:10-0720EC, 23/07/2020) and a vegetation assessment was outside the scope of works.

2. FIELD SURVEY

2.1. Timing

The field survey was conducted 21-22 July 2020, following rainfall of 20.8 mm and 20.4 mm during July and June 2020 respectively (as recorded by Bureau of Meteorology at Paynes Find 40 km ENE).

2.2. Personnel

The roles and experience of the personnel involved the production of this report are summarised in Table 1.

Table 1: Project Team				
Team Member	Field Experience	Project Tasks		
 Andrew Waters Licence FB62000073 Graduate Certificate in GIS Bachelor of Science Advanced Certificate of Horticulture Certified Environmental Practitioner with EIANZ 	Since 1997 worked in:• Avon Wheatbelt• Little Sandy Desert• Esperance Plains• Mallee• Geraldton Sandplains• Murchison• Great Sandy Desert• Pilbara• Jarrah Forest• Swan Coastal Plain• Yalgoo	 Report Flora Survey 		
 Frank Obbens Bachelor of Science (Honours) research associate with the WA Herbarium where he is the leading expert on the genus <i>Calandrinia</i> 	Since 1993 worked in:Avon WheatbeltLittle Sandy DesertCarnarvonMalleeCoolgardieMurchisonGascoynePilbaraGreat Sandy DesertSwan Coastal PlainGreat Victoria DesertYalgoo	• Flora Survey		

2.3. Targeted Flora Species

Priority flora species, are species that maybe threatened or near threatened but are data deficient, with status codes (P1, P2, P3 and P4) described in Appendix 1.

The 3 threatened and 7 priority flora species recorded on Mount Singleton according to DBCA Database Search 24-0620FL (24/06/2020) are listed in Table 2, and their distributions in the on Mount Singleton are shown in Figure 4, Figure 5 and Figure 6.

	Taxon	Lifeform	Associated Landforms and Soils	Photos
		Elicioni		(Appendix2)
т	Acacia imitans		Rocky red loam. Rocky hills.	Photo 6
P1	Acacia karina		Red-brown silty clay loam with ironstone pebbles, banded ironstone, shalestone. Rocky slopes.	-
т	Acacia unguicula		Rocky clay or loam. Upper slopes & summit of mountain.	Photo 7
P1	Allocasuarina tessellata		Loam, sand. Greenstone & dolerite boulders.	Photo 8
P1	Grevillea scabrida	Charach	Red clay loam, stony loam.	Photo 9
Р3	Grevillea subtiliflora	Shrub	Red-brown loam.	Photo 10
т	Hybanthus cymulosus		Clay, rocky loam clay.	Photo 11
P1	Micromyrtus mucronulata		The summit or lower slopes of a hill.	Photo 12
P1	Micromyrtus ninghanensis		Reddish or brown clay, greenstone, granite. Hills.	Photo 13
Р3	Thryptomene sp. Wandana		Yellow sand at the base of sand dunes	-

Table 2: Targeted Flora Lifeforms and Habitats

Sources: https://florabase.dpaw.wa.gov.au and Rye (2010) and GHD (2012)




Figure 4: Threatened Flora Records on Mt Singleton




Figure 5: Priority 1 Flora Records on Mt Singleton



Figure 6: Priority 3 Flora Records on Mt Singleton

2.4. Consultation

The following personnel met onsite on 22 July 2020 (during the field survey):

- Andrew Waters, Ecologist, Woodgis Environmental;
- Frank Obbens, Botanist, Woodgis Environmental;
- Troy Jamieson, Construction Foreman (Advanced Rigging), GoldNet;
- Alanna Chant, Acting Environmental Officer (Midwest Region, Parks and Wildlife Service) DBCA; and
- John Coetsee, Operations Officer (Midwest Region, Parks and Wildlife Service) DBCA.

Prior to the meeting threatened flora in the vicinity of the proposed telecommunications tower were surveyed, and marked with yellow flags.

During the meeting:

- plants of threatened species (*Acacia imitans* and *Acacia unguicula*) that had been marked with yellow flags were inspected;
- the identification of target species, and survey areas and methods, were discussed;
- the proposed footprint was discussed; and
- a revised footprint was measured out and temporarily marked.

The meeting resulted in a consensus that a revised disturbance footprint would further reduce impacts, and the flora survey methods were appropriate. After the meeting, and in the absence of a finalised engineering, a comprehensive priority flora census was conducted in the immediate vicinity of the proposed tower, as characterised in Section 2.5. Correspondence with DBCA is included in Appendix 4.

Subsequent to the onsite meeting the proposal was further refined to reduce impacts, and no longer involves clearing of native vegetation, or threatened or priority flora.

2.5. Survey Site

The targeted flora survey allowed for consideration of several options of a telecommunications tower on Mount Singleton. The survey area shown in Figure 7 consisted of:

- The 1.4 hectare threatened flora census area (extending up to 130 metres east-west and 150 metres north-south), in which those species were searched for using traverses 5 metres apart. Typical vegetation is shown in Photo 14 and Photo 15 in Appendix 3; and
- The 350 m² priority flora census area (shown in Figure 7 and Figure 8), within the threatened plant census area, was additionally comprehensively searched for priority species. The priority flora census area, consisted of the following smaller areas (the extents of which were estimated due to the accuracy of handheld GPSs):
 - 200 m² (at least) of historic clearing that incorporates all the finalised telecommunications infrastructure footprint, and an existing vehicle track along its southern edge (abutting the existing east-west fence constructed by DBCA);
 - 75 m² of disturbance (cleared in 2017/2018 as per correspondence from DBCA in Appendix 4); and
 - 75 m² (at most) of native vegetation that extends out to (but excludes) threatened plants to the north.

Priority Flora Census Area

Traverses

10 20 30 40




Figure 7: Boundaries of Survey Areas Aerial imagery captured by Western Australian Land Information Authority 05/08/2014




Figure 8: Boundaries of Priority Flora Census Area Aerial imagery captured by Goldnet 19/06/2020

Photos from each of the corners of the Priority Flora Census Area are included in Appendix 3 (Photo 16 to Photo 23). In these photos yellow flags indicate *Acacia imitans* T plants, and orange poles indicate either the northwest or northeast corners.

3. RESULTS

3.1. Threatened and Priority Flora

The numbers of threatened and priority flora plants in the survey areas are listed in Table 3.

Table 3: Threatened and				
	Taxon	Plants in Priority Flora Census Area	Additional Plants in Threa Tracks/Disturbed Areas	tened Flora Census Area Undisturbed Areas
т	Acacia imitans	1 Live	11 Live	29 Live + 2 Dead
Т	Acacia unguicula	0	0	1 Live
P1	Allocasuarina tessellata	14 Live		
P1	Grevillea scabrida	1 Live		
P1	Micromyrtus mucronulata	32 Live	Not Assessed	
P1	Micromyrtus ninghanensis	37 Live		

Threatened flora observations are shown in conjunction with traverses in Figure 9.




Figure 9: Threatened Species in Census Area DBCA 2014 Survey Area and Method Not Documented (including whether survey was partial or comprehensive)

The Threatened and Priority Flora Report Forms for *Acacia imitans* T and *Acacia unguicula* T are attached in Appendix 5.

4. DISCUSSION

4.1. Survey Adequacy

During the onsite meeting on 22 July, Alanna Chant (Acting Environmental Officer, Midwest Region, Parks and Wildlife Service, DBCA) confirmed the survey method provided sufficient information for decision making.

It is highly unlikely any of the ten targeted flora species were present but undetected, given:

- The small survey area
- The high intensity of searches
- All ten species were shrubs
- Eight of the ten species recorded on Mount Singleton were confirmed present on Mount Singleton during the field survey. The two species for which WA Herbarium point records exist on Mount Singleton that were not searched for to confirm identifications/flowering were:
 - Acacia karina P1, the record for which was a 1992 specimen from 'Ninghan Station, Mount Singleton, mid-slope NW side' that was manually geocoded (i.e. **not** on the basis of typical methods such as GPS, nearest named place, topographic map etc); and
 - *Thryptomene* sp. Wandana P3, the record for which was a 1953 specimen from 'near Mount Singleton' that was automatically geocoded (on the basis of the nearest named place) and its typical sandy habitat does not occur on the summit of Mount Singleton
- Seven of the eight species confirmed on Mount Singleton during the field survey had flowers and/or fruit at the time (Appendix 2: Photo 6 to Photo 13)

4.2. Regional Context

Whilst no impacts are proposed (Section 4.3), regional context is documented for completeness.

Regional data suggest *Allocasuarina tessellata* P1 and *Grevillea scabrida* P3 are abundant local endemics that occur on DBCA-managed lands. No comprehensive threatened or priority surveys have been undertaken on Mount Singleton and there has been significant underreporting of the number of *Acacia imitans* T, *Micromyrtus mucronulata* P1, and *Micromyrtus ninghanensis* P1 plants. Despite the low number of recorded plants, *Micromyrtus mucronulata* P1 and *Micromyrtus ninghanensis* P1 have both been previously reported as 'common' at points along the track to the summit of Mount Singleton (DBCA Database Search 24-0620FL, 24/06/2020). Both appeared abundant in patches over several kilometres of observations along the track to the summit during the field survey, and the small shrubs occur at moderate-high densities (>0.5 plants/m² in the proposed disturbance footprint).

The context of the threatened and priority flora is established in Table 4 and the comments that follow.

	Taxon	NatureMap Records	Western Australia Range (measured on NatureMap)	DBCA Managed Lands (containing NatureMap Records)
т	Acacia imitans	38 records 2 bioregions	20 km north-south 25 km east-west	None
т	Acacia unguicula	24 records 1 bioregion	<5 km north-south < 5 km east-west	None
P1	Allocasuarina tessellata	83 records 2 bioregions	80 km north-south 80 km east-west Single collections have been made from the Die Hardy Ranges (200 km SE) and a granite outcrop between Mullewa and Morawa (Meissner & Coppen, 2014)	Karara Rangeland Park (also in Charles Darwin Reserve managed by Bush Heritage Australia)
P1	Grevillea scabrida	91 records 2 bioregions	80 km north-south 80 km east-west	Karara Rangeland Park
P1	Micromyrtus mucronulata	26 records 2 bioregions	5 km north-south 5 km east-west 1 disjunct record 540 km NE	None
P1	Micromyrtus ninghanensis	8 records 1 bioregions	<5 km north-south < 5 km east-west	None

Table 4: NatureMap Records of Significant Flora in Census Area

Acacia imitans T:

- +1,139 plants estimated on Mt Singleton (DBCA Database Search 24-0620FL, 24/06/2020)
- +661 plants documented in 7 populations in Interim Recovery Plan in 2009 (DEC, 2009a)
- + 100 plants on Mt Singleton and +10 plants southeast of Mt Singleton (Patrick, 2001)
- 11 of 41 plants on tracks and disturbed areas. Seedlings were observed on the track to the summit of Mt Singleton and other disturbed areas during the field survey
- Germination is likely to be triggered by natural disturbance events (physical or fire), which may explain why many plants are located in disturbed areas. Germination trials resulting in a 96.3% average germination rate indicates there are other factors inhibiting natural recruitment, such as grazing of new seedlings, or insufficient germination triggers such as fire or other natural disturbance events. All populations were seriously affected by grazing. Feral goat control has been implemented, with approximately 1,300 goats removed from Ninghan Station since the installation of a goat proof fence (DEC, 2009a).

Acacia unguicula T:

- 77 mature plants documented from 3 populations in 2007 (DEC, 2009b)
- The extent of occurrence is estimated to be approximately 1.0 km², and the area of occupancy is approximately 0.00048 km² (DEC, 2009b).
- It grows on the upper slopes and summit amongst open scrub, in rocky clay, brown clayey sand or brown loam with dolerite (DEC, 2009b).
- Germination is likely to be triggered by natural disturbance events (physical or fire). All populations were seriously affected by grazing. Feral goat control has been implemented, with approximately 1,300 goats removed from Ninghan Station since the installation of a goat proof fence (DEC, 2009b).

Allocasuarina tessellata P1:

- +2,200 plants estimated on Mt Singleton (DBCA Database Search 24-0620FL, 24/06/2020)
- Estimated 199,180 plants in Mummaloo survey area, 75 km northeast of Wubin (based on 222 plants per hectare in quadrats across 897 ha of one floristic community) (EnviroWorks Consulting, 2013)
- 26,695 plants were recorded across 354 point locations in 6 vegetation types in the Rothsay Gold Project Area, although a full census was not undertaken, and it was considered likely that the actual number of individuals was much greater, and it was also noted that there were also numerous additional known locations in the vicinity of the study area (Woodman Environmental, 2017)
- Recorded in 23 of 990 quadrats, in 3 of 33 Floristic Community Types in the *Regional Flora* and Vegetation Survey of the Karara to Minjar Block (Woodman Environmental, 2012)
- +500 plants on Mt Singleton and +500 plants Wylacoopin Hill and +30 plants northeast of Mt Gibson Homestead (Patrick, 2001)

Grevillea scabrida P1:

- Estimated 441,131 plants in Mummaloo survey area, 75 km northeast of Wubin (based on 324 plants per hectare in quadrats across 1,363 ha of three floristic communities) (EnviroWorks Consulting, 2013)
- Recorded in 30 of 990 quadrats, in 8 of 33 Floristic Community Types in the *Regional Flora* and Vegetation Survey of the Karara to Minjar Block (Woodman Environmental, 2012)
- Well represented on the Mulgine and Rothsay Hills (Meissner & Coppen, 2014)
- 4,320 plants were recorded across 177 point locations in 6 vegetation types the Rothsay Gold Project Area, although a full census was not undertaken, and it was considered likely that the actual number of individuals was much greater, and it was also noted that there were also numerous additional known locations in the vicinity of the study area (Woodman Environmental, 2017)
- Estimated +2,600 plants from 9 populations in Geraldton District (Patrick, 2001)

Micromyrtus mucronulata P1:

- Geographically restricted (Rye, 2010)
- +300 plants estimated on Mt Singleton and described as 'common' at one site along track to summit of Mt Singleton (DBCA Database Search 24-0620FL, 24/06/2020)
- + 100 plants southwest of Paynes Find (Patrick, 2001)
- As per correspondence in Appendix 4, DBCA agreed that *Micromyrtus mucronulata* P1 have not been fully surveyed on Mt Singleton and therefore under reported.
- 55,000-550,00 plants would be present, at densities of 0.5 plants/m² over 1-10% of Mount Singleton, which covers approximately 1,112 ha (11.1 million m²) and extends over approximately 3 km north-south by 5 km east-west.

Micromyrtus ninghanensis P1:

- Known from only one locality (Rye, 2002)
- +100 plants on Mt Singleton and 'common' along track from summit of Mt Singleton to 'creek crossing' (DBCA Database Search 24-0620FL, 24/06/2020)
- As per correspondence in Appendix 4, DBCA agreed that *Micromyrtus ninghanensis* P1 have not been fully surveyed on Mt Singleton and therefore under reported.
- 55,000-550,00 plants would be present, at densities of 0.5 plants/m² over 1-10% of Mount Singleton, which covers approximately 1,112 ha (11.1 million m²) and extends over approximately 3 km north-south by 5 km east-west.

4.3. Potential Impacts

The finalised proposal is for a free-standing tower and solar panels with footings in an area of approximately 6 metres x 6 metres, and associated fencing approximately 11 metres long in a previously cleared area. This proposal requires **no** clearing of native vegetation, or threatened or priority flora. Whilst the finalised proposal will not require clearing, it will be in close proximity to threatened plants, including one *Acacia imitans* T seedling in a previously cleared area (Figure 10, and Photo 1 to Photo 4), and another on the edge of the previously cleared area (Photo 5).



Figure 10: Approximate Location of Acacia imitans T seedling in Cleared Area



Photo 1: Size of Acacia imitans T seedling in clearing



Photo 2: Acacia imitans T seedling (yellow flag) in clearing viewed from West



Photo 3: Acacia imitans T seedling (yellow flag) in clearing viewed from South



Photo 4: Acacia imitans T seedling (yellow flag) in clearing viewed from Northeast



Photo 5: Acacia imitans T (yellow flag) near NW corner of clearing (orange pole)

5. CONCLUSIONS AND RECOMMENDATIONS

The targeted flora survey identified two threatened species (*Acacia imitans* T and Acacia unguicula T) and four priority species (*Allocasuarina tessellata* P1, *Grevillea scabrida* P1, *Micromyrtus mucronulata* P1 and *Micromyrtus ninghanensis* P1) in the immediate vicinity.

The proposal was reconfigured in view of the survey results. The finalised proposal is for a freestanding tower and solar panels with footings in an area of approximately 6 metres x 6 metres, and associated fencing approximately 11 metres long in a previously cleared area. This proposal requires **no** clearing of native vegetation, or threatened or priority flora. Whilst the finalised proposal will **not** require clearing of native flora, it will be in close proximity to threatened plants, including one *Acacia imitans* T seedling in a previously cleared area.

In addition to obtaining any required approvals, it is recommended that:

- GoldNet should consider obtaining Threatened Flora Authorisation for inadvertent or accidental impact to Threatened Flora, given:
 - Acacia imitans T is in the immediate vicinity and is listed under both the WA Biodiversity Conservation Act 2016 and Commonwealth Environment Protection and Biodiversity Conservation Act 1999
 - o The need to periodically access/maintain the infrastructure
 - The potential for incidental damage to Acacia imitans T seedlings that germinate over time in cleared areas, including along tracks. Germination rates of 96.3% have been recorded and germination is likely triggered by natural disturbance events (physical or fire), which may explain why many plants are located in disturbed areas (DEC, 2009a)
- An appropriately qualified person be onsite during construction to ensure *Acacia imitans* T plants in close proximity are correctly identified and flagged to avoid damaging them;
- Surface hydrology is not altered by the construction of the proposed infrastructure (with the exception of removing/reducing bunding caused by pre-existing pushed up soil/vegetation); and
- When brought to site, machinery and vehicles are free of soil and vegetation debris to limit the introduction of weeds and pathogens to the site

REFERENCES

- DEC. (2009a). Acacia imitans Interim Recovery Plan 2009-2014. Interim Recovery Plan No. 287. Perth: Department of Environment and Conservation, Western Australia.
- DEC. (2009b). Acacia unguicula Interim Recovery Plan 2009-2014. Interim Recovery Plan No. 288. Perth: Department of Environment and Conservation, Western Australia.
- DPaW. (2002). A Biodiversity Audit of WA's 53 Biogeographical Subregions 2002. Perth: Department of Parks and Wildlife.
- EnviroWorks Consulting. (2013). *Level 2 Flora and Vegetation Survey Mummaloo.* Perth: Report for Top Iron Pty Ltd.
- GHD. (2012). North West Coastal Highway SLK 145.6 Targeted Flora and Fauna Survey. Perth: Report for Main Roads Western Australia.
- Government of Western Australia. (2018). 2017 Statewide Vegetation Statistics incorporating the CAR Reserve Analysis (Full Report). Current as of December 2017. Perth: WA Department of Biodiversity, Conservation and Attractions.
- Meissner, R., & Coppen, R. (2014). Flora and vegetation of the greenstone ranges of the Yilgarn Craton: Warriedar Fold Belt. *Conservation Science Western Australia*, 153–167.
- Meissner, R., Owen, G., & Bayliss, B. (2009). Flora and vegetation of the banded iron formation of the Yilgarn Craton: Robinson Ranges and Mount Gould. *Conservation Science Western Australia*, 7(2), 363–376.
- Patrick, S. (2001). Declared Rare and Poorly Known Flora in the Geraldton District Western Australian Wildlife Management Program No. 26. Perth: Department Of Conservation and Land Management.
- Rye, B. (2002). A revision of south-western Australian species of Micromyrtus (Myrtaceae) with five antisepalous ribs on the hypanthium. *Nuytsia*, 101-122.
- Rye, B. (2010). A revision of the Micromyrtus racemosa complex (Myrtaceae: Chamelaucieae) of south-western Australia. *Nuytsia*, 37-56.
- Woodman Environmental. (2012). *Regional Flora and vegetation Survey of the Karara to Minjar Block.* Perth: Report for Karara Mining Limited.
- Woodman Environmental. (2017). *Rothsay Gold Project Flora and Vegetation Assessment*. Perth: Report for Egan Street Resources.

APPENDIX 1: DBCA CONSERVATION CATEGORIES

Table 5: TEC and PEC Categories

Presumed Totally Destroyed (PD)

An ecological community that has been adequately searched for but for which no representative occurrences have been located. The community has been found to be totally destroyed or so extensively modified throughout its range that no occurrence of it is likely to recover its species composition and/or structure in the foreseeable future.

An ecological community will be listed as presumed totally destroyed if there are no recent records of the community being extant **and either** of the following applies (A or B):

A) Records within the last 50 years have not been confirmed despite thorough searches of known or likely habitats or

B) All occurrences recorded within the last 50 years have since been destroyed

Critically Endangered (CR)

An ecological community that has been adequately surveyed and found to have been subject to a major contraction in area and/or that was originally of limited distribution and is facing severe modification or destruction throughout its range in the immediate future, or is already severely degraded throughout its range but capable of being substantially restored or rehabilitated.

An ecological community will be listed as **Critically Endangered** when it has been adequately surveyed and is found to be facing an extremely high risk of total destruction in the immediate future. This will be determined on the basis of the best available information, by it meeting **any one or more of** the following criteria (A, B or C):

A) The estimated geographic range, and/or total area occupied, and/or number of discrete occurrences since European settlement have been reduced by at least 90% **and either or both** of the following apply (i or ii):

i) geographic range, and/or total area occupied and/or number of discrete occurrences are continuing to decline such that total destruction of the community is imminent (within approximately 10 years);

ii) modification throughout its range is continuing such that in the immediate future (within approximately 10 years) the community is unlikely to be capable of being substantially rehabilitated.

B) Current distribution is limited, and one or more of the following apply (i, ii or iii):

i) geographic range and/or number of discrete occurrences, and/or area occupied is highly restricted and the community is currently subject to known threatening processes which are likely to result in total destruction throughout its range in the immediate future (within approximately 10 years);

ii) there are very few occurrences, each of which is small and/or isolated and extremely vulnerable to known threatening processes;

iii) there may be many occurrences but total area is very small and each occurrence is small and/or isolated and extremely vulnerable to known threatening processes.

C) The ecological community exists only as highly modified occurrences that may be capable of being rehabilitated if such work begins in the immediate future (within approximately 10 years).

Endangered (EN)

An ecological community that has been adequately surveyed and found to have been subject to a major contraction in area and/or was originally of limited distribution and is in danger of significant modification throughout its range or severe modification or destruction over most of its range in the near future.

An ecological community will be listed as **Endangered** when it has been adequately surveyed and is not Critically Endangered but is facing a very high risk of total destruction in the near future. This will be determined on the basis of the best available information by it meeting **any one or more of** the following criteria (A, B, or C):

A) The geographic range, and/or total area occupied, and/or number of discrete occurrences have been reduced by at least 70% since European settlement **and either or both** of the following apply (i or ii):

i) the estimated geographic range, and/or total area occupied and/or number of discrete occurrences are continuing to decline such that total destruction of the community is likely in the short term future (within approximately 20 years);

ii) modification throughout its range is continuing such that in the short term future (within approximately 20 years) the community is unlikely to be capable of being substantially restored or rehabilitated.

B) Current distribution is limited, and one or more of the following apply (i, ii or iii):

i) geographic range and/or number of discrete occurrences, and/or area occupied is highly restricted and the community is currently subject to known threatening processes which are likely to result in total destruction throughout its range in the short term future (within approximately 20 years);

ii) there are few occurrences, each of which is small and/or isolated and all or most occurrences are very vulnerable to known threatening processes;

iii) there may be many occurrences but total area is small and all or most occurrences are small and/or isolated and very vulnerable to known threatening processes.

C) The ecological community exists only as very modified occurrences that may be capable of being substantially restored or rehabilitated if such work begins in the short-term future (within approximately 20 years).

Vulnerable (VU)

An ecological community that has been adequately surveyed and is found to be declining and/or has declined in distribution and/or condition and whose ultimate security has not yet been assured and/or a community that is still widespread but is believed likely to move into a category of higher threat in the near future if threatening processes continue or begin operating throughout its range.

An ecological community will be listed as **Vulnerable** when it has been adequately surveyed and is not Critically Endangered or Endangered but is facing a high risk of total destruction or significant modification in the medium to long-term future. This will be determined on the basis of the best available information by it meeting **any one or more of** the following criteria (A, B or C):

A) The ecological community exists largely as modified occurrences that are likely to be capable of being substantially restored or rehabilitated.

B) The ecological community may already be modified and would be vulnerable to threatening processes, is restricted in area and/or range and/or is only found at a few locations.

C) The ecological community may be still widespread but is believed likely to move into a category of higher threat in the medium to long term future because of existing or impending threatening processes.

Priority One: Poorly-known ecological communities

Ecological communities with apparently few, small occurrences, all or most not actively managed for conservation (e.g. within agricultural or pastoral lands, urban areas, active mineral leases) and for which current threats exist. Communities may be included if they are comparatively well-known from one or more localities but do not meet adequacy of survey requirements, and/or are not well defined, and appear to be under immediate threat from known threatening processes across their range.

Priority Two: Poorly-known ecological communities

Communities that are known from few small occurrences, all or most of which are actively managed for conservation (e.g. within national parks, conservation parks, nature reserves, State forest, unallocated Crown land, water reserves, etc.) and not under imminent threat of destruction or degradation. Communities may be included if they are comparatively well known from one or more localities but do not meet adequacy of survey requirements, and/or are not well defined, and appear to be under threat from known threatening processes.

Priority Three: Poorly known ecological communities

(i) Communities that are known from several to many occurrences, a significant number or area of which are not under threat of habitat destruction or degradation or:

(ii) communities known from a few widespread occurrences, which are either large or within significant remaining areas of habitat in which other occurrences may occur, much of it not under imminent threat, or;

(iii) communities made up of large, and/or widespread occurrences, that may or not be represented in the reserve system, but are under threat of modification across much of their range from processes such as grazing by domestic and/or feral stock, and inappropriate fire regimes.

Communities may be included if they are comparatively well known from several localities but do not meet adequacy of survey requirements and/or are not well defined, and known threatening processes exist that could affect them.

Priority Four: Ecological communities that are adequately known, rare but not threatened or meet criteria for Near Threatened, or that have been recently removed from the threatened list. These communities require regular monitoring. (a) Rare. Ecological communities known from few occurrences that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection, but could be if present circumstances change. These communities are usually represented on conservation lands.

(b) Near Threatened. Ecological communities that are considered to have been adequately surveyed and that do not qualify for Conservation Dependent, but that are close to qualifying for Vulnerable.

(c) Ecological communities that have been removed from the list of threatened communities during the past five years.

Priority Five: Conservation Dependent ecological communities

Ecological communities that are not threatened but are subject to a specific conservation program, the cessation of which would result in the community becoming threatened within five years.

Table 6: Threatened and Priority Flora Categories

Threatened Flora (Declared Rare Flora - Extant Taxa)

Taxa which have been adequately searched for and are deemed to be in the wild either rare, in danger of extinction, or otherwise in need of special protection, and have been gazetted as such.

Presumed Extinct Flora (Declared Rare Flora – Extinct)

Taxa which have been adequately searched for and there is no reasonable doubt that the last individual has died, and have been gazetted as such.

Priority One: Poorly-known taxa

Taxa that are known from one or a few collections or sight records (generally less than five), all on lands not managed for conservation, e.g. agricultural or pastoral lands, urban areas, Shire, Westrail and Main Roads WA road, gravel and soil reserves, and active mineral leases and under threat of habitat destruction or degradation. Taxa may be included if they are comparatively well known from one or more localities but do not meet adequacy of survey requirements and appear to be under immediate threat from known threatening processes.

Priority Two: Poorly-known taxa

Taxa that are known from one or a few collections or sight records, some of which are on lands not under imminent threat of habitat destruction or degradation, e.g. national parks, conservation parks, nature reserves, State forest, vacant Crown land, water reserves, etc. Taxa may be included if they are comparatively well known from one or more localities but do not meet adequacy of survey requirements and appear to be under threat from known threatening processes.

Priority Three: Poorly Known taxa

Taxa that are known from collections or sight records from several localities not under imminent threat, or from few but widespread localities with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat. Taxa may be included if they are comparatively well known from several localities but do not meet adequacy of survey requirements and known threatening processes exist that could affect them.

Priority Four: Rare, Near Threatened and other taxa in need of monitoring

(a) Rare. Taxa that are considered to have been adequately surveyed, or for which sufficient knowledge is available, and that are considered not currently threatened or in need of special protection, but could be if present circumstances change. These taxa are usually represented on conservation lands.

(b) Near Threatened. Taxa that are considered to have been adequately surveyed and that do not qualify for Conservation Dependent, but that are close to qualifying for Vulnerable.

(c) Taxa that have been removed from the list of threatened species during the past five years for reasons other than taxonomy.

Priority Five: Conservation Dependent taxa

Taxa that are not threatened but are subject to a specific conservation program, the cessation of which would result in the taxa becoming threatened within five years.



APPENDIX 2: PRIORITY FLORA PHOTOGRAPHS

Photo 6: Acacia imitans T



Photo 7: Acacia unguicula T



Photo 8: Allocasuarina tessellata P1



Photo 9: Grevillea scabrida P1



Photo 10: Grevillea subtiliflora P3



Photo 11: Hybanthus cymulosus T



Photo 12: Micromyrtus mucronulata P1



Photo 13: Micromyrtus ninghanensis P1





Photo 14: Sparser Vegetation in Threatened Flora Census Area



Photo 15: Denser Vegetation in Threatened Flora Census Area



Photo 16: Priority Flora Census Area (NW corner looking SW corner)




Photo 17: Priority Flora Census Area (NW corner looking NE corner)



Photo 18: Priority Flora Census Area (NE corner looking NW corner)




Photo 19: Priority Flora Census Area (NE corner looking to SE corner)



Photo 20: Priority Flora Census Area (SE corner looking to NE corner)



Photo 21: Priority Flora Census Area (SE corner looking to SW corner)



Photo 22: Priority Flora Census Area (SW corner looking to SE corner)



Photo 23: Priority Flora Census Area (SW corner looking to NW corner)

APPENDIX 4: DBCA CORRESPONDENCE

From:	Alanna Chant <alanna.chant@dbca.wa.gov.au></alanna.chant@dbca.wa.gov.au>
Sent:	Tuesday, 28 July 2020 9:50 PM
To:	andrew@woodgis.com.au
Cc:	'Shaun Morgan'
Subject:	Re: Mt Singleton

andrew@woodgis.com.au

Andrew,

Thank you for your call to discuss the outcomes of our on site meeting at Mt Singleton in relation to the proposed GoldNet communications tower and impacts on biodiversity conservation values. I can confirm the following points from our site meeting:

- 1. Previous disturbance occurred at the site several years ago, probably 2017/18.
- 2. Micromyrtus muconulata P1 and Micromyrtus inghanensis P1 have not been fully surveyed on Mt Singleton and therefore populations are under reported. It is reasonable to conclude that clearing a small number of plants (<0.1%) is unlikely to be a significant impact on the conservation of these priority flora. Based on observations of abundance and extent of these species made during our site inspection on 22 July, it appears that the GoldNet communications tower construction (as described on site and shown in your email below) is not likely to have a significant impact on these priority flora.</p>
- 3. DBCA recommends that GoldNet take all reasonable steps to avoid impacts to Threatened flora and avoid and minimise impacts to Priority Flora. DBCA therefore supports the recommendations outlined in your email below; in relation to an appropriately qualified person being on site during any disturbance, avoiding alteration of surface hydrology and appropriate hygiene measures to avoid the introduction of weeds and pathogens.

Please let me know if you wish to discuss further.

Kind regards, Alanna

From: andrew@woodgis.com.au <andrew@woodgis.com.au> Sent: Tuesday, 28 July 2020 12:29 PM To: Alanna Chant <alanna.chant@dbca.wa.gov.au> Cc: 'Shaun Morgan' <smorgan@gold.net.au> Subject: FW: Mt Singleton

[External Email] This email was sent from outside the department - be cautious, particularly with links and attachments.

Alanna

Following up from this morning's phone call

Prior to submitting my report (the draft of which is now complete) just wanted to confirm the following from the onsite meeting:

- 1. Previous disturbance at site was 2017/2018
- Micromyrtus mucronulata P1 and Micromyrtus ninghanensis P1 are under reported on Mount Singleton and the plants to be cleared would not constitute a significant percentage of plants. To me it appears that this would constitute <0.1% of plants (and likely much lower than this conservative percentage). Can you confirm this is a reasonable conclusion/estimate.
 - a. Despite the low number of recorded plants, *Micromyrtus mucronulata* P1 and *Micromyrtus ninghanensis* P1 have both been previously reported as 'common' at points along the track to the summit of Mount Singleton (DBCA Database Search 24-0620FL, 24/06/2020).
 - Both appeared abundant in patches over several kilometres of observations along the track to the summit during the field survey, and the small shrubs occur at moderate-high densities (>0.5 plants/m² in the proposed disturbance footprint)
 - c. 55,000-550,00 plants would be present, at densities of 0.5 plants/m² over 1-10% of Mount Singleton, which covers approximately 1,112 ha (11.1 million m²) and extends over approximately 3 km north-south by 5 km east-west.

FYI

Regional data suggests the other impacted priority flora (*Allocasuarina tessellata P1* and *Grevillea scabrida P3*) are abundant local endemics that occur on DBCA-managed lands, both with hundreds of thousands of plants previously documented (sources are included in my report).

In addition to obtaining appropriate approvals, I've recommended that:

- An appropriately qualified person be onsite during any clearing to ensure *Acacia imitans* T plants in close proximity in bushland are correctly identified and flagged to avoid damaging them;
- Surface hydrology is not altered by the construction of the proposed infrastructure (with the exception of removing/reducing bunding caused by pre-existing pushed up soil/vegetation); and
- When brought to site, machinery and vehicles are free of soil and vegetation debris to limit the introduction of weeds and pathogens to the site.

The results of the comprehensive priority flora survey of the 'maximum potential disturbance footprint' (shown in figure below), after the onsite meeting were:

- 14 plants of Allocasuarina tessellata P1
- 1 plant of Grevillea scabrida P1
- 32 plants of Micromyrtus mucronulata P1
- 37 plants of Micromyrtus ninghanensis P1



Thanks Andrew



This message is confidential and is intended for the recipient named above. If you are not the intended recipient, you must not disclose, use or copy the message or any part of it. If you received this message in error, please notify the sender immediately by replying to this message, then delete it from your system.

APPENDIX 5: THREATENED AND PRIORITY FLORA REPORT FORMS

Page 39

	sity. actions	Threatened	and Priority	1			
Please complete as much of the form please refer to the Threatened	the form as p	ossible, with emphasis	s on those sections in the DBCA website at http://do	bordered in blac	K. For informatio	1.3 Augu on on how t t Forms	
TAXON: Acacia imitar	IS			1.1	TPFL Pop.	No:	
OBSERVATION DATE:	21/07/2020	CONS	SERVATION STATE	JS: T	New	populati	on 🗌
OBSERVER/S: Andre	ew Waters			PHO	0403	318284	
ROLE: Ecologist		ORGA	NISATION: Woodg	lis			
DESCRIPTION OF LOCATIO	ON (Provide at lea	st nearest town/named locality,	, and the distance and direct	on to that place):			
Ninghan Station, Mount Si	ingleton sumr	nit, near communicati	ons tower.	B	eserve No:		_
DBCA DISTRICT: Midwest	1	LGA: Shire o	of Yalgoo		ager present:	-	-
GDA94 / MGA94 🖾 La	cDegrees 🛛 t/Northing:	-29.465694	JTMs 🖄 G	THOD USED: PS I Differ satellites: ndary polygon	rential GPS Map u	sed:	ap 🗖
WGS84 🔲 Lor Unknown 🗖	ng / Easting: ZONE:	117.299379		tured:	Map s	cale:	-
LAND TENURE:		a = 400 m	1.6				
Nature reserve National park Conservation park	Timber reserve State forest Water reserve	Pastoral lea		Rail reserve		er Crown i	reserve [reserve [
WHAT COUNTED: TOTAL POP'N STRUCTURE:	Plants 🖾	Extrapolation	Clonal stems	Count method:	Actual - Ir		IS
Alive	mature.	Juvennes.	Seedlings:	Totals:	-		
Allve				34	Area of a	an imile	
				41	Area of p	1.6.6	-
Dead					Note: Pls n (not percen	ecord count stages) for o	as number
Dead	No,	Size	Data attached		Note: Pls n	ecord count stages) for o	as number
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive				🔲 Total ar	Note: Pls n (not percer ea of quadra	ecord count stages) for o	as number
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE:	No	Size Vegetative 🗋 Fruit 🔲	Data attached	🔲 Total ar	Note: Pls n (not percen	ecord count stages) for o	as number
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Imma	Cional 🔲	Vegetative	Flowerbud	Total ar	Note: Pls n (not percer ea of quadra Flower 🖾	ecord count htages) for c ts (m²):	as number
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Imma CONDITION OF PLANTS: COMMENT: THREATS - type, agent and	Clonal ture fruit Healthy I supporting in fisease. Refer to file timpact: N=Nil, L=L	Vegetative Fruit Moderale Moderale formation:	Flowerbud Dehisced fruit Poor	Total ar Percen Sen relevant. Ct	Note: Plan (not percen ea of quadra Flower 🛛 tage in flower: rescent 🗋	ecord count htages) for c ts (m²):	as number latabase.
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Imma CONDITION OF PLANTS: COMMENT: THREATS - type, agent and Eg clearing, too frequent fire, weed, o Rate current and potential impac	Cional Ciume fruit	Vegetative Fruit Fruit Moderale formation: Id manual for list of threats & a. .ow, M=Medium, H=High, E=Eo s), M=Medium (<5yrs), L=Long	Flowerbud Defilsced fruit Poor gents. Specify agent where streme ((Syrs+)	Total ar Percen Sen relevant. Ct	Note: Pls n (nat percen ea of quadra Flower 🛛 tage in flower: rescent 🖸 urrent Pol Iment N-E) (1	ecord count htages) for c ts (m ²): % %	as number latabase. Potential Threat Onset (S-L)
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Imma CONDITION OF PLANTS: COMMENT: THREATS - type, agent and Eg clearing, too frequent fire, weed, o Rate current and potential impac estimate time to potential impace Plants along and on trace	Cional Ciume fruit	Vegetative Fruit Fruit Moderale formation: Id manual for list of threats & a. .ow, M=Medium, H=High, E=Eo s), M=Medium (<5yrs), L=Long	Flowerbud Defilsced fruit Poor gents. Specify agent where streme ((Syrs+)	Total ar Percen Sen relevant. Ct	Note: Plan (not percen ea of quadra Flower 🛛 tage in flower: rescent 🗋	ecord count tages) for o ts (m ²): % tential ppact	as number iatabase. Potential Threat Onset
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Imma CONDITION OF PLANTS: COMMENT: THREATS - type, agent and Eg clearing, too frequent fire, weed, o Rate current and potential impac estimate time to potential impace Plants along and on trace	Cional Ciume fruit	Vegetative Fruit Fruit Moderale formation: Id manual for list of threats & a. .ow, M=Medium, H=High, E=Eo s), M=Medium (<5yrs), L=Long	Flowerbud Defilsced fruit Poor gents. Specify agent where streme ((Syrs+)	Total ar Percen Sen relevant. Ct	Note: Pls n (nat percen ea of quadra Flower 🛛 tage in flower: rescent 🖸 urrent Pol Iment N-E) (1	ecord count htages) for c ts (m ²): % %	as number latabase. Potential Threat Onset (S-L)
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Imma CONDITION OF PLANTS: COMMENT: THREATS - type, agent and Eg clearing, too frequent fire, weed, o Rate current and potential threa Estimate time to potential threa Estimate time to potential threa	Cional Ciume fruit	Vegetative Fruit Fruit Moderale formation: Id manual for list of threats & a. .ow, M=Medium, H=High, E=Eo s), M=Medium (<5yrs), L=Long	Flowerbud Defilsced fruit Poor gents. Specify agent where streme ((Syrs+)	Total ar Percen Sen relevant. Ct	Note: Pls n (nat percen ea of quadra Flower 🛛 tage in flower: rescent 🖸 urrent Pol Iment N-E) (1	ecord count htages) for c ts (m ²): % %	as numbern latabase. Potential Threat Onset (S-L)
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Imma CONDITION OF PLANTS: COMMENT: THREATS - type, agent and Eg clearing, too frequent fire, weed, o Rate current and potential threa	Cional Ciume fruit	Vegetative Fruit Fruit Moderale formation: Id manual for list of threats & a. .ow, M=Medium, H=High, E=Eo s), M=Medium (<5yrs), L=Long	Flowerbud Defilsced fruit Poor gents. Specify agent where streme ((Syrs+)	Total ar Percen Sen relevant. Ct	Note: Pls n (nat percen ea of quadra Flower 🛛 tage in flower: rescent 🖸 urrent Pol Iment N-E) (1	ecord count htages) for c ts (m ²): % %	as numbern latabase. Potential Threat Onset (S-L)

Please return completed form to Species And Communities Branch DBCA,

Locked Bag 104, BENTLEY DELIVERY CENTRE WA 6983 OR email to: flora.data@dbca.wa.gov.au

Department of Biodiversity, Conservation and Attractions		Threatened a	and Priority		
PROVIDENT 20-		Flora Report Form		Version 1.3 August 201	
HABITAT INFORMATI	ON:				
LANDFORM:	ROCK TYPE:	LOOSE ROCK:	SOIL TYPE:	SOIL COLOUR:	DRAINAGE:
Crest 🗵	Granite 🔲	(on soil surface; eg	Sand	Red 🗖	Well drained
H00 🗖	Dolerite	gravel, quartz fields)	Sandy loam	Brown	Seasonally
Ridge 🗖	Laterite	Rink P	Loam 🗖	Yellow 🗖	inundated
Outcrop	Ironstone	0-10%	Clay loam	White	Permanently inundated
Slope	Limestone	10-30%	Light clay 🔟	Grey 🗖	Tidal
Flat 🗖	Quartz 🔲	30-50%	Peat 🗖	Black	
Open depression	Specify other:	50-100%	Specify other:	Specify other:	
Drainage line					
losed depression		F 1			
Wetland	Specific Landform (Refer to field manual for	and the state of t	-		
ONDITION OF SOIL:	Dry 🖾	Moist	Waterlogged	Inundated	
EGETATION	1. Allocasuarina tess	sellata P1 Open Hea	thland		
LASSIFICATION*	2				
g: 1. Banksia woodland (B. Itenuata, B. ilicifolia);	3.				
Open shrubland Hibbertia sp., Acacia spp.) :					
. Isolated clumps of edges (Mesomelaena etragona)	4,				
ASSOCIATED SPECIES:	Micromyrtus mucror	nulata P1, Micromyrt	us ninghanensis P1		
Other (non-dominant) spp					
lease record up to four of the	most representative vegetation			Structural Formations should f	ollow 2009 Australian So
lease record up to four of the d Land Survey Field Handbox	ok guidelines – refer to field ma	nual for further information a	nd structural formation table.		
lease record up to four of the d Land Survey Field Handbo	ok guidelines – refer to field ma T: Pristine 🔲	enual for further information a Excellent 🔲 Very g	nd structural formation table.		
lease record up to four of the d Land Survey Field Handbo CONDITION OF HABITA COMMENT: Part of	ok guidelines – refer to field ma	inual for further information a Excellent Very g dlings on tracks and	nd structural formation table.	Degraded 🔲 Cor	npletely degraded
lease record up to four of the d Land Survey Field Handbox CONDITION OF HABITA COMMENT: Part of URE HISTORY: La	ak guidelines – refertofield ma n: Pristine □ site cleared – 11 seeu	nual for further information an Excellent II Very g dlings on tracks and Year:	nd structural formation table. good 🛛 Good 🗋 disturbed areas	Degraded 🔲 Cor	npletely degraded 🗌
lease record up to four of the d Land Survey Field Handbox CONDITION OF HABITA COMMENT: Part of FIRE HISTORY: La FIRE HISTORY: La	ok guidelines – refer to field ma Γ: Pristine □ i site cleared – 11 seer ast Fire: Season/Month:	Inual for further information and Excellent Uvery of dlings on tracks and Year: Present Repl	nd structural formation table. good 🛛 Good 🗍 disturbed areas Fire Intensity: H	Degraded 🔲 Cor igh 🗌 Medium 📄 Low) Required 📋 Len	npletely degraded 🔲
lease record up to four of the d Land Survey Field Handbor CONDITION OF HABITA COMMENT: Part of FIRE HISTORY: La FENCING: ROADSIDE MARKERS: OTHER COMMENTS:	ok guidelines – refer to field ma T: Pristine □ i site cleared – 11 seed set Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm	Inual for further information and Excellent Ury of dlings on tracks and Year: Present Repl Present Repl Present Repl nended management and	nd structural formation table. good \overline Good \overline disturbed areas Fire Intensity: H ace / repair \overline ace / reposition \overline ctions and/or implemen	Degraded Cor igh Medium Low Required Len Required Qua	npletely degraded No signs of fire gth req'd:
lease record up to four of the d Land Survey Field Handbox CONDITION OF HABITA COMMENT: Part of FIRE HISTORY: La ENCING: COADSIDE MARKERS: DTHER COMMENTS: Late, Also include detail	ok guidelines – refer to field ma T: Pristine □ i site cleared – 11 seet ost Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm is of additional data ava	Inual for further information and Excellent Uvery of dlings on tracks and Year: Present Repl Present Repl Present Repl rended management and ilable, and how to loca	nd structural formation table. good \overline Good \overline disturbed areas Fire Intensity: H ace / repair \overline ace / reposition \overline ctions and/or implemen	Degraded Cor igh Medium Low Required Len Required Qua	npletely degraded No signs of fire gth req'd:
Iease record up to four of the d Land Survey Field Handbox CONDITION OF HABITA COMMENT: Part of FIRE HISTORY: La ENCING: ROADSIDE MARKERS: DTHER COMMENTS: late. Also include detail Previously recorded in	ok guidelines – refer to field ma T: Pristine □ i site cleared – 11 seet ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm Is of additional data ava nearby plants in flowe	Inual for further information and Excellent Corvery dlings on tracks and Year: Present Repl Present Repl Present Repl rended management and ilable, and how to loca rbud	nd structural formation table. pood S Good C disturbed areas Fire Intensity: Hi ace / repair C ace / reposition C ctions and/or implemente it.)	Degraded Cor igh Medium Low Required Len Required Qua ted actions - include	npletely degraded No signs of lire gth req'd: untity req'd:
Itease record up to four of the d Land Survey Field Handbox CONDITION OF HABITA COMMENT: Part of PIRE HISTORY: La RENCING: ROADSIDE MARKERS: OTHER COMMENTS: late. Also include detail Previously recorded in No Specimens Taker	ak guidelines – refer to field ma T: Pristine □ i site cleared – 11 seed ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm is of additional data ava nearby plants in flowe n - Plants shown to Al	Inual for further information and Excellent Corvery dlings on tracks and Year: Present Repl Present Repl Present Repl rended management and ilable, and how to loca rbud	nd structural formation table. pood S Good C disturbed areas Fire Intensity: Hi ace / repair C ace / reposition C ctions and/or implemente it.)	Degraded Cor igh Medium Low Required Len Required Qua ted actions - include	npletely degraded No signs of lire [gth req'd: untity req'd:
Itease record up to four of the d Land Survey Field Handbox CONDITION OF HABITA COMMENT: Part of FIRE HISTORY: La FENCING: ROADSIDE MARKERS: OTHER COMMENTS: late. Also include detail Previously recorded in No Specimens Taker Report including map	ak guidelines – refer to field matrix Pristine □ i site cleared – 11 seed ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recommander is of additional data avait nearby plants in flowe n - Plants shown to Ality and photo attached	Inual for further information and Excellent Uvery of dlings on tracks and Year: Present Repl Present Repl Present Repl Present Repl Inended management and ilable, and how to loca rbud anna Chant, Acting B	nd structural formation table. pood S Good C disturbed areas Fire Intensity: Hi ace / repair C ace / reposition C ctions and/or implemente it.)	Degraded Cor igh Medium Low Required Len Required Qua ted actions - include	npletely degraded No signs of lire [gth req'd: untity req'd:
Itease record up to four of the d Land Survey Field Handbox CONDITION OF HABITA COMMENT: Part of FIRE HISTORY: La ENCING: ROADSIDE MARKERS: DTHER COMMENTS: late. Also include detail Previously recorded in No Specimens Taker Report including map Refer to previous pop	ak guidelines – refer to field matrix Pristine □ i site cleared – 11 seet ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm is of additional data ava hearby plants in flowe n - Plants shown to All and photo attached pulation records for ro	Inual for further information and Excellent Uvery of dlings on tracks and Year: Present Repl Present Repl Present Repl Rended management and ilable, and how to loca rbud anna Chant, Acting B	nd structural formation table. pood S Good C disturbed areas Fire Intensity: Hi ace / repair C ace / reposition C ctions and/or implemente it.)	Degraded Cor igh Medium Low Required Len Required Qua ted actions - include	npletely degraded No signs of lire gth req'd: untity req'd:
Iease record up to four of the d Land Survey Field Handbox CONDITION OF HABITAT COMMENT: Part of TRE HISTORY: La ENCING: COADSIDE MARKERS: COADSIDE MARKERS:	ak guidelines – refer to field ma T: Pristine □ i site cleared – 11 seed ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm is of additional data ava hearby plants in flowe n - Plants shown to All b and photo attached pulation records for ro nts, 2 dead plants ons	Inual for further information and Excellent Uvery of dlings on tracks and Year: Present Repl Present Repl Present Repl rended management and ilable, and how to loca rbud anna Chant, Acting B ck/soil details site	nd structural formation table. pood S Good C disturbed areas Fire Intensity: Hi ace / repair C ace / reposition C ctions and/or implemente it.)	Degraded Cor igh Medium Low Required Len Required Qua ted actions - include	npletely degraded No signs of fire gth req'd: untity req'd:
Please record up to four of the d Land Survey Field Handbor CONDITION OF HABITAT COMMENT: Part of FIRE HISTORY: La FENCING: ROADSIDE MARKERS: OTHER COMMENTS: date. Also include detail Previously recorded in No Specimens Taker Report including map Refer to previous pop n addition to live plan	ak guidelines – refer to field matrix Pristine □ i site cleared – 11 seet ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm is of additional data ava hearby plants in flowe n - Plants shown to All and photo attached pulation records for ro	Inual for further information and Excellent Uvery of dlings on tracks and Year: Present Repl Present Repl Present Repl rended management and ilable, and how to loca rbud anna Chant, Acting B ck/soil details site	nd structural formation table. pood S Good C disturbed areas Fire Intensity: Hi ace / repair C ace / reposition C ctions and/or implemente it.)	Degraded Cor igh Medium Low Required Len Required Qua ted actions - include	npletely degraded No signs of fire gth req'd: untity req'd:
Itease record up to four of the d Land Survey Field Handbox CONDITION OF HABITAT COMMENT: Part of FIRE HISTORY: La FENCING: ROADSIDE MARKERS: DTHER COMMENTS: late. Also include detail Previously recorded in No Specimens Taker Report including map Refer to previous pop n addition to live plan 11 of 41 plants on tra	ak guidelines – refer to field matrix Pristine □ i site cleared – 11 seed ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm is of additional data avai nearby plants in flowe n - Plants shown to Ali o and photo attached pulation records for ro nts, 2 dead plants ons tocks and disturbed are	Inual for further information and Excellent Uvery of dlings on tracks and Year: Present Repl Present Repl Pre	nd structural formation table. pood S Good disturbed areas Fire Intensity: H ace / repair ace / reposition ctions and/or implement te it.) Environmental Officer the (i.e. no specimens or plant	Degraded Cor igh Medium Low Required Len Required Qua ted actions - include r, Midwest Region, Di matieral is taken) then no pe	mpletely degraded No signs of fire [gth req'd: untity req'd: BCA
Please record up to four of the d Land Survey Field Handbox CONDITION OF HABITA' COMMENT: Part of FIRE HISTORY: La FENCING: ROADSIDE MARKERS: DTHER COMMENTS: date. Also include detail Previously recorded in No Specimens Taker Report including map Refer to previous pop n addition to live plan 11 of 41 plants on tra DRF PERMIT/ LICENC Unther information on permit a should be recorded above in t	Ar guidelines – refer to field ma Pristine □ isite cleared – 11 seet iset cleared – 11 seet iset cleared – 11 seet iset Fire: Season/Month: Not required ⊠ Not required ⊠ Not required ⊠ (Please include recomm Is of additional data ava nearby plants in flowe n - Plants shown to All and photo attached pulation records for ro nts, 2 dead plants ons toks and disturbed are E No: FB62000073 ind licening requirements see to	Inual for further information and Excellent Uvery of dlings on tracks and Year: Present Repl Present Repl Pre	nd structural formation table. pood G Good G disturbed areas Fire Intensity: H ace / reposition ctions and/or implement te it.) Environmental Office tts (i.e. no specimens or plant diffe Licensing pages on DBC.	Degraded Cor igh Medium Low Required Len Required Qua ted actions - include r, Midwest Region, Di matieral is taken) then no pe	npletely degraded No signs of lire (g gth req'd: untity req'd: BCA
Please record up to four of the d Land Survey Field Handbox CONDITION OF HABITA' COMMENT: Part of FIRE HISTORY: La FENCING: ROADSIDE MARKERS: DTHER COMMENTS: date. Also include detail Previously recorded to No Specimens Taker Report including map Refer to previous pop n addition to live plan 11 of 41 plants on tra DRF PERMIT/ LICENCO When information on permit a inhould be recorded above in to	Ar guidelines – refer to field ma Pristine □ isite cleared – 11 seed ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recommons is of additional data ava nearby plants in flowe n - Plants shown to Ali and photo attached pulation records for ro nts, 2 dead plants ons icks and disturbed are E No: FB62000073 mel icening requirements see to he OTHER COMMENTS sector ors No;	Inual for further information and Excellent Uvery of dlings on tracks and Year: Present Repl Present Repl Pre	nd structural formation table. pood G Good G disturbed areas Fire Intensity: H ace / repair ace / reposition Ctions and/or implement te it.) Environmental Officer the (i.e. no specimens or plant diffe Licensing pages on DBC. conal Herb. District	Degraded Cor igh Medium Cow Required Cou Required Qua ted actions - include r, Midwest Region, Di matieral is taken) then no pe A's website. Any actions carrie Herb. Other: _	mpletely degraded No signs of lire (g gth req'd: untity req'd: BCA

e form please refer to the Threatened		rt Form (TPRF) manual on	the DBCA website at <u>http://d</u>	paw.wa.gov.au/		and the second second	
TAXON: Acacia unguic OBSERVATION DATE:	21/07/2020	CON	SERVATION STATI	JS: T	IPFL	Pop. No: New popula	
			SERVATION STAT	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	HONE		
	ew Waters	× 775.7				040331828	4
ROLE: Ecologist			NISATION: Woodg	_		-	
DESCRIPTION OF LOCATIO	ON (Provide at least r	earest town/named locality	, and the distance and direct	ion to that place)	·		-
Ninghan Station, Mount Sir	ngleton summit	, near communicat	ions tower.				_
					Reserv	e No:	
DBCA DISTRICT: Midwest		LGA: Shire	of Yalgoo	Land	manager p	resent:	
		JTM coords provided, Zone		THOD USED		ono 🗖 🕠	. H
GDA94/MGA94	cDegrees 🔀 t/Northing: -2	DegMinSec 29.465382			Offerential		Nap 🔲
AGD84 / AMG84				satellites: ndary polygo		Map used:	
WGS84 Lon	ig / Easting: 1	17.299153		tured:	Ë	Map scale:	
	ZONE:						
LAND TENURE: Nature reserve	Timberener F	Private prop		Dail seconte l		Shire rook	reserve D
National park	Timber reserve			Rail reserve		Other Crown	
Conservation park	Water reserve	i i	CL SLK/Pole_	to	Sp	ecify other	1
FOF N COUNT ACCONACT.	: Actual 🖾	Extrapolation	Estimate	Count meth	ACI	ual - Individu	als
WHAT COUNTED: TOTAL POP'N STRUCTURE: Alive	Plants 🛛 Mature:	Clumps	and the second se	Count meth field manual for Totals: 1		ual - Individu rea of pop (m ²) xe: Pis record cou	nt as number
WHAT COUNTED: TOTAL POP'N STRUCTURE: Alive Dead	Plants 🖾 Mature: 1	Clumps 🔲 Juveniles:	(Referto Clonal stems 🔲 Seedlings:	field manual for Totals: 1	Hist) ACT	rea of pop (m²) ste: Pis record cou ot percentages) fo	nt as number database.
WHAT COUNTED: TOTAL POP'N STRUCTURE: Alive Dead QUADRATS PRESENT:	Plants 🖾 Mature:	Clumps	(Referto	field manual for Totals: 1	Hist) ACT	rea of pop (m²,	nt as number database.
WHAT COUNTED: TOTAL POP'N STRUCTURE: Alive Dead QUADRATS PRESENT: Summary Quad. Totals: Alive	Plants 🖾 Mature: 1	Clumps 🔲 Juveniles:	(Referto Clonal stems 🔲 Seedlings:	field manual for Totals: 1	Hist) ACT	rea of pop (m², xte:Pis record cou of percentages) fo quadrats (m²)	nt as number database.
WHAT COUNTED: TOTAL POP'N STRUCTURE: Alive Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Immati	Plants A Mature:	Clumps Juveniles: Size	(Referto Cional stems Seedlings: Data attached	Totals: 1 1 Totals:	Action (In	rea of pop (m², te: Pis record cou ot percentages) fo quadrats (m²)	nt as number database
WHAT COUNTED: TOTAL POP'N STRUCTURE: Alive Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Immati CONDITION OF PLANTS:	Plants Mature: 1 Nor Clonel	Clumps Juveniles: Size Vegetative	(Refer to Clonal stems Seedlings: Data attached	Totals: 1 1 Totals:	list) Activities Activ	rea of pop (m², xe:Pls record cou of percentages) fo quadrats (m²) lower: 9	nt as numbe database
WHAT COUNTED: TOTAL POP'N STRUCTURE: Alive Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Immati CONDITION OF PLANTS: COMMENT: THREATS - type, agent and Eg clearing, too frequent fire, weed, di Rate current and potential threat Estimate time to potential impact	Plants A Mature:	Clumps Juveniles: Size Vegetative A Fruit A Moderate A Moderate A Moderate A Moderate A	(Refer to Clonal stems Seedlings: Data attached Flowerbud Dehisced fruit Poor agents. Specify agent where ixtreme	Totals: 1 Totals: Pe	list) Acti Al Al al area of t Flower rcentage in	rea of pop (m², xe:Pls record cou of percentages) fo quadrats (m²) lower: 9	nt as numbe database
WHAT COUNTED: TOTAL POP'N STRUCTURE: Alive Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Immati CONDITION OF PLANTS: COMMENT: THREATS - type, agent and Eg clearing, too frequent fire, weed, di Rate current and potential threat Estimate time to potential impact	Plants A Mature:	Clumps Juveniles: Size Vegetative A Fruit A Moderate A Moderate A Moderate A Moderate A	(Refer to Clonal stems Seedlings: Data attached Flowerbud Dehisced fruit Poor agents. Specify agent where ixtreme	Totals: 1 Totals: Pe	All	rea of pop (m ² , ste [:] Pis record cou of percentages) for quadrats (m ²) 10 10 10 10 10 10 10 10 10 10 10 10 10	r database database database database database database database database database database database database database
WHAT COUNTED: TOTAL POP'N STRUCTURE: Alive Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Immetit CONDITION OF PLANTS: COMMENT: THREATS - type, agent and Eg clearing, too frequent fire, weed, di Rate current and potential threat Estimate time to potential impact	Plants A Mature:	Clumps Juveniles: Size Vegetative A Fruit A Moderate A Moderate A Moderate A Moderate A	(Refer to Clonal stems Seedlings: Data attached Flowerbud Dehisced fruit Poor agents. Specify agent where ixtreme	Totals: 1 Totals: Pe	All	rea of pop (m ² , ste [:] Pis record cou of percentages) for quadrats (m ²) 10 10 10 10 10 10 10 10 10 10 10 10 10	r database database b Potentia Threat Onset
Dead QUADRATS PRESENT: Summary Quad. Totals: Alive REPRODUCTIVE STATE: Immati CONDITION OF PLANTS: COMMENT: THREATS - type, agent and Eg clearing, too frequent fire, weed, d Rate current and potential threat	Plants A Mature:	Clumps Juveniles: Size Vegetative A Fruit A Moderate A Moderate A Moderate A Moderate A	(Refer to Clonal stems Seedlings: Data attached Flowerbud Dehisced fruit Poor agents. Specify agent where ixtreme	Totals: 1 Totals: Pe	All	rea of pop (m ² , ste [:] Pis record cou of percentages) for quadrats (m ²) 10 10 10 10 10 10 10 10 10 10 10 10 10	r database database database database database database database database database database database database database


Please return completed form to Species And Communities Branch DBCA,

Locked Bag 104, BENTLEY DELIVERY CENTRE WA 6983 OR email to: flora.data@dbca.wa.gov.au

RECORDS: Please forward to Flora Administrative Officer, Species and Communities Branch. Record entered by:______ Sheet No.:_____ Record Entered in Database D

	Biodiversity, and Attractions	Threatened a	na Priority		
		Flora Report Form		Version 1.3 August 20	
HABITAT INFORMATI	ON:				
LANDFORM:	ROCK TYPE:	LOOSE ROCK:	SOIL TYPE:	SOIL COLOUR:	DRAINAGE:
Crest 🗵	Granite 🗖	(on soil surface; eg	Sand	Red 🗖	Well drained 🗵
ню 🗖	Dolerite 🗖	gravel, quartz fields)	Sandy Joam	Brown	Seasonally
Ridge 🗖	Laterite 🔲	Paule Pa	Loam 🔲	Yellow 🗖	inundated
Outcrop	Ironstone	0-10% 🔲	Clay loam	White	Permanently
Slope	Limestone	10-30%	Light clay	Grey 🗖	inundated
Flat	Quartz 🔲	30-50%	Peat 🗖	Black	Tidal L
Open depression	Specify other:	50-100%	Specify other:	Specify other:	
Drainage line					
Closed depression	and the second states				
Wetland	Specific Landform (Refer to field manual for	and the stand of the	_		
ONDITION OF SOIL:	Dry 🛛	Moist	Waterlogged	Inundated	
EGETATION	1 Allocasi jarina tes	ellata P1 Heathland	1211-121-3 -	11 A 4 4 4 4	
LASSIFICATION":	2	senata Pi ricatinario			
g: 1. Banksia woodland (B.					
ttenuata, B. ilicifolia); . Open shrubland	З.				
Hibbertia sp., Acacia spp.) : Isolated clumps of					
edges (Mesomelaena etragona)	4				
ASSOCIATED					
1000CIATED	Acacia imitans 1. Mi	cromyrtus mucronula	ata P1, Micromyrtus	ninghanensis P1	
	Acacia imitans 1, Mi	cromyrtus mucronula	ata P1, Micromyrtus	ninghanensis P1	
SPECIES: Other (non-dominant) spp					
SPECIES: Other (non-dominant) spp Nease record up to four of the	most representative vegetation	n layers (with up to three dom	inant species in each layer).		ollow 2009 Australian So
SPECIES: Other (non-dominant) spp Please record up to four of the d Land Survey Field Handbo	e most representative vegetatio ok guidelines – refer to field ma	n layers (with up to three dom nual for further information an	inant species in each layer).	Structural Formations should fo	
SPECIES: Other (non-dominant) spp Please record up to four of the <i>d Land Survey Field Handbo</i> CONDITION OF HABITA	e most representative vegetatio ok guidelines – refer to field ma	n layers (with up to three dom nual for further information an	inant species in each layer). d structural formation table.	Structural Formations should fo	
SPECIES: Other (non-dominant) spp lease record up to four of the d Land Survey Field Handbo CONDITION OF HABITA COMMENT:	e most representative vegetatio ok guidelines – refer to field ma	n layers (with up to three dom nual for further information an Excellent I Very g	inant species in each layer). d structural formation table.	Structural Formations should to Degraded 🔲 Corr	npletely degraded 🔲
SPECIES: Sther (non-dominant) spp lease record up to four of the d Land Survey Field Handbo CONDITION OF HABITA COMMENT: TIRE HISTORY: La	r most representative vegetation ok guidelines – refer to field ma T: Pristine □	n layers (with up to three dom nual for further information an Excellent I Very g Year:	inant species in each layer). d structural formation table. ood 🛛 Good 🗋	Structural Formations should to Degraded C Corr gh Medium Low [npletely degraded 🔲
SPECIES: Other (non-dominant) spp lease record up to four of the d Land Survey Field Handbo CONDITION OF HABITA COMMENT: FIRE HISTORY: La FENCING:	a most representative vegetation ok guidelines – refer to field ma T: Pristine 🗌 ast Fire: Season/Month:	n layers (with up to three dom nual for further information an Excellent U Very g Year: Present Repla	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi	Structural Formations should fo Degraded Corr gh Medium Low [Required L Léng	npletely degraded 🔲
SPECIES: Other (non-dominant) spp lease record up to four of the d Land Survey Field Handbo CONDITION OF HABITA COMMENT: FIRE HISTORY: La ENCING: ROADSIDE MARKERS:	r most representative vegetation ok guidelines – refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠	n layers (with up to three dom nual for further information an Excellent U Very g Year: Present Repla Present Repla	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ide / repair I cce / reposition I	Structural Formations should fo Degraded Corr gh Medium Low Required Leng Required Ous	npletely degraded 🔲 No signs of fire 🛛
SPECIES: Other (non-dominant) spp lease record up to four of the d Land Survey Field Handbo CONDITION OF HABITA COMMENT: FIRE HISTORY: La FIRE HISTORY: La ROADSIDE MARKERS: OTHER COMMENTS:	a most representative vegetation ok guidelines – refer to field ma T: Pristine ast Fire: Season/Month: Not required 🖾	n layers (with up to three dom nual for further information an Excellent U Very g Year: Present Repla Present Repla ended management ac	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ice / repair I ice / reposition I tions and/or implemen	Structural Formations should fo Degraded Corr gh Medium Low Required Leng Required Ous	npletely degraded 🔲 No signs of fire 🛛
SPECIES: Other (non-dominant) spp Please record up to four of the d Land Survey Field Handbo CONDITION OF HABITA' COMMENT: FIRE HISTORY: La FIRE HISTORY: La FIRE MISTORY: La FIRE MISTORY: La THER COMMENTS: THER COMMENTS: Tate. Also include deta	a most representative vegetatio ok guidelines – refer to field ma T: Pristine ast Fire: Season/Month: Not required Not required (Please include recomm	n layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla ended management ac ilable, and how to locati	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ice / repair I ice / reposition I tions and/or implemen	Structural Formations should fo Degraded Corr gh Medium Low Required Leng Required Ous	npletely degraded 🔲 No signs of fire 🛛
SPECIES: Other (non-dominant) spp Please record up to four of the d Land Survey Field Handbo CONDITION OF HABITA' COMMENT: FIRE HISTORY: La FIRE HISTORY: La ROADSIDE MARKERS: OTHER COMMENTS; Date: Also include detai Previously recorded	a most representative vegetation ok guidelines – refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ Not required ⊠ (Please include recomm ils of additional data ava	n layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla ended management ac ilable, and how to locat rbud	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ice / reposit I ice / reposition I tions and/or implement e it.)	Structural Formations should to Degraded Corr gh Medium Low [Required Leng Required Oua ted actions - include:	npletely degraded 🔲 No signs of fire 🛛 gth req'd: nhity req'd:
SPECIES: Dther (non-dominant) spp Please record up to four of the d Land Survey Field Handbo CONDITION OF HABITA' COMMENT: FIRE HISTORY: La FENCING: ROADSIDE MARKERS: DTHER COMMENTS: Jate. Also include deta Previously recorded No Specimen Taken	a most representative vegetation ok guidelines – refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm lis of additional data ava nearby plants in flowe – Plant shown to Alan	n layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla ended management ac ilable, and how to locat rbud	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ice / reposit I ice / reposition I tions and/or implement e it.)	Structural Formations should to Degraded Corr gh Medium Low [Required Leng Required Oua ted actions - include:	npletely degraded 🔲 No signs of fire 🛛 gth req'd: nhity req'd:
SPECIES: Dther (non-dominant) spp Please record up to four of the d Land Survey Field Handbo CONDITION OF HABITA' COMMENT: FIRE HISTORY: La FENCING: ROADSIDE MARKERS: DTHER COMMENTS: Jate. Also include deta Previously recorded No Specimen Taken Report including map	a most representative vegetation ok guidelines – refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm ils of additional data ava nearby plants in flowe – Plant shown to Alan to and photo attached	h layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla ended management ac ilable, and how to locati rbud na Chant, Acting Env	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ice / reposit I ice / reposition I tions and/or implement e it.)	Structural Formations should to Degraded Corr gh Medium Low [Required Leng Required Oua ted actions - include:	npletely degraded 🔲 No signs of fire 🔀 gth req'd: ntily req'd:
SPECIES: Dther (non-dominant) spp Please record up to four of the d Land Survey Field Handbo CONDITION OF HABITA' COMMENT: FIRE HISTORY: La FENCING: ROADSIDE MARKERS: DTHER COMMENTS: Jate. Also include deta Previously recorded No Specimen Taken Report including map	a most representative vegetation ok guidelines – refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm lis of additional data ava nearby plants in flowe – Plant shown to Alan	h layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla ended management ac ilable, and how to locati rbud na Chant, Acting Env	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ice / reposit I ice / reposition I tions and/or implement e it.)	Structural Formations should to Degraded Corr gh Medium Low [Required Leng Required Oua ted actions - include:	npletely degraded 🔲 No signs of fire 🔀 gth req'd: ntily req'd:
SPECIES: Sther (non-dominant) spp lease record up to four of the d Land Survey Field Handbo CONDITION OF HABITA COMMENT: FIRE HISTORY: La ENCING: ROADSIDE MARKERS: DTHER COMMENTS: late. Also include deta Previously recorded No Specimen Taken Report including map	a most representative vegetation ok guidelines – refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm ils of additional data ava nearby plants in flowe – Plant shown to Alan to and photo attached	h layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla ended management ac ilable, and how to locati rbud na Chant, Acting Env	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ice / reposit I ice / reposition I tions and/or implement e it.)	Structural Formations should to Degraded Corr gh Medium Low [Required Leng Required Oua ted actions - include:	npletely degraded 🔲 No signs of fire 🔀 gth req'd: ntily req'd:
SPECIES: Other (non-dominant) spp Please record up to four of the d Land Survey Field Handbo CONDITION OF HABITA COMMENT: FIRE HISTORY: La FIRE HISTORY: La FIRE MISTORY: La FIRE MISTORY: La FIRE MISTORY: La PLANT SPECIMENTS: DATE COMMENTS: DATE COMMENTS: D	a most representative vegetation ok guidelines – refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm ils of additional data ava nearby plants in flowe – Plant shown to Alan to and photo attached	h layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla ended management ac ilable, and how to locati rbud na Chant, Acting Env	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ice / reposit I ice / reposition I tions and/or implement e it.)	Structural Formations should to Degraded Corr gh Medium Low [Required Leng Required Oua ted actions - include:	npletely degraded 🔲 No signs of fire 🔀 gth req'd: ntily req'd:
SPECIES: Other (non-dominant) spp Please record up to four of the d Land Survey Field Handbo CONDITION OF HABITA COMMENT: FIRE HISTORY: La FIRE HISTORY: La FIRE MISTORY: La FIRE MISTORY: La FIRE MISTORY: La PLANT SPECIMENTS: DATE COMMENTS: DATE COMMENTS: D	a most representative vegetation ok guidelines – refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm ils of additional data ava nearby plants in flowe – Plant shown to Alan to and photo attached	h layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla ended management ac ilable, and how to locati rbud na Chant, Acting Env	inant species in each layer). d structural formation table. ood I Good I Fire Intensity: Hi ice / reposit I ice / reposition I tions and/or implement e it.)	Structural Formations should to Degraded Corr gh Medium Low [Required Leng Required Oua ted actions - include:	npletely degraded 🔲 No signs of fire 🛛 gth req'd: nhity req'd:
SPECIES: ther (non-dominant) spp lease record up to four of the d Land Survey Field Handbo CONDITION OF HABITAT COMMENT: TRE HISTORY: La ENCING: COADSIDE MARKERS: COADSIDE MAR	a most representative vegetation ok guidelines - refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ (Please include recomm ils of additional data ava nearby plants in flowe - Plant shown to Alan to and photo attached pulation records for roo	n layers (with up to three dom nual for further information an Excellent Very g Year:	inant species in each layer). d structural formation table. ood Sood Fire Intensity: Hi ice / repair ice / repair ice / reposition tions and/or implement e it.) //ronmental Officer, 1 ts (i.e. no specimens or plant	Structural Formations should to Degraded Corr gh Medium Low [Required Lieng Required Oua ted actions - include Midwest Region, DBC	npletely degraded No signs of fire gth req'd: ntity req'd: ;A
SPECIES: Date (non-dominant) spp lease record up to four of the d Land Survey Field Handbo CONDITION OF HABITAT COMMENT: FIRE HISTORY: La FIRE HISTORY: La FIRE HISTORY: La FIRE MISTORY: La Previous of the the the the CONDENT OF THE COMMENTS: DTHER C	most representative vegetation ok guidelines - refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ Not required ⊠ (Please include recommilies of additional data avail nearby plants in flowe - Plant shown to Alan b and photo attached pulation records for roo Culation records for roo Culation FB62000073	h layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla Present Repla ended management ac ilable, and how to locati rbud na Chant, Acting Erw ck/soil details	inant species in each layer). d structural formation table. ood Sood Fire Intensity: Hi ice / repair ice / repair tions and/or implement e it.) /ironmental Officer, find ts (i.e. no specimens or plant life Licensing pages on DBC/	Structural Formations should to Degraded Corr gh Medium Low [Required Lieng Required Oua ted actions - include Midwest Region, DBC	npletely degraded No signs of fire gth req'd: ntity req'd: ;A
SPECIES: Other (non-dominent) spp Please record up to four of the nd Land Survey Field Handbo CONDITION OF HABITA' COMMENT: FIRE HISTORY: La FENCING: ROADSIDE MARKERS: OTHER COMMENTS: date. Also include deta Previously recorded No Specimen Taken Report including map Refer to previous pop Refer to previous pop DRF PERMIT/ LICENC further information on permit e should be recorded above in t SPECIMEN: Collect	most representative vegetation ok guidelines - refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ Not required ⊠ (Please include recommilis of additional data avai nearby plants in flowe - Plant shown to Alan o and photo attached pulation records for roo Dulation records for roo CE No: FB62000073 and licening requirements see to the OTHER COMMENTS section	h layers (with up to three dom nual for further information an Excellent Ury g Year: Present Repla Present Repla Present Repla ended management ac ilable, and how to locati rbud na Chant, Acting Env ck/soil details	inant species in each layer). d structural formation table. ood Sood Fire Intensity: Hi ice / repair ice / repair ice / reposition tions and/or implement e it.) //ironmental Officer, 1 //ironmental Officer, 1	Structural Formations should to Degraded Corr gh Medium Cow [Required Dua ted actions - include Midwest Region, DBC matieral is taken) then no per Ns website. Any actions came Herb. Other:	npletely degraded No signs of fire gth req'd: ntity req'd: ;A
SPECIES: Other (non-dominant) spp Please record up to four of the nd Land Survey Field Handbo CONDITION OF HABITA' COMMENT: FIRE HISTORY: La FENCING: ROADSIDE MARKERS: OTHER COMMENTS: date. Also include deta: Previously recorded No Specimen Taken Report including map Refer to previous pop DRF PERMIT/ LICENC further information on permit should be recorded above in t SPECIMEN: Collect ATTACHED: Map	most representative vegetation ok guidelines - refer to field ma T: Pristine □ ast Fire: Season/Month: Not required ⊠ Not required ⊠ Not required ⊠ (Please include recommiss of additional data ava nearby plants in flowe - Plant shown to Alan o and photo attached pulation records for roo culation reculation records for roo culation records for roo	h layers (with up to three dom nual for further information an Excellent Very g Year: Present Repla Present Repla Present Repla ended management ac ilable, and how to locati rbud na Chant, Acting Erw ck/soil details	inant species in each layer). d structural formation table. ood Sood Fire Intensity: Hi ice / repair ice / repair ice / reposition tions and/or implement e it.) //ronmental Officer, 1 //ronmental Officer, 1	Structural Formations should to Degraded Corr gh Medium Cow [Required Oua Required Oua ted actions - include Midwest Region, DBC	npletely degraded No signs of fire gth req'd: ntity req'd: ;A

Appendix B. Updated Targeted Flora Survey (NVS, 2021)





PO Box 41 KALGOORLIE WA 6430

Ph: (08) 9021 5818 Mob: 0407 998 953

Siobhan Pelliccia Manager – RPM ESG (West) RPMGlobal Level 2, 131 St Georges Terrace, PERTH, WA, 6000 Email: <u>spelliccia@rpmglobal.com</u>

9th December 2021

TARGETED THREATENED FLORA SURVEY OF THE MOUNT SINGLETON PROJECT AREA- NOVEMBER 2021

Dear Siobhan,

GoldNet Pty Ltd (GoldNet) are proposing to install supporting solar panel infrastructure associated with their existing communications tower within Miscellaneous License L59/178. L59/178 is located on Mount Singleton, approximately 43.5 km southwest of Paynes Find in Western Australia.

A previous Targeted Threatened Flora Survey was completed by Woodgis Environmental Assessment and Management (Woodgis, 2020). Woodgis (2020) identified two Threatened Flora within the vicinity of the current solar panel installation area: *Acacia imitans* (T) and *Acacia unguicula* (T). Since this report was published, a communications tower has been installed under an Authority to Take permit from DBCA, which allowed the accidental disturbance to the Threatened Flora.

Native Vegetation Solutions (NVS) was commissioned by GoldNet to complete a Targeted Threatened Flora Survey in surrounding native vegetation near the area intended for solar panel installation. The solar panel installation area is approximately 300 m² and the survey area surrounded this area within 25 metres. This survey will provide an update to existing locations of Threatened Flora, specifically within the close vicinity of the proposed solar panel installation area.

NVS conducted the field assessment on the 18th November 2021. Two hours in total were spent covering the entire survey area on foot. During field work NVS confirmed the identity of *Acacia imitans* (T) in native vegetation surrounding the solar panel installation area, however no Threatened Flora were recorded in the area proposed for the solar panel installation.

A total of 14 plants of *Acacia imitans* (T) were recorded within 25 metres of the solar panel installation area, and locations are depicted in Appendix 1.

No plants of Acacia unguicula (T) were recorded in the survey area.

An IBSA Data Package has been provided as a separate attachment including the survey area, GPS Tracklog of the field survey and the locations of recorded *Acacia imitans* (T).

If you have any queries regarding this work completed, please do not hesitate to contact me on the above-mentioned contact details.


Kind Regards


Eren Reid Director/Botanist

References

Woodgis, (2020), *Mount Singleton Targeted Flora Survey*, unpublished report by Woodgis Environmental Assessment and Management for GoldNet.

Appendix 1: Maps





Appendix C. Conservation Significant Flora Management Procedure

Mt Singleton Communications Conservation Significant Flora Management Procedure

GoldNet Pty Ltd

Job Number: ADV-AU-00259 Date: 16 December 2021

| Page i of iii |

DOCUMENT CONTROL SHEET

Client	
GoldNet Pty Ltd	
Report Name	Date
Mt Singleton Communications Conservation Significant Flora Management Procedure	16 December 2021
Job No.	Revision No.
ADV-AU-00259	3
File Name:	
2021 12 16_Flora Management Procedure Stage 2 Expansion	

Authorisations				
Name		Position	Signature	Date
Prepared By:	Erin Lee	Environmental Advisor		13/12/2021
Direct Supervision:	N/A			
Reviewed By	Craig Roberts	Principal Environmental Advisor		14/12/2021
Approved By	Craig Roberts	Principal Environmental Advisor		

Distribution				
Organisation	Recipient	No. Of Hard Copies	No. Of Electronic Copies	Comment
GoldNet Pty Ltd	Shaun Morgan	0	1	

ADV-AU-00259 | Mt Singleton Communications Conservation Significant Flora Management Procedure | December 2021 |

| Page ii of iii |

IMPORTANT INFORMATION ABOUT THIS DOCUMENT

AUTHOR – This Supporting Document was prepared for and on behalf of Goldnet Pty Ltd ("Goldnet") by RPM Advisory Services Pty Ltd ("RPM") in accordance with the terms of its engagement.

RPM has prepared this Supporting Document having regard the particular needs and interests of Goldnet, and in accordance with Goldnet's instructions.

RPM did not draft this Supporting Document having regard to any other person or project's particular needs, or interests and the Supporting Document may not be sufficient, fit or appropriate for any use beyond what Goldnet requires.

RPM expressly disclaims any liability and any duty of care to any third party other than the relevant statutory authority.

RPM does not authorise any third party other than the relevant statutory authority to rely on this Supporting Document. Any third party who choose to use or rely on all or part of this Supporting Document, will do so at their sole and exclusive risk.

To the maximum extent permitted by law, neither RPM nor its related corporations, Directors, Officers, employees or agents, nor any other person, accepts any liability, including, without limitation, any liability arising from fault or negligence, for any loss or damage by any party other than Goldnet, arising from the use of this Supporting Document or its contents or otherwise arising in connection with it.

TABLE OF CONTENTS

1.	BACKGROUND1
2.	CONSERVATION SIGNIFICANT FLORA SPECIES4
2.1	Desktop Search4
2.2	Flora Survey4
3.	MANAGEMENT MEASURES8
4.	REFERENCES9

LIST OF TABLES

Table 2-1	Conservation Significant Flora Species of the Project Area	5
	Management Measures to be Implemented	

LIST OF FIGURES

Figure 1-1	Location Plan	2
Figure 1-2:	Site Layout	3

1. Background

The Mt Singleton Communications Site Project is located approximately 43 km southwest of the town of Paynes Find in Western Australia on L59/178 that an area of 0.423 ha (**Figure 1-1**). It is situated within the Ninghan Station pastoral lease, Yalgoo Shire and Land District of Ninghan.

GoldNet Pty Ltd (GoldNet) installed an 18 m high communications tower and solar panel bank in October 2020 within an existing cleared area on Mt Singleton. The communications tower is used to support Silver Lake Resources' Rothsay Project and other mining centres within the area. Stage 1 of the solar panel bank extension was approved on 29 November 2021.

Access to the tower is via pre-existing access tracks. Mt Singleton sits at an altitude of approximately 673 m above sea level. The communications tower infrastructure currently occupies an area of 0.01 ha. This is proposed to be expanded to accommodate additional solar panels to support increased communication requirements in the area. Stage 2 of the expansion will require 0.0052 ha of native vegetation clearing.

As per tenement endorsement 11, a '*Rare Flora site/s (including Rare Flora Site/s 89932) declared under the Biodiversity Conservation Act 2016*', exists within L59/178. This Environmentally Sensitive Area (ESA) contains several conservation significant species i.e., Threatened and priority flora species, within a fenced area. Threatened flora species have also been recorded in the native vegetation adjacent to the communications tower. This Conservation Significant Species Management Procedure contains management measures which are designed to provide protection of these Priority and Threatened flora species during installation of the solar panel bank expansion and surrounding fence.

GoldNet commissioned a Botanist from WoodGIS to undertake a targeted flora survey in July 2020 of the Project area in association with the Department of Biodiversity, Conservation and Attractions (DBCA). This flora survey identified the distribution and abundance of conservation significant species. GoldNet has been in regular contact with DBCA and the Department of Mines, Industry Regulation and Safety (DMIRS) regarding conservation significant species and relevant regulatory approvals for the Project.

An updated targeted survey of the area scheduled for clearing as part of the Stage 2 expansion was undertaken by Native Vegetation Solutions (NVS) in November 2021. This survey confirmed reports from the site construction employees that two of the identified *Acacia imitans* seedlings were absent from the location identified by WoodGIS (2020) and are considered deceased.

The contact representative for this Management Procedure is:

 Name:
 Mr Shaun Morgan

 Phone:
 61 08 6149 4101

 Mobile:
 0407 199 968

 Fax:
 61 08 6149 4141

 Address:
 11 Murphy St, O'Connor, WA 6163

 Mail:
 PO Box 2080, Kardinya WA 6163

 Email:
 smorgan@gold.net.au

ADV-AU-00259 | Mt Singleton Communications Conservation Significant Flora Management Procedure | December 2021 | Page 1 of 9 |




Figure 1-1 Location Plan



ADV-AU-00259 | Mt Singleton Communications Conservation Significant Flora Management Procedure | December 2021 | Page 2 of 9 |

This report has been prepared for GoldNet Pty Ltd and must be read in its entirety and subject to the third party disclaimer clauses contained in the body of the report © RPM Advisory Services Pty Ltd 2021



| ADV-AU-00259 | Mt Singleton Communications Conservation Significant Flora Management Procedure | December 2021 |

This report has been prepared for GoldNet Pty Ltd and must be read in its entirety and subject to the third party disclaimer clauses contained in the body of the report © RPM Advisory Services Pty Ltd 2021

2. Conservation Significant Flora Species

2.1 Desktop Search

A NatureMap search was undertaken 21 September 2021 for the Project area at a central coordinate of 29° 27' 57" S, 117° 17' 57" E with a 5 km buffer zone (DBCA 2021a). The results indicated the following Threatened and priority flora species could potentially be present within the Project area:

- Acacia imitans Threatened.
- Acacia unguicula Threatened.
- *Hybanthus cymulosus* Threatened.
- Acacia karina Priority 1.
- Allocasuarina tessellata Priority 1 (Listed as Priority 3 on Florabase (DBCA 2021b)).
- Grevillea scabrida Priority 1 (Listed as Priority 3 on Florabase (DBCA 2021b)).
- Micromyrtus mucronulata Priority 1.
- *Micromyrtus ninghanensis* Priority 1.
- Grevillea subtiliflora Priority 3.
- Thryptomene sp. Wandana (M.E. Trudgen MET 22016) Priority 3.

2.2 Flora Survey

A targeted flora survey over the Project area was undertaken in July 2020. The targeted flora survey identified two threatened species (*Acacia imitans* and *Acacia unguicula*) and four priority species (*Allocasuarina tessellata* P1, *Grevillea scabrida* P1, *Micromyrtus mucronulata* P1 and *Micromyrtus ninghanensis* P1) in the immediate vicinity of the Project area. These species are shown in **Table 2-1**.

A secondary survey was undertaken by Native Vegetation Solutions (NVS) in November 2021 focusing on the distribution of the threatened species *Acacia imitans* and *Acacia unguicula*. A total of 14 plants of *Acacia imitans* were identified within the survey area, however no plants were located within the proposed footprint of the extension to the communications tower. The were no plants of Acacia unguicula recorded within the survey area (NVS, 2021).



Table 2-1	Conservation Significant Flora Species of the Project Area
-----------	--

Family Name	Species Name	Conservation Listing Status (as of September 2021)	Species Description	Photo
Fabaceae	Acacia imitans	Threatened	A low, dense, spreading, intricate and prickly shrub. Grows 0.2 - 1 m high, to 2 m wide. Flowers are yellow, flowering from August to September. Growing in areas of rocky red loam and rocky hills. (DBCA 2021b)	
Fabaceae	Acacia unguicula	Threatened	Erect, open, pungent shrub. Grows 0.75 - 2(-3) m high. Flowers are yellow, flowering from August to September. Growing in areas of rocky clay or loam, upper slopes and summit of mountain. (DBCA 2021b)	Ceclea ungriedia Tecnes View
Violaceae	Hybanthus cymulosus	Threatened	Perennial, herb. Grows 0.15 - 0.9 m high. Flowers are blue-purple, flowering in May to July. Growing in areas of clay, rocky loam clay. (DBCA 2021b)	Pyberhag symbols
Fabaceae	Acacia karina	Priority 1	Straggling, woody shrub. Grows to 1.5 m high. Growing in red-brown silty clay loam with ironstone pebbles, banded ironstone, shalestone and rocky slopes. (DBCA 2021b)	
Casuarina ceae	Allocasuarina tessellata	Priority 1 (Listed as Priority 3 on Florabase (DBCA 2021b))	Dioecious shrub or tree. Grows 3 - 5 m high. Growing in loam, sand, greenstone and dolerite boulders. (DBCA 2021b)	Minerarina tesellara

ADV-AU-00259 | Mt Singleton Communications Conservation Significant Flora Management Procedure | December 2021 | Page 5 of 9 |

This report has been prepared for GoldNet Pty Ltd and must be read in its entirety and subject to the third party disclaimer clauses contained in the body of the report © RPM Advisory Services Pty Ltd 2021

Proteaceae	Grevillea scabrida	Priority 1 (Listed as Priority 3 on Florabase (DBCA 2021b))	Densely and irregularly branched shrub. Grows 0.6 - 1.5 m high. Flowers are green-white/green- yellow/white, flowering in July. Growing in red clay loam, stony loam. (DBCA 2021b)	GreetHou scalarida
Myrtaceae	Micromyrtus mucronulata	Priority 1	Grows in sandy soils. (DBCA 2021b)	
Myrtaceae	Micromyrtus ninghanensis	Priority 1	Low and spreading shrub. Grows to 0.4 m high. Flowers are white, flowering in September to October. Growing in reddish or brown clay, greenstone, granite, hills. (DBCA 2021b)	
Proteaceae	Grevillea subtiliflora	Priority 3	Erect to spreading shrub. Grows 1 - 2.5 m high. Flowers are white, flowering in April or July to September. Growing in red-brown loam. (DBCA 2021b)	Greelles ublifter For s. k. r. w.
Myrtaceae	<i>Thryptomene</i> sp. Wandana (M.E. Trudgen MET 22016)	Priority 3	Shrub. Grows 0.75 to 1.5 m high. Flowers are pink, white and red, flowering from July to September. Growing in yellow sand, red clay and sand dunes. (GHD 2012)	

*Conservation Code Definitions (DBCA 2019)

T: Threatened species

Listed by order of the Minister as Threatened in the category of critically endangered, endangered or vulnerable under section 19(1), or is a rediscovered species to be regarded as threatened species under section 26(2) of the *Biodiversity Conservation Act 2016* (WA) (BC Act).

Threatened flora is that subset of 'Rare Flora' listed under schedules 1 to 3 of the Wildlife Conservation (Rare Flora) Notice 2018 for Threatened Flora.

ADV-AU-00259 | Mt Singleton Communications Conservation Significant Flora Management Procedure | December 2021 | Page 6 of 9 |

This report has been prepared for GoldNet Pty Ltd and must be read in its entirety and subject to the third party disclaimer clauses contained in the body of the report © RPM Advisory Services Pty Ltd 2021



Priority 1: Poorly known species

Species that are known from one or a few locations (generally five or less) which are potentially at risk. All occurrences are either: very small; or on lands not managed for conservation, e.g., agricultural, or pastoral lands, urban areas, road and rail reserves, gravel reserves and active mineral leases; or otherwise under threat of habitat destruction or degradation. Species may be included if they are comparatively well known from one or more locations but do not meet adequacy of survey requirements and appear to be under immediate threat from known threatening processes. Such species are in urgent need of further survey.

Priority 3: Poorly known species

Species that are known from several locations, and the species does not appear to be under imminent threat, or from few but widespread locations with either large population size or significant remaining areas of apparently suitable habitat, much of it not under imminent threat. Species may be included if they are comparatively well known from several locations but do not meet adequacy of survey requirements and known threatening processes exist that could affect them. Such species are in need of further survey.

**Photos referenced from Florabase 2021b and WoodGIS 2020.

3. Management Measures

The management measures presented in

Table 3-1 will be implemented by GoldNet during installation of the solar panel bank extension and fence to minimise potential impacts on conservation significant flora species (which include Threatened and Priority flora species)

Aspect	Management Measure			
Site Preparation and Installation	 Field personnel will be familiar with the conservation significant flora species identified in this Management Procedure. 			
	No clearing of Threatened species will be undertaken as part of the installation of the communications tower.			
	 Demarcating, with pegs and flagging tape, the Acacia imitans individual adjacent to northeast corner of the proposed fence. 			
	 Clearing of native vegetation will be limited to the area marked in Error! Reference source not found. 			
	 All vehicles and equipment will be free of weeds and seeds prior to mobilisation to site. 			
	 Existing roads, tracks and cleared areas will be utilised. 			
	 The designated installation site will be clearly flagged and delineated in the field. 			
	 A toolbox meeting will be held between all field personnel to ensure everyone is aware of the designated installation site, conservation significant flora species and any areas that need to be avoided. 			
Hydrocarbon Management	 All vehicles and other equipment will be regularly maintained to minimise the chance of leaks and breakdown related spills. 			
	 Spill response kits and fire extinguishers will be available in all vehicles and all personnel will be trained in emergency response. 			
	 Any spills will be contained and cleaned-up with contaminated material removed off site for disposal to an approved waste facility. 			
	 Environmental incidents will be reported to the Project Manager and to the relevant regulatory agency as required. 			
Waste Management	 All rubbish generated on site will be placed in appropriate bags/containers within vehicles and removed offsite for disposal to an approved waste facility. 			
Dust	 Vehicles will travel at low speeds, to minimise potential generation of dust. 			

Table 3-1 Management Measures to be Implemented

ADV-AU-00259 | Mt Singleton Communications Conservation Significant Flora Management Procedure | December 2021 | Page 8 of 9 |

This report has been prepared for GoldNet Pty Ltd and must be read in its entirety and subject to the third party disclaimer clauses contained in the body of the report © RPM Advisory Services Pty Ltd 2021

4. References

- Department of Biodiversity, Conservation and Attractions (DBCA) (2019). Conservation Codes for Western Australian Flora and Fauna. <u>https://www.dpaw.wa.gov.au/images/documents/plants-animals/threatened-species/Listings/Conservation%20code%20definitions.pdf</u>
- Department of Biodiversity, Conservation and Attractions (DBCA) (2021a). NatureMap. <u>https://naturemap.dbca.wa.gov.au/</u>
- Department of Biodiversity, Conservation and Attractions (DBCA) (2021b). Florabase. <u>https://florabase.dpaw.wa.gov.au/</u>
- GHD (2012). Main Roads Western Australia Report for Northwest Coastal Highway SLK 145.6 Targeted Flora and Fauna Survey. <u>https://www.der.wa.gov.au/images/documents/your-environment/native-vegetation/Clearing Permit Annual Reports/CPS 818/2012/Mid West/North West Coastal Hwy M aterial Source SLK 145.8/Biological Survey.PDF
 </u>
- Native Vegetation Solutions (NVS) (2021). Targeted Threatened Flora Survey of the Mount Singleton Project Area – November 2021. An unpublished report for Goldnet Pty Ltd.
- Woodgis (2020). *Mount Singleton Targeted Flora Survey.* An unpublished report for GoldNet Pty Ltd.



- END OF REPORT -



www.rpmglobal.com

AUSTRALIA | BRAZIL | CANADA | CHILE | CHINA | HONG KONG | INDIA | INDONESIA MONGOLIA | RUSSIA | SOUTH AFRICA | TURKEY | USA