



## CLEARING REFERRAL DETERMINATION NOTICE

### Referral details

Referral number:	REF 10436/1
Referral submitted by:	Arc Infrastructure Pty Ltd
Purpose of proposed clearing:	Removal and replacement of radio tower
Location of proposed clearing:	Lot 15846 on Deposited Plan 192201 Lot 15454 on Deposited Plan 100408
Locality:	Wagin
Clearing size:	0.058 hectares

### Referral determination:

The Department of Water and Environmental Regulation has considered the above referral and determined under section 51DA(3) of the *Environmental Protection Act 1986* (the EP Act) that a clearing permit **is required** for the proposed clearing of the areas cross-hatched orange on the attached map detailed in Schedule 1 (the referral area).

The reason for this determination is that the proposed clearing does not satisfy all of the criteria specified in s.51DA(4) of the EP Act. Specifically:

- the referral area is not small relative to the total remaining vegetation —
  - of the ecological community of which the vegetation proposed to be cleared forms part
- there are known or likely significant environmental values identified within the referral area
- there are issues that would arise as a result of the proposed clearing that are likely to require conditions to manage or mitigate effects on the environment.

Alexis Krapez  
A/Senior Environmental Officer  
NATIVE VEGETATION REGULATION

*Officer delegated under section 20 of  
the Environmental Protection Act 1986*

2 January 2024

# Schedule 1: Map

## REF 14036/1 - Map



Figure 1: Map of the referral area within which clearing of native vegetation requires a clearing permit.