Geraldton Airport (Meru) WA008185.

New Amplitel owned telecommunications facility located at Lot 55 Goulds Road, Narngulu WA 6532

Western Power have advised that power is to come from the power pole located in the road reserve. The road reserve is listed on the DWER Contaminated Sites Database




Source: NearMap


Blue - boundary of Lot 55 Goulds Road Nargulu, ILUKA land

Green – boundary of Amplitel/ Telstra telecommunications facility, within ILUKA land

Red - boundary of works area within the road reserve, that is deemed to be contaminated – City of Greater Geraldton land. **area in question.



Source: DWER Contaminated Sites Database









ADDITIONAL REQUIREMENTS DEED MAY DETIRE MAY BE SELEMENT UPACTS AND THERE MAY BE ADDITIONAL REQUIREMENTS BEFORE ON AFTER DURFE SSUE A CLEANING PREMIT THAT MAY WHAT THE MEASTERN FROMERENTS AND HYGENE MANAGEMENT PLASS ENSURE YOU PROVIDE THE MESTERN POWER SCIOPING SPECIALIST/CONSTRUCTION MANAGER WITH A COPY OF ONE OF THE TOLLOWING AS SOON AS PRACTICABLE FOR REVIEW AND SUITABILITY COMPINATION.

- A CLEARING FERMIN ATION NOTICE ISSUED BY DWER COMFIRMING A CLEARING PERMIT IS NOT REQUIRED.


VEGETATON CLEARING DETAIL IDENTIFIES THE TOTAL AREA (9 SOM) FOR WHICH CLEARING APPROVALS WILL PRED TO BE OBSEROADE ADNI IN WHICH YOU WILL HAVE TO ARRANGE TO CLEAR/REMOVE ALL VEGETATION AND PREPARE THE SITE AS SPECIFIED IN THE DESIGN DRAWING ON SHEET 1 OF 3.

REFER TO https://www.wa.gov.au/service/environment/environment-information-services/clearing-permits FOR LEBRHEN INFORMATION ON LLEBRANG APPROVA REQUIRENTA. ADVICE ON RELEVANT EXPRITIONS CAN BE 091 AMED VIA "TOMERS GAUGE 1 - EXEMPTIONS AN REQUIATIONS FOR LLEARING NATIVE VEGETATION" AND CLARRICATION CAN BE SOUGHT VIA EMAILING DUKE DIRECTLY VIA info@oder.wa.gov.au.

MECHANICAL CLEARING"

| EARING (MGA) | NORTHING | 6810003.01590 | 6810006.11852 | 6810004.67803 | 6810001.91637 |
|---|----------|---------------|---------------|---------------|---------------|
| VEGETATION CLEARING CO ORDINATES (MGA) | EASTING | 273158.68029 | 273157.44094 | 273153.73675 | 273155.75520 |
| > 0 | PEG NO. | - | 2 | 3 | 7 |
| | | | | | |

| 9 _ | | | | | | | | _ | | | |
|---|--------------|----------|----------------|----------|---|----------|--------|----------|----|-----|----|
| 29 | | | ¥ | œ | - | | z | in | | ⋍ | S |
| Z= | | | = | w | - | : : | 0 | | | ÷ | - |
| | | = | = | _ | | | = | - Σ | 17 | ٦, | |
| 26 | | ^ | 6 | ω. | wia | = | ۷. | ~ | z | Ο. | 2 |
| ωΣ | | œ | ā | _ | = 1 | > | Σ | - 10 | 7 | 3 | 7 |
| $\circ\Sigma$ | | - | σ. | | - 4 | - | \sim | - 3 | 7 | • | ₹. |
| 0 | | = | - 7 | 2 | V!~ | 2 | _ | 0 | w | - | • |
| 50 | | 0 | ٠. | ≂ | *: | w. | Z. | ۵. | - | × . | |
| Œα | | -1 | 0 | * | 5, | - | 9 | ~ | ~ | ᢍ | |
| | | | 3 | ω. | 3≿ | _ | | ~ | z | 2 | ₩. |
| 35 | œ | 9 | - | _ | | Z | > | | 2 | 6 | Ü |
| œ۶. | Ξ | ≤ . | z | ~ | #'S | Ψ. | = | - 50 | ь. | 8 | Ξ |
| 5 | - | Σ | 9 | z | F | ÷ | _ | , iii | •₹ | ٠. | 3 |
| 2.2 | ₩. | ≃ | F | = | ~ 9 | 0 | 8 | 3 | a | Σ. | _ |
| 0 1 | | u. | ₽ | - | 0.7 | œ. | ⋖ | | ō. | 9 | 2 |
| Sign : | ≒జ | ž. | 2 | ₽ | Œ. | 5 | = | v | ш | - | 2 |
| i c | -0 | = | × | £α. | .,, | z | 5 | 4 | _ | ш | = |
| TE SE | <u>≻</u> .:: | | w | × | 20 | ,w | S | - 5 | ш | 3 | - |
| vs- | ≒₹ | 4 | - | ш | -< u | : | _ | 0 | ᆂ | -3 | ۹ |
| -0 | ರತ | ₹ | = | œ | 25 | 0 | Z | ~ | | ٥. | ×. |
| œ". | "z | 0 | ≵ | ₩ | ~= | 120 | ۹. | a | 墲 | ŵ | _ |
| ₩≃ | ີ ທ | | ü | \$ | a :: | | > | 4 | _ | ۰, | _ |
| 60 | щ'n | m۵ | _0 | 6 | 9.00 | Ψ, | - | | ۰ | 10 | Ų. |
| ⊢α: | = | | 217 | ▭ | ٦. | = | = | × | ш | - | 3 |
| ÑΦ | >Σ | ο, | Æ | z | | | · | = | 王 | z, | Ω. |
| ದ್ವ | 22 | 50 | = | ٩ | 21 | 0 | ΥZ | - 52 | S | ₩, | |
| 9 | 20 | S | 4 | < | 포느 | Ξ. | √₩ | - wi | o | œ١ | # |
| 무곡 | _2 | 200 | بساد | w | ā. | - | 5≑ | _ = | z | ≌, | = |
| F | 9~ | 57 | :0 | ž | 9.2 | 6 | -5 | _ | 2 | Ξ. | |
| .01 | w | ٣× | ś. | ѿ | | S | ~~ | - 2 | 8 | 0 | ¥ |
| -4 | ᇛ | = | /5 | 무 | >: | | 32 | -< | œ | 8 | = |
| ≅≥ | ₩ | 5. | ,= | õ | 82 | 8 | ΣZ | - | 0 | Ξ. | ₹. |
| 25 | =z | 23 | :> | ۵, | -6 | | 5~ | - 24 | ~ | 9 | ₽ |
| 24 | ≓_ | ~" | | 22 | 5v | ,≍, | ~~ | | | ٤, | Š |
| م م | ⊞ .∷ | ō> | - w | œ | ð., | . 0 | 10 | .0 | Ξ | 뜨 | |
| 04 | ≃5 | = 0 | ıœ | <u> </u> | >~ | | ₹" | _ | = | ₩. | S |
| W.O. | S | ٧, | 4 | \simeq | wα | 9 | 5v | α | 3 | = | ۳, |
| 으로 | - 5 | 25 | 5 ° | | ಷ | 0 | ≞≿ | w | ٠. | ٠, | ₽ |
| 52 | œ | 두9 | :5 | 8 | œ" | = | ξà | á | 监 | Z. | ū |
| H-4 | ω= | ∝= | 5- | = | w | 0 | w- | - | ε | 잂 | 9 |
| ~~ | ÁΣ | шс | o, | ⋖ | wa | Σ | - S | ~ | 9 | - | ÷. |
| EU. | =:: | E i | ;≓ | ╡ | 95 | ~ | шw | ٠٠ | S | ٠, | Š. |
| Σ., | S | ۵, | 1 | <u> </u> | === | ŵ | 3 Z | ٠ | Þ | Ξ. | |
| 2≈ | n., | 5 | :55 | w- | - 22 | . 1 | Bis | 쁘뿌 | v | 3 | ~ |
| N. | - ≥ | ₹ 2 | įō | =5 | :≃ă | `` | =5 | >= | w | ۳ | 9 |
| ⊃v. | ₩≅ | ∝" | - | wř | ~~ | S | ~ 00 | ₩ | £ | ۹, | ~ |
| 200 | =# | E | 3 | ⊢0 | :X | .=: | Σο | _ == | _ | o. | Б, |
| 40 | ,wi | Œ | + | z. | - 2 | | z- | 20 | ш | w, | ٠, |
| 178 | S | 꿇ニ | - | ΣÌ | ~ = | O | ×۶ | _≥ | = | ĸ١ | o: |
| ž- | έ. | . 3 | :≃ | ⊃_ | .or⊑ | œ. | =0 | Σω | ≥ | 2 | =: |
| EING A CUSTOMER FUNDED PROJECT, THE CUSTOMER IS RESPONSIBLE FOR OBTAINING LL NECESSARY CLEARING APPROVALS AND, PRIOR TO WESTERN POWER COMMENCING | Б⋖ | 40 | . 5 | ۲Σ | HIS ALSO INCLUDES RELEVANT DEVELOPMENT APPROVALS FOR THE WORKS ILE. | 4 | ≥-: | 30 | × | o, | 무: |
| | | | | | | | | | | | |



| $^{\circ}$ | ION CLEARING |
|------------|---------------|
| ΞÜ. | NATES (MGA) |
| ING | NORTHING |
| 670 | 6810003.01590 |
| 760 | 6810006.11852 |
| 575 | 6810004.67803 |
| 520 | 6810001.91637 |

| VEGETATION CLEARING CO ORDINATES (MGA) | LEARING S (MGA) |
|---|--------------------|
| EASTING | NORTHING |
| 273158.68029 | 6810003.01590 |
| 273157.44094 | 6810006.11852 |
| 273153.73675 | 6810004.67803 |
| 273155.75520 | 6810001.91637 |
| | |

| CO ORDINATES (MGA) | S (MGA) |
|--------------------|----------------|
| EASTING | NORTHING |
| 273158.68029 | 6810003.01590 |
| 273157.44094 | 6810006.11852 |
| 273153.73675 | 6810004.67803 |
| 273155.75520 | 6810001.916.37 |
| | |

| A CLOSE TO TOTAL T | - WRITTEN DETAILS OF A RE | EDM 46147597) THIS ALSO INCLUDES RELEVA | BUILDING APPROVALS FOR A APPROVALS / EXEMPTIONS C ENVIRONMENTOWESTERNDOWE ALLOW TO RISINGS DAYS FE | TEAM TO REVIEW. TO ENABLE THE CUSTOMER TO PROVIDE THE CUSTOMER WITH | REQUIRED (VEGETATION CLEA PHOTOS OR GIS SHAPEFILES, REQUIRED. | REFER TO CLEARING PERMIT | Super Service |
|--|---------------------------|---|---|---|---|--------------------------|---|
| _ | NG | 06 | 25 | 103 | | | HOUT A PERMIT OR EASE CONTACT ESTERN POWER |
| | NORTHING | 6810003.01590 | 6810006.11852 | 6810004.67803 | 6810001.91637 | | TURBED WIT DOUBT PL CONTACT W |
| | EASTING | 273158.68029 | 273157.44094 | 273153.73675 | 273155.75520 | | TATION MAY BE DIS PERMIT AREA. IF IN JANAGER WHO WILL TEAM. |
| | PEG NO. | - | 2 | 3 | 7 | | NO NATIVE VEGETATIO OUTSIDE OF THE PERM THE RELEVANT MANAGENVIRONMENTAL TEAM. |
| | | | | | | | NO NA OUTSII THE RE |

WORK INSTRUCTION (EDM 43938228) FOR FURTHER DETAILS.

PLEASE NOTE: HEAVY PENALTIES MAY APPLY TO INDIVIDUALS AND BUSINESSES FOR DAMAGE TO NATIVE VEGETATION WITHOUT A PERMIT ISSUED FOR CONSTRUCTION

| /. | | ange u |
|--------------------|------|---|
| DP HESE SIGNS | | onmental ora betwee arkers 1 year |
| STO You see her | | ite of meir turb tie fla of these m loubt—ceta |
| N S | 7.34 | NOT de |
| 1 | 1 | age / |

| SIGNS | 9 | nental value between ers | 50 |
|------------------------|---|---|---------------------|
| STOP YOU SEE HESE S | | k a site of revirons T disturb the flora airs of these marks If is doubt cetact yes | Chatter of the same |
| - | 1 | These man | / |

| · 1 L 1 4 | ≫ <u> </u> | 35 8/ 1/ 1/ 15 | - t \ Y O O \ Y \ X \ Y O O O O |
|-----------|-------------------|----------------|---------------------------------|
| | | | |

SHE ASSESSMENT REPORT EDM#, 68194,715 HAZARD MANAGEMENT REGISTER EDM#, 68894,162

D.K. 08/24 DRN DATE

SSUED FOR CONSTRUCTION

| | - | ı |
|-------------|--|---|
| (| SOLDEN SAFETY RULES ARE INDICATIVE ONLY - ALWAYS PERFORM A DETAILED HAZARD ANALYSIS. | |
| 1 30 | ETAILED! | |
| 1 | S PERFORM A | |
| • | LY - ALWAY | |
| J | INDICATIVE ON | |
| #2 | RULES ARE | |
| N 1 | OLDEN SAFETY | |
| - | ľ | |

THE DEPARTMENT OF WATER AND ENVIRONMENTAL REGULATION (DWER) ADMINISTERS THE CLEARING PROVISIONS OF THE EVACTA, CLEARING DEPHRI IS REQUIRED TO AUTHORISE, CLEARING OF MATIVE VEGETATION UNLESS A VALID EXPERTION APPLIES OR DWER IDENTIFIES THAT A CLEARING PEPRH IS NOT REQUIRED THE EPORAL CLEARING REFERSAL PROCESS, WHILE CLEARING PEPRHA APPLICATION APPLIES OF DWER IDENTIFIES THE PERMAL CLEARING REFERSAL PROCESS, WHILE CLEARING REPENT APPLICATIONS ATTRACT, FEES YOU DO NOT HAVE TO PAY A FEE TO SUBMIT A REFERSAL, WHEN APPLING TO DWER ENSURE THAT THE POLLOWING IS INCLUDED IN THE RELEVANT FORMS.


"ALL OTHER CONSTRAINTS HAVE BEEN CONSIDERED AND CLEARING WAS DEEMED THE MOST SIGNIFICANT IMPACT. METHODS TO AVOID AND MINIMISE CLEARING CONSIDERED DURING THE DESIGN PHASE INCLUDED;

WITH REGARD TO YOUR REQUESTED WORKS, IT HAS BEEN IDENTIFIED BY WESTERN POWER THAT CLEARING OR POUNTAL CLEARMIG IS RECUIRED TO PACHILIATE IN ECONNECTION. BENNA & CUSTOMER-ENUNDE PROJECT, THE CUSTOMERS - RESPONSIBLE FOR 03TAMING ALL NECESSARY (LEARNIA APPROVALS PROOR TO THE COMMENCEMENT OF WORKS, YOU CAN ENGAGE AN EWINFORMENTAL CONSULTANCY TO ASSIST WITH THIS.

VEGETATION INSTRUCTION

| | _ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|--------|--------|--|----------|--|---------|--------------------|--------|----------------------|-----------------------|---------------------|------------------------|--------------------|---------------------------|--------------------|-----|-----------------|----------------------|-----|--------------|----------------|--------------------|--------------|-----------------|---------------|----------------|-----------------|--------------|---------------|----------|------------------|-----------------|-------------|----------------------------------|------------------------|--------------|------------------|----------------|------------------------------|--------------|---------------------------|--|-----------------|--|
| A DETAILED HAZARD ANALYSIS. | LEGEND | CABLES | | 1 1 1 1 | | | | CABLES | | | | | i | DITC / ETC | III San (G) | E I | (5) Bittle Pill | / LINDAD | | OH EQUIPMENT | Ø PTS | O'ISB. HV ISBLATOR | DISCONNECTOR | Sol 1x | O-H GUTRIGGER | O- GROUND STAY | S SECTIONALISER | UV ABC KRONE | O STREETLIGHT | | | | i | | | . CONDUCTORS | | | | | | | | |
| - ALWAYS PERFORM |)JI | ₹ | CNS3 - 400mm2 (3X1c) (N49 - 240mm2 (3X1c) | - 185mm2 | CNS0 - 95mm2 (3X1c) CNS1 - 50mm2 (3X1c) | - 50nm2 | EXISTING HY CA | 1S-A1 | CN45 - 240mm2 (1s2c) | CMLA - 185mm2 (1s.3c) | CMc2 - 25mm2 (fe2c) | (No.1 - Norm2 St. IIc) | EXISTING LY CABLES | (SIZE AND TYPE INDICATED) | HINI INCRINIO ENDI | | Die C | C CAN'T MADRIED LIVE | - 4 | 03 H0 | O INTERMEDIATE | o∯ 10t | STRAIN | O M | O—O AERIAL | ® RECLOSER | © LOAD BREAK | | S 18PTS | W. AFDIA | 19/3.25 AAC/AAAC | 774.75 AAC/AAAC | 3/2.75 SCAC | 6/1/3:00 AACSR/AC 150 HENDRIX | EXISTING HY CONDUCTORS | LV - AERIAL | 1973.25 AAC/AAAC | 7/2.5 AAC/AAAC | LV ABC 95 | SERVICE 16mm | (SIZE AND TYPE INDICATED) | | RESTRICTED ZONE | |
| LDEN SAFETY RULES ARE INDICATIVE ONLY | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

1. PLACEMENT OF LAYDOWN AREAS, TURNARDUNDS ETC. IN PREVIOUSLY CLEARED LAND
2. UTILISATION OF EXISTING ACTESS TRACKS WHERE POSSIBLE
3. RESTRICTION OF PROUNDS WISTING MAINTENANCE ZONE WHERE EXISTING TON OF PROUNDS WISTING DOT LEARNER WHERE POSSIBLE
4. UTILISATION OF PROUNDS WISTING DOT LEARNER WHERE POSSIBLE
5. UTILISATION OF PROUNDS WISTING OF LEARNER WHERE POSSIBLE
6. UTILISATION OF ARRESTS PADDOCKS AND PREVIOUSLY CLEARED ARRAS WHERE POSSIBLE
7. SECTION OF LORIN AND ENTRYEXT HOLE LOCATIONS TO AVOID CLEARING OF HIGH VALUE)
7. SEECTION OF JOINT AND ENTRYEXD OF GROUND WORK
9. PROUNDS AND AVOID WHERE POSSIBLE WITH WESTERN POWER ENVIRONMENT TEAM TO HIGHLIGHT PROPOSED RRKS AND AVOID WHERE POSSIBLE OF RECEIVED WITH SPANS THAT CAM SPANS TH



EASEMENT

FURTHER RELEVANT AND SUPPORTING INFORMATION IS AVAILABLE VIA DWER'S WEBSITE. IF YOU HAVE ANY OUESTIONS ABOUT WESTERN POWER'S REQUIREMENTS, PLEASE CONTACT YOUR ALLOCATED DESIGNER. WRITTEN DETAILS OF A RELEVANT (LEARING PERMIT EXEMPTION AND SUPPORTING DOCUMENTS (INCLUDING ANY REGULATOR CORRESPONDENCE).

| COMPANY NAME: SERVICE STREAM | 200 200 0000 |
|---|----------------|
| CONTACT: RAJASEKAR DURAISWAMY TEL: 0470 631 831 | : 04/0 631 831 |
| | |
| R:CUSTOMER CONNECTION DESIGN | Westernnower |
| TEAM: CCS SBM QAT - APD | |

| CONSULTANT CONTACT DETAILS COMPANY NAME: SERVICE STREAM CONTACT: RAJASEKAR DURAISWANY TEL: 0470 631 831 | | | DRAWING NUMBER | NP031898 | | SHEET 2 OF 3 | REV: A ORIGINAL SIZE - A1 |
|---|--------------------------------------|--------------------------------|---------------------------------------|---------------|-----------------------------------|---|---------------------------|
| CONSULTANT CONTA COMPANY NAME: SERVICE STREAM CONTACT: RAJASEKAR DURAISWAM | DESIGNER: CUSTOMER CONNECTION DESIGN | DESIGN TEAM: CCS SBM QAT - APD | EMAIL: (CSSBH.DAT@westernpower.com.au | TEL: 13 10 87 | DATE: 08/24 SCALE: AS NOTED 63 A1 | GEO REF: Lat 28°49'6.43" S Long 114°4.0'32,82" E | |

| NOI | <pre>< VOLTAGE:</pre> | |
|--------------|--------------------------|---------------------------|
| CONNEC | - NETWORK | NARNGULU |
| LUMMEKLIAL (| DEMAND | LOT 55, GOULDS RD, NARNGU |
| JMME | MAX | LOT 55, |
| NEW ((| 50A/415V MAX DEMAND | |

THIS DRAWING TO BE READ IN CONJUNCTION WITH SHEET 1

VEGETATION CLEARING REQUIREMENTS

33kV

L0T 55 35.84kVA/50A MAX DEMAND

(







WITH REGARD TO YOUR REQUESTED WORKS, IT HAS BEEN IDENTIFIED BY WESTERN POWER THAT CLEARING OR POUNTAL CLEARMIG IS RECUIRED TO FACILITATE. HE CONNECTIONS ERNA & LOSTOMER-FUNDED PROJECT, THE CUSTOMER SEPROYSIEL FOR 03TAMING ALL NECESSARY (LEARNIA APPROVALS PROOR TO THE COMMENCEMENT OF WORKS, YOU CAN ENGAGE AN EWINFORMENTAL CONSULTANCY TO ASSIST WITH THIS.

THE DEPARTMENT OF WATER AND ENVIRONMENTAL REGULATION (DWER) ADMINISTERS THE CLEARING PROVISIONS OF THE EVACTA, CLEARING DEPHRI IS REQUIRED TO AUTHORISE, CLEARING OF MATIVE VEGETATION UNLESS A VALID EXPEPTION APPLIES OR DWER IDENTIFIES THAT A CLEARING PEPMIT IS NOT REQUIRED THE EPMAL CLEARING REPEARL PROCESS, WHILE CLEARING PEPMIT SHOWN FROM THE THE OPPARL CLEARING REPEARL PROCESS, WHILE CLEARING PEPMIT APPLICATIONS ATTRACT, FEES YOU DO NOT HAVE TO PAY A FEE TO SUBMIT A REFERRAL, WHEN APPLING TO DWER ENSURE THAT THE POLLOWING IS INCLUDED IN THE RELEVANT FORMS.

"ALL OTHER CONSTRAINTS HAVE BEEN CONSIDERED AND CLEARING WAS DEEMED THE MOST SIGNIFICANT IMPACT. METHODS TO AVOID AND MINIMISE CLEARING CONSIDERED DURING THE DESIGN PHASE INCLUDED;

- 1. PLACEMENT OF LAYDOWN AREAS, TURNARDUNDS ETC. IN PREVIOUSLY CLEARED LAND
 2. UTILISATION OF EXISTING ACTESS TRACKS WHERE POSSIBLE
 3. RESTRICTION OF PROLING STATEM ANANTENANCE ZONE WHERE EXISTED OF UTILISATION OF PROLING STORE MAINTENANCE ZONE WHERE EXPOSSIBLE
 4. UTILISATION OF PROLING STATEM OF LEARNER WHERE POSSIBLE
 5. UTILISATION OF PROLING STATEM OF LARGE AND PREVIOUSLY CLEARED AREAS WHERE POSSIBLE
 6. UTILISATION OF ARRESTS PADDOCKS AND PREVIOUSLY CLEARED AREAS WHERE POSSIBLE
 7. SEECTION OF LORIN AND ENTRYEXT HOLE LOCATIONS TO AVOID CLEARING OF HIGH VALUE)
 7. SEECTION OF JOINT AND WHERE POSSIBLE WITH WESTERN POWER ENVIRONMENT TEAM TO HIGHLIGHT PROPOSED RRKS AND AVOID WHERE POSSIBLE OF REQUIRED AND WORK
 9. PROPOSED RRKS AND AVOID WHERE POSSIBLE OF RECETATION
 10. USING LARGER LINE SPANS THAT CAM SPANN OVER VEGETATION
 11. USING LARGE LINE SPANS THAT CAM SPANN OVER VEGETATION
 12. THE STATEM OF THE STATEM OF THE WARD CLEARING INSTEAD OF THE STAND CLEARING INSTEAD OF THE STAND OF

REFER TO https://www.wa.gov.au/service/environment/environment-information-services/clearing-permits FOR LEBRHER MEDWARATION ON LLEBRANG APPROVI EGUIREPHORS. ADVICE ON RELEVANT EXPRETIONS CAN BE 091AMED VIA "TOMER'S GLUE! 1 - EXEMPTIONS AR REGULATIONS FOR LLEARING NATIVE VEGETATION" AND CLARRICATION CAN BE SOUGHT VIA EMAILING DURE DIRECTLY VIA info@dwerw.gov.au. MECHANICAL CLEARING"


VEGETATON CLEARING DETALL IDENTIFIES THE TOTAL AREA (106 SOM) FOR WHICH CLEARING APPROVALS WILL REED TO BE OBSTAGE ADD IN WHICH YOU WILL HAVE TO ARRANGE TO CLEAR/REPOVE ALL VEGETATION AND PREPARE THE SITE AS SECTIFIED IN THE DESIGN DRAWING ON SHEET TO F 3.

POLE BASE CLEARIN

1:100

WRITTEN DETAILS OF A RELEVANT (LEARING PERMIT EXEMPTION AND SUPPORTING DOCUMENTS (INCLUDING ANY REGULATOR CORRESPONDENCE).

FURTHER RELEVANT AND SUPPORTING INFORMATION IS AVAILABLE VIA DWER'S WEBSITE. IF YOU HAVE ANY OUESTIONS ABOUT WESTERN POWER'S REQUIREMENTS, PLEASE CONTACT YOUR ALLOCATED DESIGNER.



POLE BASE CLEARING NOT TO SCALE

ISSUED FOR CONSTRUCTION

THIS DRAWING TO BE READ IN CONJUNCTION WITH SHEET 1

35.84kVA/50A/415V MAX DEMAND - NETWORK VOLTAGE: 33kV NEW COMMERCIAL CONNECTION

POLE BASE CLEARING REQUIREMENTS LOT 55, GOULDS RD, NARNGULU

SHE ASSESSMENT REPORT EDM#, 68194,715 HAZARD MANAGEMENT REGISTER EDM#, 68894,162

SSUED FOR CONSTRUCTION

| CONSULTANT CONSULTANT CONSULTANT CONTACT SAVINGS BROWN AND SERVING CONTACT SAVINGS BROWN TEAM (CS SBN OM 1 - APP EAST EAST | CONSULTANT CONTACT DETAILS | STREAM | CONTACT: RAJASEKAR DURAISWAMY TEL: 0470 631 831 | Westernoow | | DRAWING NUMBER | מסארטכוא | NPUSIBAD | SHEET 3 OF 3 |
|---|----------------------------|------------------------------|---|--------------------------------------|--------------------------------|--|----------|----------|--------------|
| | CONSULTANT | COMPANY NAME: SERVICE STREAM | CONTACT: RAJASEKAR DUF | DESIGNER: CUSTOMER CONNECTION DESIGN | DESIGN TEAM: CCS SBM QAT - APD | EMAIL: ((S.SBM.0AT@westernpower.com.au | | Г | |

REV: A ORIGINAL SIZE -



REING, LOCKURS FRANCIO PROFILE THE CONTROL SERVING SERVING AND SERVING FROM THE CONTROL OF THE C

| CONSULTANT CONTACT DETAILS COMBAY NAME, SERVICE STREAM CONTACT, RAJASEKAR DURAISWAMY TEL, 02.70 631 83 | IN DESIGN JAR WASTACOON | | n.au DRAWING NUMBER | סגרטטוא | TED B AT NPUSION | | E SHEEL 3 OF 3 |
|--|--------------------------------------|--------------------------------|--|---------------|-----------------------------------|----------------------------|---------------------|
| CONSI COMPANY NAM CONTACT: RAJA | DESIGNER; CUSTOMER CONNECTION DESIGN | DESIGN TEAM: CCS SBM DAT - APD | EMAIL: (CS.SBH.DAT rawestern power, com au | TEL: 13 10 87 | DATE: 08/24 SCALE: AS NOTED 68 A1 | GEO REF: Lat 28*49'6.43" S | Long 114°4.0'32.82" |