



CLEARING REFERRAL DETERMINATION NOTICE

Referral details

Referral number:	REF 11357/1
Referral submitted by:	UGL Engineering Pty Ltd
Purpose of proposed clearing:	Upgrade the radio system for the Perth railway
Location of proposed clearing:	Lot 8003 on Deposited Plan 69103 Lot 1 on Deposited Plan 76173 Lot 3 on Deposited Plan 76173 Challenger Avenue Public Road Reserve (PIN 1188186) Unnamed Road Reserve (PIN 1185091)
Locality:	Parmelia and Bertram
Clearing size:	0.09 hectares
Expiration date:	8 December 2027

Referral determination

The Department of Water and Environmental Regulation has considered the above referral and determined under section 51DA(3) of the *Environmental Protection Act 1986* (the EP Act) that a clearing permit **is not required** for the proposed clearing of native vegetation within the area cross-hatched green on the attached map detailed in Schedule 1.

The reason for this determination is that the proposed clearing satisfies all of the criteria specified in section 51DA(4) of the EP Act.

Please note that this determination is valid only until the expiration date specified above.

Jessica Burton
MANAGER
NATIVE VEGETATION REGULATION

*Officer delegated under section 20 of
the Environmental Protection Act 1986*

8 December 2025

