



CLEARING REFERRAL DETERMINATION NOTICE

Referral details

REF number:	REF 9810/1
Referral submitted by:	Midland Brick Pty Ltd
Purpose of proposed clearing:	Clay extraction
Location of proposed clearing:	Part of Lot M 1326 on Diagram 5449

Referral determination:

The Department of Water and Environmental Regulation has considered this referral and determined under section 51DA(3) of the *Environmental Protection Act 1986* (the EP Act) that:

- a clearing permit is required for the proposed clearing of the area(s) cross-hatched orange on the attached map detailed in Schedule 1.

The reason for this determination is that the proposed clearing does not satisfy all of the criteria specified in s.51DA(4) of the EP Act. Specifically:

- the area proposed to be cleared (the area) is **not** small relative to the total remaining vegetation —
 - within the region in which the area is situated and;
- there are issues that would arise as a result of the proposed clearing that are likely to require conditions to manage or mitigate effects on the environment.

Juraj Galba
A/SENIOR ENVIRONMENTAL OFFICER
NATIVE VEGETATION REGULATION

4 August 2022

Officer delegated under section 20 of
the *Environmental Protection Act 1986*

Schedule 1: Map

Map

The area that requires a clearing permit is shown in the map below.

Plan 9810/1

